



Bullard[®]



Head and Face

Protection Products



History of Innovation in Head Protection

For more than 100 years, Bullard has focused its efforts on saving lives with quality safety products. Bullard is committed to providing products that are widely known to customers as “best in class.”

We Invented the Hard Hat

Founded in San Francisco in 1898 by Edward Dickinson Bullard, the Company originally supplied carbide lamps and other mining equipment to gold and copper miners. Bullard’s introduction of the first hard hat in 1919 represented the first of many innovative designs that have led the Company to its prominent position in head protection for industrial and emergency response applications.

During the 1930s, while the Golden Gate Bridge was being constructed in San Francisco, Bridge engineer Joseph B. Strauss contacted Bullard to request that the Company adapt its hats to protect bridge workers. Bullard not only supplied hard hats for this famous project, but its engineers also designed an original supplied air respirator for workers responsible for blasting the steelwork prior to the application of the Bridge’s International Orange paint.

Continuing the Legacy

From our Classic Series to the advanced protection offered by our Advent® rescue helmet, all Bullard hard hats and helmets have been carefully engineered to deliver superior performance, comfort, quality, and durability. Bullard is fifth-generation family owned and still manufactures all products in the U.S.A.



History of Innovation




Table of Contents

| | | |
|---------------------------------|-----------------------------------|-----------------------------------|
| Classic Series..... 3 | Advanced Series - Advent® 8 | Sentinel Series Headgear 15 |
| Standard Series 4 | Hard Hat Decoration..... 9-12 | Isotherm® Cool Vests 16 |
| High Heat Series 5 | Logo Shop..... 10 | Product at a Glance 17 |
| Bump Caps 6 | Brackets 13 | Product Glossary..... 18-22 |
| Advanced Series - Vector..... 7 | Visors 14 | |

Head Protection



Classic Series
Superior Comfort



Standard Series
Stylish Low-Profile



High Heat Series



Bump Caps



Advanced Series
Extreme Safety



Bullard Logo Shop



Face Protection



Accessories

Available Colors



Classic
30, 33, 34, BC

| Color | Abrv. | PMS |
|-----------------|-------|-------|
| White | WH | WHITE |
| Light Pink | LP | 1895C |
| Red | RD | 186C |
| Chocolate Brown | CB | 469 |
| Tan | TN | 729C |
| Orange | OR | 173C |
| Hi-Viz Orange | HO | 021C |
| Yellow | YL | 109C |
| Hi-Viz Yellow | HY | 387C |
| Hi-Viz Green | HG | 361C |
| Kelly Green | KG | 348C |
| Forest Green | FG | 3425C |
| Navy | NB | 289C |
| Kentucky Blue | KB | 301U |
| Pacific Blue | PB | 300C |
| Sky Blue | SK | 2985C |
| Slate Blue | SL | 549C |
| Gull Grey | GG | 428C |
| Dove Grey | DG | 424C |
| Black | BK | BLACK |



Standard
51, 61, 62, 71

| Color | Abrv. | PMS |
|-----------------|-------|-------|
| White | WH | WHITE |
| Light Pink | LP | 1895C |
| Red | RD | 186C |
| Chocolate Brown | CB | 469 |
| Tan | TN | 729C |
| Orange | OR | 173C |
| Hi-Viz Orange | HO | 021C |
| Yellow | YL | 109C |
| Hi-Viz Yellow | HY | 387C |
| Hi-Viz Green | HG | 361C |
| Kelly Green | KG | 348C |
| Forest Green | FG | 3425C |
| Navy | NB | 289C |
| Kentucky Blue | KB | 301U |
| Pacific Blue | PB | 300C |
| Sky Blue | SK | 2985C |
| Slate Blue | SL | 549C |
| Gull Grey | GG | 428C |
| Dove Grey | DG | 424C |
| Black | BK | BLACK |



Classic Series High Heat
9C, 9H

| Color | Abrv. | PMS |
|---------------|-------|-------|
| White | WH | WHITE |
| Red | RD | 186C |
| Orange | OR | 173C |
| Yellow | YL | 109C |
| Kentucky Blue | KB | 301U |



Advent®
A1, A2

| Color | Abrv. | PMS |
|---------------|-------|-------|
| White | WH | WHITE |
| Red | RD | 186C |
| Orange | OR | 173C |
| Yellow | YL | 109C |
| Kentucky Blue | KB | 301U |



Vector
VT

| Color | Abrv. | PMS |
|---------------|-------|-------|
| White | WH | WHITE |
| Red | RD | 186C |
| Orange | OR | 173C |
| Hi-Viz Orange | HO | 021C |
| Yellow | YL | 109C |
| Hi-Viz Yellow | HY | 387C |
| Forest Green | FG | 3425C |
| Kentucky Blue | KB | 301U |

Special colors available: 500-piece minimum. Contact the Bullard Customer Service Department for pricing and lead time. Must furnish PMS number or color match sample.

Classic Series

The foundation of the Bullard head protection product line is a selection of classically styled models. Designed with a wide profile and brim, Classic hats and caps enhance ventilation, provide increased protection from the sun and rain, and offer greater comfort for outdoor workers.

All Classic hard hats and caps are made from high-density polyethylene and come equipped with Bullard 6-point self-sizing pinlock or Flex-Gear® ratchet suspension system. Both suspension systems allow for a truly customized and comfortable fit with 1" wide seamless nylon straps, vertical adjustment keys, and an absorbent cotton brow pad. All Classic hats and caps meet or exceed ANSI/ISEA Z89.1, Type I, Class E & G requirements. Models C30 and C33 also meet or exceed CSA Z94.1, Type 1, Class E & G requirements. The extra-large C34 accommodates larger heads and provides 12.5 percent more interior space and increased air flow.



Model C30R
(cap style)



Model C33R
(full-brim)



Model C34R
(extra-large full-brim)

Standard Series

Lightweight and trim, the Standard from Bullard features a low center of gravity for exceptional balance. The Standard Series offers a wide variety of hat styles: flat-front, cap style, vented, and full-brim.

Available with either a 4-point self-sizing pinlock or Flex-Gear® ratchet suspension system, Standard Series hard hats offer comfort, vertical adjustment, and a snug fit. Made from high-density polyethylene, Models S51, S61, and S71 meet or exceed ANSI/ISEA Z89.1, Type I, Class E & G requirements. Vented model S62 meets or exceeds ANSI/ISEA Z89.1, Type I, Class C requirements. Model S51 also meets or exceeds CSA Z94.1, Type 1, Class E & G and EN397 requirements.



Model S51R Hat with hearing protection



Model S61R (cap style)



Model S62R (vented cap style)



Model S71R (full-brim)

High Heat Series

To meet the demands of high heat environments, Bullard offers hats and caps in technologically advanced thermoplastic. Constructed from the same materials as our rugged firefighter helmets, Models 911C and 911H are ideal for utilities, welding, foundries, and steel mills.

Available with either a 6-point self-sizing pinlock or Sure-Lock® ratchet suspension system. Both suspension systems allow for a truly customized and comfortable fit with 1" wide nylon straps, vertical adjustment keys, and an absorbent cotton brow pad.

The 911C and 911H helmets meet or exceed ANSI/ISEA Z89.1, Type I, Class E & G requirements.



Model 911CR
(cap style)



Model 911HR
(full-brim)

Bump Caps

Designed for industries such as meat and food processing, utility meter reading, pest control, fruit harvesting, auto repair and laboratories, Bullard Bump Cap and First Base® offer a variety of user options.

The Bullard Bump Cap

Made from high-density polyethylene, the Bullard Bump Cap is lightweight, durable, and can be used with a faceshield bracket and visor.

First Base

The First Base bump cap combines the style appeal of a baseball cap with the safety of a low-density polyethylene (LDPE) inner liner. Embroidering available for a fully customized look.

⚠ NOTE: Bump caps provide limited protection against minor bumps and abrasions, but are not designed for applications requiring ANSI/ISEA approved head protection.



Bullard Bump Cap



First Base



Inner liner protects against bumps and scrapes. Foam pad provides all-day user comfort.

Advanced Series

Vector

The Vector offers advanced head protection at an affordable price. Designed to be lightweight and comfortable, it is ideal for construction, utilities, and everyday work environments. Available with self-sizing pinlock or Flex-Gear® ratchet suspension.

Offering lateral and top impact protection, Vector is nearly as lightweight as conventional hard hats. Vector helmets meet or exceed ANSI/ISEA Z89.1, Type II, Class E & G, as well as CSA Z94.1, Type 2, Class E & G, providing impact protection for the top, front, back, and side of the head.



VTR
(with ratchet suspension)



VTP
(with pinlock suspension)

Advanced Series

Advent®

The Advent helmet is designed for workers who need head protection where there is high risk of lateral and overhead impacts, including those resulting from falls. At just over 25 ounces, the Advent helmet is half the weight of conventional firefighter helmets and ideal for specialized rescue operations.

Advent is available with a 2-point or 3-point chinstrap and can be equipped with a variety of accessories, including faceshields, ear/neck protectors, and hearing protectors. It can be customized with decals and reflective stripes. Advent is only available with a Flex-Gear® ratchet suspension.

Offering lateral and top impact protection, Advent helmets meet or exceed ANSI/ISEA Z89.1, Type II, Class E & G, providing impact protection for the top, front, back, and side of the head.



A1 Advent Helmet
(with 2-point chinstrap)



A2 Advent Helmet
(with 3-point chinstrap)

The **BEST** hard hat decoration program in the industry

Quality Printing

Pad printed logos are permanent and will not peel crack or fade like a decal or sticker.

Order Size

Twenty-piece minimum order required for custom logo work.

Pricing

No hidden charges. No set-up charges. No artwork charges.

Delivery

Bullard Logo Shop offers the fastest delivery in the industry.

Follow these simple steps to configure YOUR Bullard Hard Hat or Bump Cap...

- 1 Go to www.BuildYourBullard.com
- 2 Select Head and Face Protection and your desired model.
- 3 Register and Sign In to request a proof!
- 4 Build your custom hat with your logo!



Example of Camera Ready Artwork:



Example of Non-Camera Ready Artwork:



Camera Ready vs. Non-Camera Ready

Camera Ready Means...

- Faster proof turn around time in just three (3) business days
- Precise logo reproduction

Typical Camera Ready art file extensions include:

- .eps (Vector EPS)
- .pdf (Vector PDF)
- .ai (Illustrator)

Non-Camera Ready Means...

- Longer proof turn around time (5-7 business days)
- Must supply Pantone® colors

Typical Non-Camera Ready art file extensions include:

- .tiff (Tag Image File Format)
- .jpg, .jpeg (Joint Photographic Experts Group)
- .pdf (Raster PDF)
- .png (Portable Network Graphics)

Hard Hat Decoration

Custom Logo Creation

The hard hat is one of the most recognized pieces of safety equipment on any work site. Take advantage of this to advertise company products or services, improve worker visibility, and identify worker differentiation.

Whether you supply camera-ready artwork or your logo on a business card or letterhead, Bullard will create a hard hat that comes alive to promote your organization's unique identity.

Quality Hard Hat Decoration

Pad-printed logos are permanent and will not peel, crack, or fade like a decal or sticker. We use the latest technology available to print clear, crisp logos in up to six different colors per logo – in up to eight different locations around the cap – on any Bullard helmet, hat, or cap.



Hard Hat Decoration

Logo Size Chart (by hat model)

| Hat/Cap Model | Dimensions | Maximum Size | | |
|----------------------------|----------------|--------------|--------|--------|
| | | Front | Side | Back |
| S51 | Width (length) | 2 1/8" | 4" | 2 3/4" |
| | Height | 2 3/4" | 1 3/4" | 2 1/2" |
| S61, S62 | Width (length) | 2 1/4" | 3 1/4" | 2" |
| | Height | 2" | 1 1/2" | 2" |
| S71 | Width (length) | 2" | 3 3/4" | 2 3/4" |
| | Height | 2" | 1 3/4" | 1 3/4" |
| C30, C33, C34, C911C, 911H | Width (length) | 2 3/4" | 4" | 2 3/4" |
| | Height | 2 1/2" | 1 3/4" | 2 1/2" |
| Advent®, Vector | Width (length) | 3" | 4" | 3" |
| | Height | 3" | 1 3/4" | 3" |
| BC | Width (length) | 3" | 2 1/2" | 1 1/2" |
| | Height | 1 1/2" | 2" | 1 1/4" |

Models S61, S62 and S71 have a low profile with more curvature, which may require that some logos be printed smaller than listed above. Bullard will print all logos to maximum size allowed based on the logo design and shape.

Choose From a Variety of Stock Logos

Additional logos available on www.BuildYourBullard.com



Hard Hat Decoration

Striping

Bullard offers a variety of Scotchlite® striping options in various colors and reflectivity. Stripes can be applied around the brim or between the ribs of the hat.

Decorative stripe colors are available to accent your custom logo, or use fluorescent and highly reflective stripes to improve worker visibility.



Striping Options

Reflective Stripes for Classic Series

Around Brim

ST1R



ST1R500



ST1RORG175



Between Ribs

ST2R



Reflective Stripes for Standard Series

Around Brim

STRSS



STRSS500



STRSSORG175



Retro Reflective Stripes for Classic and Standard Series

Three-piece Around Brim

R538



R540



R541



Standard Stripe Colors for ST1R, ST2R and STRSS



Brackets

When the job calls for both head and face protection, choose from the complete line of nylon dielectric or gold anodized aluminum brackets from Bullard. Brackets are available in several mounting styles that are designed to attach securely to Bullard hard hats and caps.

Bullard Gold Line® brackets are constructed from rugged, gold anodized aluminum. They are highly resistant to corrosion and heat and are ideal for chemical handling and high-heat industrial applications.

Bullard Nylon Dielectric brackets are formed from lightweight, durable nylon and are ideal for general-duty applications.



Model 100G



Model 300BW



Model 312B



Model 400W

Visors

Bullard visors are available in flat or heat-formed acetate, Tritan™, clear polycarbonate, Shade 3 polycarbonate, Shade 5 polycarbonate, flat polyester, and wire mesh screen. The new multi-fit hole pattern allows for much more versatility, fitting all Bullard brackets and most competitive models.

Bullard visors conform to ANSI/ISEA Z87.1 standard for face protection when used in combination with Bullard headgear or faceshield brackets. Products available for both high heat, high impact, and basic impact applications.

Bullard offers a wide variety of visors in the following materials:

Polyester – General Use

Acetate – Chemical Resistance

Polycarbonate – Impact and High Heat

Tritan – Chemical Resistance and Impact

Mesh – Fog-free, General Use



**Model C30R Hat
with 300BW bracket
and Tritan™ visor**



6S24 mesh visor

Sentinel Series

The Bullard Sentinel Series headgear offers the ultimate value in lightweight, comfortable face protection. Available in two styles: Sentinel 1 features a black ABS crown protector that helps protect the forehead; Sentinel 2 includes a crown protector and chin protector that provides additional chin and neck protection.

All Sentinel series headgear include two sizing features (height and head size) for enhanced comfort.

The Flex-Gear® ratchet adjusts the headband to sizes 6 1/2" to 8". The brow pad, made of Sportek and offered exclusively by Bullard, pulls moisture away from the skin, creating a drier, more comfortable fit. Brow pads are hand-washable and replaceable.

Sentinel easily accommodates both primary eye protection and half-facepiece style respirators. Sentinel meets or exceeds ANSI/ISEA Z87.1 standard when used with Bullard visors.

*Headgear visors and chin protectors sold separately.



Sentinel 1



Sentinel 2
(with black ABS chin protector)



CP2
(clear polycarbonate chin protector)

Cooling Vest and Hard Hat Accessories

Isotherm® Cool Vest

Revolutionary Isotherm technology from Bullard offers unparalleled cooling power. Unlike ice or gel packs that steadily lose their effectiveness, the Bullard Isotherm Cool Vest will remain at a constant 55°F for hours of cooling. Isotherm can help reduce the chance of heat-related illnesses that sometimes occur in today's difficult work environments. Isotherm uses a simple, interchangeable, front/back cool pack system that provides continuous cooling to the worker's upper body.

Hot Weather Accessories

Hot weather accessories help keep workers cool and enhance productivity. Evaporative cooling products include vest, crown and neck shade, and beanie, and provide immediate relief from sweltering temperatures. Our 360-degree extended sunshields and cotton neck protectors offer added protection from ultra-violet rays and sunburn. For added comfort, try the high performance Polartec RBPCOOL brow pad or underbrim green decal for glare reduction.



Other Hard Hat Accessories Include:

- Replacement brow pads (available in cotton, vinyl, and cooling materials)
- Miners lamp bracket and cord holder kit
- Chinstraps
- Goggle clips
- Ratchet cover
- Accessory slot plugs



Model ISOC2



Model ECVL



Model SS5 Sunshield

Product at a Glance

Follow these steps for simple and easy hard hat ordering

1. Start with the hard hat model number 2-digit code (listed below).
2. Add the 2-letter color code (listed below).



Classic
30, 33, 34, BC

| Color | Abrv. | PMS |
|-----------------|-------|-------|
| White | WH | WHITE |
| Light Pink | LP | 1895C |
| Red | RD | 186C |
| Chocolate Brown | CB | 469 |
| Tan | TN | 729C |
| Orange | OR | 173C |
| Hi-Viz Orange | HO | 021C |
| Yellow | YL | 109C |
| Hi-Viz Yellow | HY | 387C |
| Hi-Viz Green | HG | 361C |
| Kelly Green | KG | 348C |
| Forest Green | FG | 3425C |
| Navy | NB | 289C |
| Kentucky Blue | KB | 301U |
| Pacific Blue | PB | 300C |
| Sky Blue | SK | 2985C |
| Slate Blue | SL | 549C |
| Gull Grey | GG | 428C |
| Dove Grey | DG | 424C |
| Black | BK | BLACK |



Standard
51, 61, 62, 71

| Color | Abrv. | PMS |
|-----------------|-------|-------|
| White | WH | WHITE |
| Light Pink | LP | 1895C |
| Red | RD | 186C |
| Chocolate Brown | CB | 469 |
| Tan | TN | 729C |
| Orange | OR | 173C |
| Hi-Viz Orange | HO | 021C |
| Yellow | YL | 109C |
| Hi-Viz Yellow | HY | 387C |
| Hi-Viz Green | HG | 361C |
| Kelly Green | KG | 348C |
| Forest Green | FG | 3425C |
| Navy | NB | 289C |
| Kentucky Blue | KB | 301U |
| Pacific Blue | PB | 300C |
| Sky Blue | SK | 2985C |
| Slate Blue | SL | 549C |
| Gull Grey | GG | 428C |
| Dove Grey | DG | 424C |
| Black | BK | BLACK |



Classic Series High Heat
9C, 9H

| Color | Abrv. | PMS |
|---------------|-------|-------|
| White | WH | WHITE |
| Red | RD | 186C |
| Orange | OR | 173C |
| Yellow | YL | 109C |
| Kentucky Blue | KB | 301U |



Advent®
A1, A2

| Color | Abrv. | PMS |
|---------------|-------|-------|
| White | WH | WHITE |
| Red | RD | 186C |
| Orange | OR | 173C |
| Yellow | YL | 109C |
| Kentucky Blue | KB | 301U |



Vector
VT

| Color | Abrv. | PMS |
|---------------|-------|-------|
| White | WH | WHITE |
| Red | RD | 186C |
| Orange | OR | 173C |
| Hi-Viz Orange | HO | 021C |
| Yellow | YL | 109C |
| Hi-Viz Yellow | HY | 387C |
| Forest Green | FG | 3425C |
| Kentucky Blue | KB | 301U |

Special colors available: 500-piece minimum. Contact the Bullard Customer Service Department for pricing and lead time. Must furnish PMS number or color match sample.

3. Add one letter for your choice of the suspension (listed below).

| Abbreviation | Hard Hat Models |
|--------------------|--|
| S (Standard) | A1, A2 |
| R (Ratchet) | VT, 30, 33, 34, 35, 51, 61, 62, 71 |
| P (Pinlock) | VT, 30, 33, 34, 35, 51, 61, 62, 71, BC |
| B (Ratchet, Vinyl) | 51, 61, 62, 71 |
| V (Pinlock, Vinyl) | 51, 61, 62, 71, BC |

4. If you have a custom pad printed hard hat, you may include the Build Your Bullard (BYB) project number at the end of the part number for convenient ordering.

Example:

| Model # | + | Color | + | Suspension | = | Part Number | Model # | + | Color | + | Suspension | + | Logo | = | Part Number |
|---------|---|-------|---|------------|---|-------------|---------|---|-------|---|------------|---|----------|---|---------------|
| 30 | | RD | | R | | 30RDR | 61 | | YL | | P | | BYB12345 | | 61YLPBYB12345 |


Product Glossary

Brackets

| Item | Description |
|-----------|---|
| 312 | Dielectric nylon bracket, front mount for full brim C35 |
| 400 | Dielectric nylon bracket with blades for cap style models S51, S61, S62 and C30 |
| 100G | Gold Line aluminum bracket front mounting for cap style models S61, S62, C30 and 911C |
| 110G | Gold Line aluminum bracket back mounting for cap style models S51, C30 and 911C |
| 112G | Gold Line aluminum bracket for Full Brim hat style models S71, C33, C34 and 911H |
| 300B | Dielectric nylon bracket, front mounting for cap style models S51, S61, S62, C30, 911C and Advent |
| 300BW | Dielectric nylon bracket with neoprene gasket, front mounting for cap style models S51, S61, S62, C30, 911C and Advent Bump Cap |
| 312B | Dielectric nylon bracket, front mounting for Full Brim hat style models S71, C33, C34 and 911H |
| 400W | Dielectric nylon bracket with blades and neoprene gasket for cap style models S51, S61, S62 and C30 |
| 500M | Gold Line aluminum bracket with blades for accessory slot attachment for cap style models S51 and C30 |
| SENTINEL1 | Standard headgear with black ABS crown protector, faceshield sold separately |
| SENTINEL2 | Standard headgear with black ABS crown and chin protector, faceshield sold separately |

Visors

| Item | Description |
|--------|--|
| 640 | Clear, flat, multi-fit acetate visor, 6" x 15" x 0.040" for use with Bullard brackets and most competitive models |
| 1040 | Clear, flat, multi-fit acetate visor, 10" x 15" x 0.040" for use with Bullard brackets and most competitive models |
| 640G | Dark green, flat, multi-fit acetate visor, 6" x 15" x 0.040" for use with Bullard brackets and most competitive models |
| 640PW3 | Shade 3, flat, multi-fit polycarbonate visor, 6" x 15" x 0.040" for use with Bullard brackets and most competitive models |
| 640PW5 | Shade 5, flat, multi-fit polycarbonate visor, 6" x 15" x 0.040" for use with Bullard brackets and most competitive models |
| 680P | Clear, heat-formed, multi-fit polycarbonate visor, 6" x 15" x 0.080" for use with Bullard brackets and most competitive models |
| 680T | Clear, heat-formed, multi-fit Tritan visor, 6" x 15" x 0.080" for use with Bullard brackets and most competitive models |
| 6S24 | Mesh black screen visor, 8" x 15" x 24 mesh for use with Bullard brackets |
| 840M | Clear, flat, multi-fit acetate visor, 8" x 15" x 0.040" for use with Bullard brackets and most competitive models |
| 840ME | Clear, flat, multi-fit polyester visor, 8" x 15" x 0.040" for use with Bullard brackets and most competitive models |



Product Glossary

Visors Cont.


| Item | Description |
|----------|--|
| 840MG | Dark green, flat, multi-fit acetate visor, 8" x 15" x 0.040" for use with Bullard brackets and most competitive models |
| 840MH | Clear, heat-formed, multi-fit acetate visor, 8" x 15" x 0.040" for use with Bullard brackets and most competitive models |
| 840MX2 | Clear, flat acetate visor, 7" x 15" x 0.040" for use with Sentinel 2 headgear only |
| 840P | Clear, heat-formed, multi-fit polycarbonate visor, 8" x 15" x 0.040" for use with Bullard brackets and most competitive models |
| 840PW3 | Shade 3, flat, multi-fit polycarbonate visor, 8" x 15" x 0.040" for use with Bullard brackets and most competitive models |
| 840PW5 | Shade 5, flat, multi-fit polycarbonate visor, 8" x 15" x 0.040" for use with Bullard brackets and most competitive models |
| 840PX2 | Clear, heat-formed polycarbonate visor, 7" x 15" x 0.040" for use with Sentinel 2 headgear only |
| 840PX2W3 | Shade 3, flat, polycarbonate visor, 7" x 15" x 0.040" for use with Sentinel 2 headgear only |
| 840PX2W5 | Shade 5, flat, polycarbonate visor, 7" x 15" x 0.040" for use with Sentinel 2 headgear only |
| 840T | Clear, heat-formed, multi-fit Tritan visor, 8" x 15" x 0.040" for use with Bullard brackets and most competitive models |
| 840TX2 | Clear, heat-formed Tritan visor, 7" x 15" x 0.040" for use with Sentinel 2 headgear only |
| 840PW5 | Shade 5, flat, multi-fit polycarbonate visor, 8" x 15" x 0.040" for use with Bullard brackets and most competitive models |
| 840PX2 | Clear, heat-formed polycarbonate visor, 7" x 15" x 0.040" for use with Sentinel 2 headgear only |
| 840PX2W3 | Shade 3, flat, polycarbonate visor, 7" x 15" x 0.040" for use with Sentinel 2 headgear only |
| 860H | Clear, heat-formed, multi-fit acetate visor, 8" x 15" x 0.060" for use with Bullard brackets and most competitive models |
| 860P | Clear, heat-formed, multi-fit polycarbonate visor, 8" x 15" x .060" for use with Bullard brackets and most competitive models |
| 860T | Clear, heat-formed, multi-fit Tritan visor, 8" x 15" x .060" for use with Bullard brackets and most competitive models |
| 880P | Clear, heat-formed, multi-fit polycarbonate visor, 8" x 15" x .080" for use with Bullard brackets and most competitive models |
| 880T | Clear, heat-formed, multi-fit Tritan visor, 8" x 15" x .080" for use with Bullard brackets and most competitive models |
| 8S24 | Mesh black screen visor, 8" x 15" x 24 mesh for use with Bullard brackets |
| E840ME | Economy clear, flat, multi-fit polyester visor, 8" x 15" x 0.040" for use with Bullard brackets and most competitive models |
| R325 | Faceshield, 6" polycarbonate for Advent and Vector |
| R330 | Faceshield, 4" polycarbonate for Advent and Vector |
| WS60PM | Clear, flat, multi-fit polycarbonate visor, 9" x 19 3/4" x 0.060" for use with Bullard brackets and most competitive models |
| WS60TM | Clear, flat, multi-fit Tritan visor, 9" x 19 3/4" x 0.060" for use with Bullard brackets and most competitive models |



Product Glossary

Replacement Parts

| Item | Description |
|-----------|--|
| A101 | Replacement browpad for Advent suspension (ADRTSL) |
| A110 | 2-point nylon chinstrap for Advent or Vector helmets |
| ADFB | Accessory Blade Kit For Fire Fighter Faceshield Assembly On Advent And Vector Helmets |
| ADRTSL | Replacement suspension for Advent helmets |
| BCHBP | Replacement suspension for bump cap, Polyester brow pad |
| BCHBV | Replacement suspension for bump cap, Vinyl brow pad |
| BCRBPP | Replacement polyester brow pad for bump cap |
| BCRBPV | Replacement vinyl brow pad for bump cap |
| CP1 | ABS black replacement chin protector for use with Sentinel 2 headgear |
| CP2 | Clear polycarbonate replacement chin protector for use with Sentinel 2 headgear |
| FBINSHELL | First Base Inner Shell |
| FBFOAM | Replacement Foam Pad For Inner Shell Of First Base Bump Cap |
| FRS6PC | 6pt, Pinlock Replacement Suspension, Cotton Brow Pad, for 911 Models 9C and 9H hardhats |
| FRS6RC | 6pt, Ratchet Replacement Suspension, Cotton Brow Pad, for 911 Models 9C and 9H hardhats |
| RBPCOOL | Browpad, replacement for all Bullard Model C30, C33, C34, S51, S61, S62, S71, 911C, and 911H hard hats, Cooling material |
| RBPCOTTON | Browpad, replacement for all Bullard model C30, C33, C34, S51, S61, S62, S71, 911C, and 911H hard hats, foam-backed Cotton |
| RBPVINYL | Browpad, replacement for all Bullard model C30, C33, C34, S51, S61, S62, S71, 911C, and 911H hard hats, Vinyl |
| RS4PC | 4pt, Pinlock Replacement Suspension, Cotton Brow Pad, for Standard Models S51, S61, S62 and S71 |
| RS4PP | 4pt, Pinlock Replacement Suspension, Poly Brow Pad, for Standard Models S51,S61, S62 and S71 |
| RS4PV | 4pt, Pinlock Replacement Suspension, Vinyl Brow Pad, for Standard Models S51,S61, S62 and S71 |
| RS4RB | 4pt, Ratchet Replacement Suspension, Vinyl Brow Pad, for Standard Models S51,S61, S62 and S71 |
| RS4RC | 4pt, Ratchet Replacement Suspension, Cotton Brow Pad, for Standard Models S51, S61, S62 and S71 |



Product Glossary

Replacement Parts (cont.)

| Item | Description |
|-------|--|
| RS4RP | 4pt, Ratchet Replacement Suspension, Poly Brow Pad, for Standard Models S51, S61, S62 and S71 |
| RS6PC | 6pt, Pinlock Replacement Suspension, Cotton Brow Pad, for Classic Models C30, C33 and C34 hardhats |
| RS6RC | 6pt, Ratchet Replacement Suspension, Cotton Brow Pad, for Classic Models C30, C33 and C34 hardhats |
| TT3 | Replacement Sportek browpad for Vector suspensions |
| VT600 | Replacement suspension, 4pt pinlock for Vector helmet |

Accessories

| Item | Description |
|-----------|---|
| 30013 | Set of two flexible slot plugs for Bullard hard hat accessory slots |
| ADH20 | Miner lamp bracket and cord holder attachment kit for model S51 |
| CS40 | Clear, flat, multi-fit acetate visor, 9" x 19 3/4" x 0.040" for use with Bullard brackets and most competitive models |
| CSS | Cotton neck sunshade for attachment on hard hats and caps |
| EARMUFFSM | Slot Mount Ear Muff |
| ECB | Evaporative cooling beanie for use under Bullard helmets, universal sizing |
| ECCN | Evaporative cooling crown and neck shade for use under Bullard helmets, universal sizing |
| ECVL | Evaporative cooling vest; size large; chest size 40"- 42"; blue |
| ECVXL | Evaporative cooling vest; size extra-large; chest size 43"- 45"; blue |
| ES3 | Black 3-point latex-free elastic chinstrap with chin cup for Bullard helmets S61 and S62 |
| ES42 | Elastic chin strap for Bullard helmets |
| ES42B | Black 2-point latex-free elastic chinstrap for Bullard helmets |
| GC100 | Set of three self-adhesive goggle clips |
| ISO2 | Isotherm Cool Vest Complete with outer vest and two packs; size LG flame retardant; chest size 30-40"; Blue |



Product Glossary

Accessories (cont.)

| Item | Description |
|--------|---|
| ISO2P | Set of two Isotherm Cool Vest replacement packs |
| ISO2V | Isotherm replacement outer vest, size LG, chest size 30-40", flame retardant |
| ISO2XL | Isotherm Cool Vest Complete with outer vest and two packs; size XL flame retardant; chest size 38"-48"; Blue |
| ISOC2 | Isotherm Class 2 Cool Vest Complete with outer vest and two packs; size XL flame retardant; chest size 38"-48"; Hi-Viz Yellow |
| ISOC2V | Isotherm Class 2 replacement outer vest, size XL, chest size 38"-48", flame retardant |
| R160 | Leather ratchet cover for Bullard Sure-Lock ratchet suspensions |
| R50 | Nomex® chinstrap with Postman's slide fastener |
| SS5 | Sunshield for Bullard cap style helmets |
| SS6 | Sunshield for Bullard full brim hat style helmets |
| UBG | Underbrim green decal to reduce glare |





 The Bullard three-rib design is a registered trademark of Bullard.



Americas:
Bullard
1898 Safety Way
Cynthiana, KY 41031-9303 • USA
Toll-free within USA: 877-BULLARD (285-5273)
Tel: +1-859-234-6616
Fax: +1-859-234-8987

Europe:
Bullard GmbH
Lilienthalstrasse 12
53424 Remagen • Germany
Tel: +49-2642 999980
Fax: +49-2642 9999829

Asia-Pacific:
Bullard Asia Pacific Pte. Ltd.
LHK Building
701, Sims Drive, #04-03
Singapore 387383
Tel: +65-6745-0556
Fax: +65-6745-5176

©2016 Bullard. All rights reserved. Bullard, Advent, First Base, Hard Boiled, Isotherm, Flex-Gear, and Sure-Lock are registered trademarks of Bullard. Tritan is a trademark of Eastman Chemical Company.

8197 (0516)

www.bullard.com