


Stubby Flex Head Ratcheting Wrenches

PRODUCTIVITY



5° ratcheting arc vs. 30° on standard combination wrenches.

ACCESS





Flex Head tilts up to 180° at any interval for access to confined areas.

STRENGTH



Surface Drive® provides a stronger grip on fasteners.





Stubby Flex Head Ratcheting Wrenches - Open Stock

Item #	Description	A	B	C	D	E	Weight (lbs)
9571	3/8" Stubby Flex Head Ratcheting Wrench	3.701	0.822	0.220	0.748	0.287	0.101
9572	7/16" Stubby Flex Head Ratcheting Wrench	4.016	0.905	0.236	0.811	0.303	0.121
9573	1/2" Stubby Flex Head Ratcheting Wrench	4.213	1.069	0.264	0.929	0.339	0.167
9574	9/16" Stubby Flex Head Ratcheting Wrench	4.488	1.152	0.280	1.020	0.354	0.203
9575	5/8" Stubby Flex Head Ratcheting Wrench	4.803	1.316	0.303	1.130	0.390	0.268
9576	11/16" Stubby Flex Head Ratcheting Wrench	4.961	1.399	0.319	1.201	0.406	0.308
9577	3/4" Stubby Flex Head Ratcheting Wrench	5.433	1.563	0.358	1.280	0.441	0.410
9551	10 mm Stubby Flex Head Ratcheting Wrench	3.701	0.822	0.220	0.748	0.287	0.102
9552	11 mm Stubby Flex Head Ratcheting Wrench	4.016	0.905	0.236	0.811	0.303	0.120
9553	12 mm Stubby Flex Head Ratcheting Wrench	4.134	0.988	0.252	0.854	0.323	0.144
9554	13 mm Stubby Flex Head Ratcheting Wrench	4.213	1.069	0.264	0.929	0.339	0.167
9555	14 mm Stubby Flex Head Ratcheting Wrench	4.488	1.152	0.280	1.020	0.354	0.202
9556	15 mm Stubby Flex Head Ratcheting Wrench	4.646	1.233	0.291	1.071	0.370	0.232
9557	16 mm Stubby Flex Head Ratcheting Wrench	4.803	1.316	0.303	1.130	0.390	0.268
9558	17 mm Stubby Flex Head Ratcheting Wrench	4.961	1.399	0.319	1.201	0.406	0.314
9559	18 mm Stubby Flex Head Ratcheting Wrench	5.118	1.480	0.335	1.240	0.421	0.361
9560	19 mm Stubby Flex Head Ratcheting Wrench	5.433	1.563	0.358	1.280	0.441	0.408

Stubby Flex Head Ratcheting Wrenches - Sets

Item #	Description	Sizes	Weight (lbs)
9570	7 Pc. SAE Stubby Flex Head Set	3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4"	2.2
9550	10 Pc. Metric Stubby Flex Head Set	10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm	3.3