

according to 29 CFR 1910.1200(g)

AC200+, Comp. A

Revision date: 19.03.2020

Page 1 of 8

1. Identification

Product identifier

AC200+, Comp. A

Recommended use of the chemical and restrictions on use

Use of the substance/mixture

Adhesive mortar for fastening elements A-component (resin)

Uses advised against

no restriction

Details of the supplier of the safety data sheet

Company name:	DEWALT Industrial Tool Co.			
Street:	701 East Joppa Road			
Place:	USA Towson, MD 21286			
Telephone:	+1 800 524-3244 Telefax: +1 877 871-196			
Emergency phone number:	CHEMTREC USA: +1 800 424 9300 (24/7) CHEMTREC International: +1 703 527 3887 (24/7)			

2. Hazard(s) identification

Classification of the chemical

29 CFR Part 1910.1200

Respiratory or skin sensitization: Skin Sens. 1

Label elements

29 CFR Part 1910.1200

Signal word:

Pictograms:



Hazard statements

May cause an allergic skin reaction

Precautionary statements

Avoid breathing vapors.

Contaminated work clothing must not be allowed out of the workplace.

Wear protective gloves/protective clothing/eye protection/face protection.

If skin irritation or rash occurs: Get medical advice/attention.

Wash contaminated clothing before reuse.

Dispose of contents/container in accordance with local/regional/national/international regulation.

Hazards not otherwise classified

Use only outdoors or in a well-ventilated area.

3. Composition/information on ingredients

<u>Mixtures</u>



according to 29 CFR 1910.1200(g)

AC200+, Comp. A

Revision date: 19.03.2020

Page 2 of 8

Hazardous components

CAS No	Components	Quantity
2082-81-7	Tetramethylene dimethacrylate	15 - < 20 %
27813-02-1	Methacrylic acid, monoester with propane-1,2-diol	< 1 %
38668-48-3	1,1'-(p-Tolylimino)dipropan-2-ol	< 1 %
98-29-3	p-tert-Butylcatechol	< 1 %

Further Information

The actual concentration is withheld as a trade secret.

4. First-aid measures

Description of first aid measures

General information

Take off immediately all contaminated clothing and wash it before reuse. Get medical advice/attention if you feel unwell.

After inhalation

Provide fresh air. When in doubt or if symptoms are observed, get medical advice.

After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Take off immediately all contaminated clothing and wash it before reuse. Medical treatment necessary.

After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water. In case of eye irritation consult an ophthalmologist.

After ingestion

Do NOT induce vomiting. Rinse mouth thoroughly with water. Medical treatment necessary.

Most important symptoms and effects, both acute and delayed

May cause an allergic skin reaction.

Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

5. Fire-fighting measures

Extinguishing media

Suitable extinguishing media

Foam Extinguishing powder Water spray jet Carbon dioxide (CO2)

Unsuitable extinguishing media

Full water jet

Specific hazards arising from the chemical

Pyrolysis products, toxic Carbon monoxide

Special protective equipment and precautions for fire-fighters

In case of fire and/or explosion do not breathe fumes.

Wear a self-contained breathing apparatus and chemical protective clothing.

Additional information

Supress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.



according to 29 CFR 1910.1200(g)

AC200+, Comp. A

Revision date: 19.03.2020

Page 3 of 8

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Use personal protective equipment as required. Avoid contact with skin, eyes and clothes. Provide adequate ventilation.

Environmental precautions

Do not allow to enter into surface water or drains.

Methods and material for containment and cleaning up

Collect spillage. Take up mechanically, placing in appropriate containers for disposal. Suitable material for taking up: Sand

Treat the recovered material as prescribed in the section on waste disposal.

Retain contaminated washing water and dispose it.

Reference to other sections

Safe handling: see section 7 Personal protection equipment (PPE): see section 8 Disposal: see section 13

7. Handling and storage

Precautions for safe handling

Advice on safe handling

Use only outdoors or in a well-ventilated area. Wear personal protection equipment (refer to section 8). Avoid contact with skin, eyes and clothes. When using do not eat, drink or smoke. Wash hands thoroughly after handling. Take off contaminated clothing and wash it before reuse.

Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed. Store in a place accessible by authorized persons only. Keep only in the original container in a cool, well-ventilated place.

Hints on joint storage

Do not use for products which come into contact with the food stuffs.

Further information on storage conditions

Keep container tightly closed in a cool place. storage temperature: 5 - 25°C (41 - 77 F)

8. Exposure controls/personal protection

Control parameters

Exposure limits

CAS No.	Substance	ppm	mg/m³	f/cc	Category	Origin
14808-60-7	Silica, crystalline (as respirable dust)	-	0.05		TWA (8 h)	REL
14808-60-7	Silica, crystalline quartz, respirable dust	(Z-3)	(Z-3)		TWA (8 h)	PEL
14808-60-7	Silica, crystalline quartz, total dust	-	(Z-3)		TWA (8 h)	PEL

Additional advice on limit values

This mixture includes quartz (silica) which is firmly bound in the pasty component, and thus not freely available during use, so that a risk of dust inhalation is excluded.

Exposure controls



according to 29 CFR 1910.1200(g)

AC200+, Comp. A

Page 4 of 8

Revision date: 19.03.2020







Appropriate engineering controls

Provide adequate ventilation. If local exhaust ventilation is not possible or not sufficient, the entire working area must be ventilated by technical means.

Protective and hygiene measures

Take off contaminated clothing and wash it before reuse. Draw up and observe skin protection programme. Wash hands thoroughly after handling. When using do not eat, drink or smoke.

Eye/face protection

Wear eye protection/face protection. Wear safety goggles as described by 29 CFR 1910.133, OSHA eye and face protection regulation, or the European standard EN 166.

Hand protection

Wear chemical resistant protective gloves.

Skin protection

Wear suitable protective clothing.

Respiratory protection

In case of inadequate ventilation wear respiratory protection. Should a respirator be needed, follow OSHA regulation for respirator use (29 CFR 1910.134). Wear an air-purifying NIOSH-certified (or equivalent) respirator (with a high efficiency particulate filter) as needed.

9. Physical and chemical properties

Information on basic physical and chemical properties

Physical state: Color:	Paste light beige
pH-Value:	not determined
Changes in the physical state Melting point/freezing point: Initial boiling point and boiling range:	not determined not determined
Flash point:	not applicable
Flammability Solid: Gas:	not determined not applicable
Lower explosion limits:	not determined
Upper explosion limits:	not determined
Auto-ignition temperature Solid: Gas:	not determined not applicable
Decomposition temperature:	not determined
Oxidizing properties Not oxidising.	
Vapor pressure:	not determined
Density (at 20 °C):	1,77 g/cm³
Water solubility:	The study does not need to be conducted because the substance is known to be insoluble in water.



Revision date: 19.03.2020

Safety Data Sheet

according to 29 CFR 1910.1200(g)

AC200+, Comp. A

Page 5 of 8

Solubility in other solvents not determined	
Partition coefficient:	not determined
Vapor density:	not determined
Evaporation rate:	not determined
Other information	
Solid content:	not determined

10. Stability and reactivity

Reactivity

No hazardous reaction when handled and stored according to provisions.

Chemical stability

The product is stable under storage at normal ambient temperatures.

Possibility of hazardous reactions

Response: Oxidising agent, strong

Conditions to avoid

Heat. Keep cool. Protect from sunlight.

Incompatible materials

No information available.

Hazardous decomposition products

No known hazardous decomposition products.

11. Toxicological information

Information on toxicological effects

Acute toxicity

Based on available data, the classification criteria are not met.



Page 6 of 8

according to 29 CFR 1910.1200(g)

AC200+, Comp. A

Revision date: 19.03.2020

С

2

2

3

9

CAS No	Components					
	Exposure route	Dose		Species	Source	Method
2082-81-7	Tetramethylene dimeth	acrylate				
	oral	LD50 mg/kg	10066	Rat		
	dermal	LD50 mg/kg	> 3000	Rabbit		
27813-02-1	Methacrylic acid, monc	ester with p	propane-1,2	2-diol		
	oral	LD50 mg/kg	> 2000	Rat		
	dermal	LD50 mg/kg	> 5000	Rabbit		
38668-48-3	1,1'-(p-Tolylimino)dipro	pan-2-ol				
	oral	LD50 mg/kg	27,5	Rat		
	dermal	LD50 mg/kg	> 2000	Rat		
98-29-3	p-tert-Butylcatechol					
	oral	LD50 mg/kg	815	Rat		
	dermal	LD50 mg/kg	1331	Rat		

Irritation and corrosivity

Based on available data, the classification criteria are not met.

Sensitizing effects

May cause an allergic skin reaction (Tetramethylene dimethacrylate; Methacrylic acid, monoester with propane-1,2-diol; p-tert-Butylcatechol)

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

Specific target organ toxicity (STOT) - single exposure

Based on available data, the classification criteria are not met.

Specific target organ toxicity (STOT) - repeated exposure

Based on available data, the classification criteria are not met.

Carcinogenicity (OSHA):No ingredient of this mixture is listed.Carcinogenicity (IARC):Silica dust, crystalline, in the form of quartz or cristobalite (CAS 14808-60-7) is
listed in group 1.Carcinogenicity (NTP):No ingredient of this mixture is listed.

Aspiration hazard

Based on available data, the classification criteria are not met.

12. Ecological information

Ecotoxicity

The product is not: Ecotoxic.

Persistence and degradability

The product has not been tested.

Bioaccumulative potential

The product has not been tested.

Mobility in soil

The product has not been tested.



according to 29 CFR 1910.1200(g)

AC200+, Comp. A

Revision date: 19.03.2020

Other adverse effects

No information available.

Further information

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

13. Disposal considerations

Waste treatment methods

Advice on disposal

Dispose of waste according to applicable legislation. Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

14. Transport information

US DOT 49 CFR 172.101

Proper shipping name:Not a hazardous material with respect to these transport regulations.Marine transport (IMDG)No dangerous good in sense of this transport regulation.UN number:No dangerous good in sense of this transport regulation.UN proper shipping name:No dangerous good in sense of this transport regulation.Transport hazard class(es):No dangerous good in sense of this transport regulation.Packing group:No dangerous good in sense of this transport regulation.

Air transport (ICAO-TI/IATA-DGR)

UN proper shipping name:

Transport hazard class(es):

No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation.

Environmental hazards

Packing group:

UN number:

ENVIRONMENTALLY HAZARDOUS: no

Special precautions for user

No information available.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

not applicable

15. Regulatory information

U.S. Regulations

National Inventory TSCA

All ingredients of this mixture are included on the TSCA Inventory.

National regulatory information

SARA Section 311/312 Hazards:

Tetramethylene dimethacrylate (2082-81-7): Immediate (acute) health hazard Methacrylic acid, monoester with propane-1,2-diol (27813-02-1): Immediate (acute) health hazard 1,1'-(p-Tolylimino)dipropan-2-ol (38668-48-3): Immediate (acute) health hazard p-tert-Butylcatechol (98-29-3): Immediate (acute) health hazard

State Regulations

Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65, State of California)

This product can not expose you to chemicals known to the State of California to cause cancer, birth defects or other reproductive harm.

Additional information

Page 7 of 8



according to 29 CFR 1910.1200(g)

AC200+, Comp. A

Revision date: 19.03.2020

This mixture includes quartz (silica) which is firmly bound in the pasty component, and therefore not freely available during use, so that a risk of dust inhalation is excluded, thus the product does not cause a harm effect. Silica is listed in the Proposition 65 list.

16. Other information

Hazardous Materials Informatio	on Label (HMIS)
Health:	2
Physical Hazard:	1
Personal Protection:	Х
NFPA Hazard Ratings	
Health:	2
Flammability:	
Reactivity:	1
Unique Hazard:	-
Changes	
Revision date:	19.03.2020
Revision No:	1,14
Flammability for HMIS and NF	PA ratings not applicable.
Abbreviations and acronyms	
ACGIH: American Conference	e of Governmental Industrial Hygienist
CAS: Chemical Abstracts Serv	
CFR: Code of Federal Regula	
EC50: Effective concentration	
ErC50: EC50 in terms of reduce IATA: International Air Transpo	
	Regulations (DRG) for the air transpo
IARC: International Agency for	
IMDG: International Maritime	
LC50: Lethal concentration, 50	
LD50: Lethal dose, 50%	
NEDA Netional Eine Ducto atta	- ^

ACGIH: American Conference of Governmental Industrial Hygienists CAS: Chemical Abstracts Service CFR: Code of Federal Regulations EC50: Effective concentration, 50% ErC50: EC50 in terms of reduction of growth rate IATA: International Air Transport Association IATA-DGR: Dangerous Goods Regulations (DRG) for the air transport (IATA) IARC: International Agency for Research on Cancer IMDG: International Maritime Code for Dangerous Goods LC50: Lethal concentration, 50% LD50: Lethal dose, 50% NFPA: National Fire Protection Association NIOSH: National Institute for Occupational Safety and Health NOEC: No Observed Effect Concentration NTP: National Toxicology Program OECD: Oragnisation for Economic Co-operation and Development OSHA: Occupational Safety and Health Administration PEL: Permissible Exposure Limit REL: Recommended Exposure Limit SARA: Superfund Amendments and Reauthorization Act TLV: Threshold Limit Values TSCA: Toxic Substances Control Act

Other data

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)



Page 8 of 8



according to 29 CFR 1910.1200(g)

AC200+, Comp. B

Revision date: 19.03.2020

Page 1 of 8

1. Identification

Product identifier AC200+, Comp. B Recommended use of the chemical and restrictions on use Use of the substance/mixture compound mortar B-component (hardener) Uses advised against no restriction Details of the supplier of the safety data sheet Company name: DEWALT Industrial Tool Co. Street: 701 East Joppa Road Place: USA Towson, MD 21286

oompany name.	BETH/IEI Induction Foot Co.	
Street:	701 East Joppa Road	
Place:	USA Towson, MD 21286	
Telephone:	+1 800 524-3244	Telefax:+1 877 871-1965
Emergency phone number:	CHEMTREC USA: +1 800 424 930 CHEMTREC International: +1 703	

2. Hazard(s) identification

Classification of the chemical

29 CFR Part 1910.1200

Respiratory or skin sensitization: Skin Sens. 1

Label elements

29 CFR Part 1910.1200

Signal word:

Pictograms:



Hazard statements

May cause an allergic skin reaction

Precautionary statements

Avoid breathing vapors.

Contaminated work clothing must not be allowed out of the workplace.

Wear protective gloves/protective clothing/eye protection/face protection.

If skin irritation or rash occurs: Get medical advice/attention.

Wash contaminated clothing before reuse.

Dispose of contents/container in accordance with local/regional/national/international regulation.

Hazards not otherwise classified

No information available.

3. Composition/information on ingredients

<u>Mixtures</u>

Hazardous components

CAS No	Components	Quantity
94-36-0	Dibenzoyl peroxide	5 - < 10 %



according to 29 CFR 1910.1200(g)

AC200+, Comp. B

Revision date: 19.03.2020

Page 2 of 8

Further Information

The actual concentration is withheld as a trade secret.

4. First-aid measures

Description of first aid measures

General information

First aider: Pay attention to self-protection! Take off immediately all contaminated clothing and wash it before reuse. Get medical advice/attention if you feel unwell.

After inhalation

Provide fresh air. When in doubt or if symptoms are observed, get medical advice.

After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Take off immediately all contaminated clothing and wash it before reuse. Medical treatment necessary.

After contact with eyes

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist. Remove contact lenses, if present and easy to do. Continue rinsing.

After ingestion

Do NOT induce vomiting. Rinse mouth thoroughly with water. Medical treatment necessary.

Most important symptoms and effects, both acute and delayed

May cause an allergic skin reaction.

Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

5. Fire-fighting measures

Extinguishing media

Suitable extinguishing media

Foam Extinguishing powder Water spray jet Carbon dioxide (CO2)

Unsuitable extinguishing media

Full water jet

Specific hazards arising from the chemical

Pyrolysis products, toxic Carbon monoxide

Special protective equipment and precautions for fire-fighters

In case of fire and/or explosion do not breathe fumes.

Wear a self-contained breathing apparatus and chemical protective clothing.

Additional information

Supress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Use personal protective equipment as required. Provide adequate ventilation. Avoid contact with skin, eyes and clothes.

Environmental precautions

Do not allow to enter into surface water or drains.



according to 29 CFR 1910.1200(g)

AC200+, Comp. B

Revision date: 19.03.2020

Page 3 of 8

Methods and material for containment and cleaning up

Collect spillage. Take up mechanically, placing in appropriate containers for disposal. Suitable material for taking up: Sand

Treat the recovered material as prescribed in the section on waste disposal. Retain contaminated washing water and dispose it.

Reference to other sections

Safe handling: see section 7 Personal protection equipment (PPE): see section 8 Disposal: see section 13

7. Handling and storage

Precautions for safe handling

Advice on safe handling

Use only outdoors or in a well-ventilated area. Wear personal protection equipment (refer to section 8). Avoid contact with skin, eyes and clothes. When using do not eat, drink or smoke. Wash hands thoroughly after handling. Take off contaminated clothing and wash it before reuse.

Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed. Store in a place accessible by authorized persons only. Keep only in the original container in a cool, well-ventilated place.

Hints on joint storage

Do not use for products which come into contact with the food stuffs. Store in a well-ventilated place. Keep cool.

Further information on storage conditions

Keep container tightly closed in a cool place.

storage temperature: 5 - 25°C (41 - 77 F)

8. Exposure controls/personal protection

Control parameters

Exposure limits

CAS No.	Substance	ppm	mg/m³	f/cc	Category	Origin
94-36-0	Benzoyl peroxide	-	5		TWA (8 h)	PEL
		-	5		TWA (8 h)	REL

Exposure controls



Appropriate engineering controls

Provide adequate ventilation. If local exhaust ventilation is not possible or not sufficient, the entire working area must be ventilated by technical means.

Protective and hygiene measures

Take off contaminated clothing and wash it before reuse. Draw up and observe skin protection programme. Wash hands thoroughly after handling. When using do not eat, drink or smoke.



according to 29 CFR 1910.1200(g)

AC200+, Comp. B

Revision date: 19.03.2020

Page 4 of 8

Eye/face protection

Wear safety goggles as described by 29 CFR 1910.133, OSHA eye and face protection regulation, or the European standard EN 166.

Hand protection

Wear chemical resistant protective gloves.

Skin protection

Wear suitable protective clothing.

Respiratory protection

Wear respiratory protection if ventilation is inadequate. Wear a NIOSH-certified (or equivalent) organic vapour/particulate respirator as needed. Observe OSHA regulations for respirator use (29 CFR 1910.134).

9. Physical and chemical properties

Information on basic physical and chemical properties

Physical state:	Paste
Color:	black
Odor:	characteristic
pH-Value:	not applicable
Changes in the physical state	
Melting point/freezing point:	not determined
Initial boiling point and boiling range:	not determined
Flash point:	not applicable
Flammability	
Solid:	not determined
Gas:	not applicable
Lower explosion limits:	not determined
Upper explosion limits:	not determined
Auto-ignition temperature	
Solid:	not determined
Gas:	not applicable
Decomposition temperature:	not determined
Oxidizing properties Not oxidising.	
Vapor pressure:	not determined
Density:	1,77 g/cm³
Water solubility:	The study does not need to be conducted because the substance is known to be insoluble in water.
Solubility in other solvents not determined	
Partition coefficient:	not determined
Vapor density:	not determined
Evaporation rate:	not determined
Other information	
Solid content:	not determined

10. Stability and reactivity



Page 5 of 8

according to 29 CFR 1910.1200(g)

AC200+, Comp. B

Revision date: 19.03.2020

Reactivity

see section 10.3

Chemical stability

The product is stable under storage at normal ambient temperatures.

Possibility of hazardous reactions

Violent reaction with: Oxidising agent

Conditions to avoid

see section 7.2

Incompatible materials

Oxidising agent, strong

Hazardous decomposition products

Benzoic acid Benzene Biphenyl

11. Toxicological information

Information on toxicological effects

Acute toxicity

Based on available data, the classification criteria are not met.

CAS No	Components					
	Exposure route	Dose	Species	Source	Method	
94-36-0	Dibenzoyl peroxide					
		LD50 > 5000 mg/kg	Rat			

Irritation and corrosivity

Based on available data, the classification criteria are not met.

Sensitizing effects

May cause an allergic skin reaction (Dibenzoyl peroxide)

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

Specific target organ toxicity (STOT) - single exposure

Based on available data, the classification criteria are not met.

Specific target organ toxicity (STOT) - repeated exposure

Based on available data, the classification criteria are not met.

- 5 5 - 7	5
Carcinogenicity (IARC):	Benzoyl peroxide (CAS 94-36-0) is listed in group 3.

Carcinogenicity (NTP): No ingredient of this mixture is listed.

Aspiration hazard

Based on available data, the classification criteria are not met.

12. Ecological information

Ecotoxicity

The product is not: Ecotoxic.

OECD 201 (Desmodesmus subspicatus) IC10: (0 - 72h) = 60 mg/l IC50: (0 - 72h) = > 500 mg/l



according to 29 CFR 1910.1200(g)

AC200+, Comp. B

Revision date: 19.03.2020

Page 6 of 8

OECD 202 (Daphnia magna (Big water flea)) EC0/NOEC (48h) = 100 mg/l EC50 (48h) = > 500 mg/l

EC100 (48h) = >> 500 mg/l

OECD 203 (Brachydanio rerio (zebra-fish))

LC0/NOEC = 500 mg/l LC50 = > 500 mg/l

LC100 = >>500 mg/l

Persistence and degradability

The product has not been tested.

Bioaccumulative potential

The product has not been tested.

Mobility in soil

The product has not been tested.

Other adverse effects

No information available.

Further information

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

13. Disposal considerations

Waste treatment methods

Advice on disposal

Dispose of waste according to applicable legislation. Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

14. Transport information

US DOT 49 CFR 172.101

Proper shipping name:	Not a hazardous material with respect to these transport regulations			
Marine transport (IMDG)				
<u>UN number:</u>	No dangerous good in sense of this transport regulation.			
UN proper shipping name:	No dangerous good in sense of this transport regulation.			
<u>Transport hazard class(es):</u>	No dangerous good in sense of this transport regulation.			
Packing group:	No dangerous good in sense of this transport regulation.			
Air transport (ICAO-TI/IATA-DGR)				
<u>UN number:</u>	No dangerous good in sense of this transport regulation.			
UN proper shipping name:	No dangerous good in sense of this transport regulation.			
<u>Transport hazard class(es):</u>	No dangerous good in sense of this transport regulation.			
Packing group:	No dangerous good in sense of this transport regulation.			
Environmental hazards				
ENVIRONMENTALLY HAZARDOUS:	no			
Special precautions for user				
No information available.				
Transport in bulk according to Annex	l of MARPOL 73/78 and the IBC Code			
not applicable				



according to 29 CFR 1910.1200(g)

AC200+, Comp. B

Revision date: 19.03.2020

Page 7 of 8

15. Regulatory information

U.S. Regulations

National Inventory TSCA

All ingredients of this mixture are included on the TSCA Inventory.

National regulatory information

SARA Section 311/312 Hazards:

Benzoyl peroxide (94-36-0): Reactive, Immediate (acute) health hazard

SARA Section 313 Toxic release inventory:

Benzoyl peroxide (94-36-0): De minimis limit = 1.0 %, Reportable threshold = Standard

State Regulations

Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65, State of California)

This product can not expose you to chemicals known to the State of California to cause cancer, birth defects or other reproductive harm.

Additional information

This mixture includes quartz (silica) which is firmly bound in the pasty component, and therefore not freely available during use, so that a risk of dust inhalation is excluded, thus the product does not cause a harm effect. Silica is listed in the Proposition 65 list.

16. Other information

Hazardous Materials Inform	ation Label (HMIS)			
Health:	2			
Physical Hazard:	1			
Personal Protection:	Х			
NFPA Hazard Ratings				
Health:	2			
Flammability:				
Reactivity:	1			X - X
Unique Hazard:	-			\checkmark
Changes				
Revision date:	19.03.202	20		
Revision No:	1,07			
Flammability for HMIS and	NFPA ratings not ap	pplicable.		
Abbreviations and acronyme ACGIH: American Confere CAS: Chemical Abstracts S CFR: Code of Federal Reg EC50: Effective concentrat ErC50: EC50 in terms of re IATA: International Air Tran	s Ince of Governmenta Service Julations tion, 50% eduction of growth ra Isport Association ods Regulations (DF / for Research on Ca ne Code for Dangero n, 50%	al Industrial Hygienists ate RG) for the air transport (IAT ancer	ΤΑ)	

NTP: National Toxicology Program OECD: Oragnisation for Economic Co-operation and Development

NIOSH: National Institute for Occupational Safety and Health

NOEC: No Observed Effect Concentration



according to 29 CFR 1910.1200(g)

AC200+, Comp. B

Revision date: 19.03.2020

Page 8 of 8

OSHA: Occupational Safety and Health Administration PEL: Permissible Exposure Limit REL: Recommended Exposure Limit SARA: Superfund Amendments and Reauthorization Act TLV: Threshold Limit Values TSCA: Toxic Substances Control Act

Other data

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)