

HEX KEYS

A hex key is a simple tool – about as simple as it gets. So what makes Stanley[®] Proto[®] keys a great choice? Part of the answer is the quality of our steel. The heat-treated, tempered alloy that we use today is resistant to wear and rotational distortion, and thus long-lasting.

Another reason to choose Proto is the breadth of our product line. Our keys come in nearly any type or package that you could want. These include:

Standard Hex Keys. These are used with the popular six-point hex socket screw (the mirror image of the head on 6-point bolt), which lets you safely apply more torque than you can with a comparably sized slotted or Phillips[®] head screw. These fasteners can also be made with a headless design that sits flush with or below the surface when tightened.

Round Head Keys. While not as resistant to twisting as solid hex keys, round head keys let you engage hex fasteners from angles of up to 30 degrees off axis. They're a must-have when something is blocking access to the fastener head.

Torx[®] Keys. These are designed for use with Torx[®] head fasteners, whose 12-point design can be tightened with even more torque than the standard hex head.

Spline Head Keys. These are for use with spline fasteners, which are becoming ubiquitous in aerospace and military applications.

Standard Hex and Torx[®] keys come in conventional and ergonomic varieties. The conventional L-Handle key has a short and a long blade connected by a 90-degree elbow. The long blade reaches into deep recesses, and makes quick work of turning a fastener. When you need torque for a stubborn fastener, simply insert the short blade

in the fastener and use the long blade as a handle. The Ergonomically designed Tee-Handle key takes the standard L-Handle design and adds a comfortable molded grip to the elbow. The grip lets you do repetitive tasks with less hand fatigue.

We make our keys in fractional and metric sizes, and in standard reach, long reach, and extra-long reach lengths. The longer lengths offer greater leverage, improved in-line access, and make it easier to apply torque. All keys are made to precise tolerances for a tight fit.

Keys can be ordered in various sets, from individual keys arranged in cloth or plastic sleeves, to key-ring or folding sets. Our folding sets are housed in a tough metal frame with comfortable resin side pieces. The frame can be held in-line with the key and used as a screwdriver, or set at a 90° angle to the key for more leverage.

Torx is a trademark of Acument Intellectual Properties, LLC

SAFETY TIPS

- Always match the tool to the fastener. Using a hex wrench on a socket that is too large may result in damage to the fastener or the tool.
- Pull hex keys toward you. Do not push.
- Always use safety goggles. Serious eye injury is possible.

Hex Keys

SET NO. J4986 - 18 PC. STANDARD HEX KEY SET

- Metal storage box included.
- Weight: 3.36 lbs.

Product ID No.	Contents	 in.	Length
J4986	J46101	.028"	1-1/4"
	J46102	0.035"	1-1/4"
	J46103	0.050"	1-11/16"
	J46104	1/16"	1-3/4"
	J46105	5/64"	1-7/8"
	J46106	3/32"	2"
	J46107	7/64"	2-1/8"
	J46108	1/8"	2-1/4"
	J46109	9/64"	2-3/8"
	J46110	5/32"	2-1/2"
	J46112	3/16"	2-3/4"
	J46114	7/32"	3"
	J46116	1/4"	3-1/4"
	J46120	5/16"	3-3/4"
	J46124	3/8"	4-1/4"
	J46132	1/2"	5-1/4"
	J46136	9/16"	5-3/4"
	J46140	5/8"	6-1/4"



SET NO. J4980 - 13 PC. STANDARD HEX KEY SET

- Molded plastic holder included.
- Weight: 0.60 lbs.

Product ID No.	Contents	 in.	Length	ASME Spec.
J4980	J46103	0.050"	1-11/16"	B18.3
	J46104	1/16"	1-3/4"	B18.3
	J46105	5/64"	1-7/8"	B18.3
	J46106	3/32"	2"	B18.3
	J46107	7/64"	2-1/8"	B18.3
	J46108	1/8"	2-1/4"	B18.3
	J46109	9/64"	2-3/8"	B18.3
	J46110	5/32"	2-1/2"	B18.3
	J46112	3/16"	2-3/4"	B18.3
	J46114	7/32"	3"	B18.3
	J46116	1/4"	3-1/4"	B18.3
	J46120	5/16"	3-3/4"	B18.3
	J46124	3/8"	4-1/4"	B18.3



Hex Keys



SET NO. J4981 - 11 PC. STANDARD HEX KEY SET

- Molded plastic holder included.
- Weight: 0.24 lbs.

Product ID No.	Contents	 in.	Length	ASME Spec.
J4981	J46103	0.050"	1-11/16"	B18.3
	J46104	1/16"	1-3/4"	B18.3
	J46106	3/32"	2"	B18.3
	J46105	5/64"	1-7/8"	B18.3
	J46107	7/64"	2-1/8"	B18.3
	J46108	1/8"	2-1/4"	B18.3
	J46109	9/64"	2-3/8"	B18.3
	J46110	5/32"	2-1/2"	B18.3
	J46112	3/16"	2-3/4"	B18.3
	J46114	7/32"	3"	B18.3
	J46116	1/4"	3-1/4"	B18.3



SET NO. J4982 - 6 PC. STANDARD HEX KEY SET

- Molded plastic holder included.
- Weight: 1.2 lbs.

Product ID No.	Contents	 in.	Length	ASME Spec.
J4982	J46105	5/64"	1-7/8"	B18.3
	J46106	3/32"	2"	B18.3
	J46108	1/8"	2-1/4"	B18.3
	J46110	5/32"	2-1/2"	B18.3
	J46112	3/16"	2-3/4"	B18.3
	J46116	1/4"	3-1/4"	B18.3



Hex Keys

SET NO. J4988M - 15 PC. STANDARD HEX KEY SET - METRIC

METRIC

- Metal storage box included.
- Weight: 3.4 lbs.

Product ID No.	Contents	 mm	Length (mm)
J4988M	J46300	.07	31
	J46302	.09	31
	J46304	1.3	41
	J46306	1.5	44
	J46308	2	49
	J46310	3	55
	J46312	3	62
	J46314	4	68
	J46316	5	78
	J46318	6	88
	J46320	8	98
	J46322	10	109
	J46324	12	122
	J46326	14	136
	J46328	17	156



SET NO. J4984 - 9 PC. STANDARD HEX KEY SET - METRIC

METRIC

- Molded Plastic Holder included.
- Overall Length for Hex Keys ranges from 44mm to 109mm.
- Hex size ranges from 1.5mm to 10mm.
- Weight: 0.54 lbs.

Product ID No.	Contents	 mm	Length (mm)
J4984	J46306	1.5	44
	J46308	2	49
	J46310	2.5	55
	J46312	3	62
	J46314	4	68
	J46316	5	78
	J46318	6	88
	J46320	8	98
	J46322	10	109
	Molded Plastic Holder		



Hex Keys



SET NO. J4985 - 7 PC. HEX KEY SET - METRIC

METRIC

- Molded plastic holder.
- Overall length for hex keys ranges from 44mm to 88mm.
- Hex size ranges from 1.5mm to 6mm.
- Weight: 0.16 lbs.

Product ID No.	mm	Length
J4985	1.5	44
	2	49
	3	55
	3	62
	4	68
	5	78
	6	88



SET NO. J4995 - 13 PC. ROUND HEAD HEX KEY SET

- Screws can be tightened or loosened at angles up to 25°.
- Weight: 0.82 lbs.

Product ID No.	in.	Length
J4995	.050"	2-5/16"
	1/6"	3-1/6"
	5/64"	3-1/4"
	3/32"	3-1/2"
	7/64"	3-11/16"
	1/8"	3-7/8"
	9/64"	4-1/8"
	5/32"	4-5/16"
	3/16"	4-11/16"
	7/32"	5-1/8"
	1/4"	5-1/2"
	5/16"	6-1/4"
	3/8"	7-1/16"
Molded Plastic Holder		



Hex Keys

SET NO. J4996 - 9 PC. ROUND HEAD HEX KEY SET - METRIC

METRIC

- Ball end can tighten or loosen screws at angles up to 25°.
- Weight: 1.7 lbs.

Product ID No.	 mm	Length (mm)
J4996	1.5	78
	2	84
	2.5	92
	3	102
	4	114
	5	130
	6	156
	8	178
	10	197
Molded Plastic Holder		



SET NO. J4961 - 10 PC TORX® KEY SET

- Weight: .76 lbs.

Product ID No.		Length
J4961	T10	2-3/8"
	T15	2-1/2"
	T20	2-11/16"
	T25	2-1/8"
	T27	3"
	T30	3-1/4"
	T40	3-15/16"
	T45	4-1/16"
	T50	4-9/16"
	T55	5-3/16"
Plastic Pouch		



Torx is a trademark of Acument Intellectual Properties, LLC

Hex Keys



SET NO. J4987 - 14 PC. LONG HEX KEY SET

- Metal storage box included.
- Weight: 2.28 lbs.

Product ID No.	Contents	 in.	Length
J4987	J46203	.050"	2-7/8"
	J46204	1/16"	3"
	J46205	5/64"	3-3/16"
	J46206	3/32"	3-3/8"
	J46207	7/64"	3-9/16"
	J46208	1/8"	3-3/4"
	J46209	9/64"	3-15/16"
	J46210	5/32"	4-1/8"
	J46212	3/16"	4-1/2"
	J46214	7/32"	4-7/8"
	J46216	1/4"	5-1/4"
	J46220	5/16"	6"
	J46224	3/8"	6-3/4"
	J46228	7/16"	7-1/2"
J46232	1/2"	8-1/4"	



SET NO. J4983 - 13 PC. LONG HEX KEY SET

- Molded plastic holder included.
- Weight: 0.84 lbs.

Product ID No.	Contents	 in.	Length	ASME Spec.
J4983	J46203	.050"	2-7/8"	B18.3
	J46204	1/16"	3"	B18.3
	J46205	5/64"	3-3/16"	B18.3
	J46206	3/32"	3-3/8"	B18.3
	J46207	7/64"	3-9/16"	B18.3
	J46208	1/8"	3-3/4"	B18.3
	J46209	9/64"	3-15/16"	B18.3
	J46210	5/32"	4-1/8"	B18.3
	J46212	3/16"	4-1/2"	B18.3
	J46214	7/32"	4-7/8"	B18.3
	J46216	1/4"	5-1/4"	B18.3
	J46220	5/16"	6"	B18.3
	J46224	3/8"	6-3/4"	B18.3




Hex Keys

SET NO. J4968 - 11 PC. T-HANDLE HEX KEY SET

• Weight: 3.98 lbs.

Product ID No.	Contents	 in.	Length
J4968	J46405	5/64"	6"
	J46406	3/32"	6"
	J46407	7/64"	6"
	J46408	1/8"	6"
	J46409	9/64"	6"
	J46410	5/32"	6"
	J46412	3/16"	6"
	J46414	1/4"	6"
	J46416	1/4"	6"
	J46420	5/16"	6"
	J46424	3/8"	6"



SET NO. J4969 - 6 PC. METRIC T-HANDLE HEX KEY SET

METRIC

• Weight: 1.0 lbs.

Product ID No.	Contents	 mm	Length
J4969	J46508	2	152
	J46510	2.5	152
	J46512	3	152
	J46514	4	152
	J46516	5	152
	J46518	6	152



SET NO. J4993CG - 9 PC. FOLDING HEX KEY SET

- 4-1/4" long case.
- Black oxide bits are 1-7/16" to 2-3/4" long.
- Cushioned palm grip for comfort.
- Weight: 0.47 lbs.

Product ID No.	 in.	Set Screws	Fits Cap Screws 1960 Series	Cap Screws 1936 Series	ASME Spec.
J4993CG	5/64"	#8	#2, #3	#3, #4	B18.3
	3/32"	#10, #12	#4, #5	#5, #6	
	7/64"	—	#6	—	
	1/8"	1/4"	—	#8	
	9/64"	—	#8	—	
	5/32"	5/16"	#10	#10	
	3/16"	3/8"	1/4"	1/4"	
	7/32"	7/16"	—	5/16"	
	1/4"	1/2", 9/16"	5/16"	—	



Hex Keys



SET NO. J4978 - 9 PC. FOLDING HEX KEY SET

- Chrome plated steel case is 3-5/8" long.
- Black oxide bits are 1-1/2" to 2" long.
- Weight: 0.27 lbs.

Product ID No.	in.	Set Screws	Cap Screws 1960 Series	Cap Screws 1936 Series
J4978	.050"	#3, #4	#0	#0, #1
	1/16"	#5, #6	#1	#2
	5/64"	#8	#2, #3	#3, #4
	3/32"	#10, #12	#4, #5	#5, #6
	7/64"	—	#6	—
	1/8"	1/4"	—	#8
	9/64"	—	#8	—
	5/32"	5/16"	#10	#10
	3/16"	3/8"	1/4"	1/4"



SET NO. J4993 - 9 PC. FOLDING HEX KEY SET

- Chrome plated steel case is 4-1/2" long.
- Black oxide bits are 1-7/16 to 2-3/4" long.
- Weight: 0.47 lbs.

Product ID No.	in.	Set Screws	Cap Screws 1960 Series	Cap Screws 1936 Series
J4993	5/64"	#8	#2, #3	#3, #4
	3/32"	#10, #12	#4, #5	#5, #6
	7/64"	—	#6	—
	1/8"	1/4"	—	#8
	9/64"	—	#8	—
	5/32"	5/16"	#10	#10
	3/16"	3/8"	1/4"	1/4"
	7/32"	7/16"	—	5/16"
	1/4"	1/2", 9/16"	5/16"	—



Hex Keys

SET NO. J4992CG - 8 PC. FOLDING HEX KEY SET

- Case is 3" long.
- Black oxide bits are 1-1/4" to 1-15/16" long.
- Cushioned palm grip for comfort.
- Weight: 0.18 lbs.

Product ID No.	in.	Set Screws	Fits Cap Screws 1960 Series	Cap Screws 1936 Series	ASME Spec.
J4992CG	1/2"	#3, #4	#0	#0, #1	B18.3
	1/16"	#5, #6	#1	#2	
	5/64"	#8	#2, #3	#3, #4	
	3/32"	#10, #12	#4, #5	#5, #6	
	7/64"	—	#6	—	
	1/8"	1/4"	—	#8	
	9/64"	—	#8	—	
	5/32"	5/16"	#10	#10	



SET NO. J4992 - 8 PC. FOLDING HEX KEY SET

- Chrome plated steel case is 3" long.
- Black oxide bits are 1-1/4" to 1-5/16" long.
- Weight: 0.18 lbs.

Product ID No.	in.	Set Screws	Cap Screws 1960 Series	Cap Screws 1936 Series
J4992	.050"	#3, #4	#0	#0, #1
	1/16"	#5, #6	#1	#2
	5/64"	#8	#2, #3	#3, #4
	3/32"	#10, #12	#4, #5	#5, #6
	7/64"	—	#6	—
	1/8"	1/4"	—	#8
	9/64"	—	#8	—
	5/32"	5/16"	#10	#10



SET NO. J4996CG - 6 PC. FOLDING CUSHION GRIP HEX KEY SET

- Case is 5-1/2"
- Cushioned palm grip for comfort.
- Weight: 0.24 lbs.

Product ID No.	in.
J4996CG	5/32"
	3/16"
	7/32"
	1/4"
	5/16"
	3/8"



Hex Keys



SET NO. J4991 - 8 PC. LONG FOLDING HEX KEY SET

- Chrome plated steel case is 5-1/4" long.
- Black oxide bits are 4" long.
- Weight: 0.61 lbs.

Product ID No.	in.	Set Screws	Cap Screws 1976 Series	Cap Screws 1936 Series
J4991	3/32"	#10, #12	#4, #5	#5, #6
	7/64"	—	#6	—
	1/8"	1/4"	—	#8
	9/64"	—	#8	—
	5/32"	5/16"	#10	#10
	3/16"	3/8"	1/4"	1/4"
	7/32"	7/16"	—	5/16"
	1/4"	1/2", 9/16"	5/16"	—



SET NO. J4994 - 5 PC. LONG FOLDING HEX KEY SET

- Chrome plated steel case is 5-1/4" long.
- Black oxide bits are 2-7/16" to 3-1/4" long.
- Weight: 0.83 lbs.

Product ID No.	in.	Set Screws	Cap Screws 1960 Series	Cap Screws 1936 Series
J4994	3/16"	3/8"	1/4"	1/4"
	7/32"	7/16"	—	5/16"
	1/4"	1/2", 9/16"	5/16"	—
	5/16"	5/8"	3/8"	3/8", 7/16"
	3/8"	3/4"	7/16", 1/2"	1/2", 9/16"



SET NO. J4974CG - 7 PC. METRIC LONG FOLDING HEX KEY SET

METRIC

- 3-1/2" long case.
- Cushioned palm grip for comfort.
- Weight: 0.31 lbs.

Product ID No.	mm	Length
J4974CG	1.5	76
	2	76
	2.5	76
	3	76
	4	76
	5	76
	6	76



Hex Keys

SET NO. J4973CG - 6 PC. METRIC LONG FOLDING HEX KEY SET

METRIC

- Case is 6-1/2" long.
- Black oxide bits are 5" long.
- Cushioned palm grip for comfort.
- Weight: .84 lbs.



Product ID No.	mm	Length
J4973CG	3	76
	4	76
	5	76
	6	76
	8	76
	10	76

SET NO. J4974 - 7 PC. METRIC FOLDING HEX KEY SET

METRIC

- Chrome plated steel case is 3-1/2" long.
- Black oxide bits are 3" long.
- Weight: 0.31 lbs.



Product ID No.	mm	Length
J4974	1.5	76
	2	76
	2.5	76
	3	76
	4	76
	5	76
	6	76

SET NO. J4973 - 6 PC. METRIC LONG FOLDING HEX KEY SET

METRIC

- Chrome plated steel case is 6-1/2" long.
- Black oxide bits are 5" long.
- Weight: 0.84 lbs.



Product ID No.	mm	Length
J4973	3	127
	4	127
	5	127
	6	127
	8	127
	10	127



Hex Keys



SET NO. J4979TXCG - 8 PC. TORX® FOLDING HEX KEY SET

- Cushioned palm grip for comfort.
- Weight: 0.45 lbs.

Product ID No.		Length
J4979TXCG	T9 - T40	76



SET NO. J4979TX - 8 PC. TORX® FOLDING HEX KEY SET

- Weight: 0.45 lbs.

Product ID No.		Length
J4979TX	T9	2-1/4"
	T10	2-3/8"
	T15	2-9/16"
	T20	2-5/8"
	T25	2-3/4"
	T27	2-7/8"
	T30	3"
	T40	3-1/8"



SET NO. FF-82H.JP8U - FACOM® 8 PC. SHORT HEX KEY

- Weight: 0.6 lbs.

Product ID No.	Contents	 in.	Length
FF-82H.JP8U	FF-82H.3/32	3/32"	2-3/8"
	FF-82H.1/8	1/8"	2-3/4"
	FF-82H.5/32	5/32"	2-15/16"
	FF-82H.3/16	3/16"	3-17/32"
	FF-82H.7/32	7/32"	3-3/4"
	FF-82H.1/4	1/4"	3-15/16"
	FF-82H.5/16	5/16"	4-11/32"
	FF-82H.3/8	3/8"	4-23/32"



Torx is a trademark of Acument Intellectual Properties, LLC

Hex Keys

SET NO. FM-82H.JP9 - FACOM® 9 PC. SHORT HEX KEY SET - METRIC

METRIC

- Weight: 0.59 lbs.

Product ID No.	Contents	 mm	Length
FM-82H.JP9	FM-82H.1.5	1.5	1-31/32"
	FM-82H.2	2	2-5/32"
	FM-82H.2.5	2.5	2-3/8"
	FM-82H.3	3	2-3/4"
	FM-82H.4	4	2-15/16"
	FM-82H.5	5	3-17/32"
	FM-82H.6	6	3-15/16"
	FM-82H.8	8	4-11/32"
	FM-82H.10	10	4-29/32"



FACOM

SET NO. FF-87H.JU8 - FACOM® 8 PC. SHORT HEX KEY RING SET

- Silicon steel.
- Phosphate finish.
- Includes: 5/64, 3/32, 1/8, 5/32, 3/16, 7/32, 1/4, 5/16" long hex keys.
- Weight: 0.38 lbs.

Product ID No.	Length
FF-87H.JU8	5-1/8"



FACOM

SET NO. FM-87H.JE8 - FACOM® 8 PC. SHORT HEX KEY RING SET - METRIC

METRIC

- Silicon steel.
- Includes: 1.5, 2, 2.5, 3, 4, 5, 6, 8mm short hex keys.
- Key ring.
- Weight: 0.33 lbs.

Product ID No.	Length
FM-87H.JE8	150 mm



FACOM



Hex Keys



SET NO. FF-87HL.JU8 - FACOM® 8 PC. LONG HEX KEY RING SET

- Silicon steel.
- Phosphate finish.
- Includes: 5/64, 3/32, 1/8, 5/32, 3/16, 7/32, 1/4, 5/16" hex keys.
- Weight: 0.51 lbs.

Product	
ID No.	Length
FF-87HL.JU8	7-3/32"



SET NO. FM-87HL.JE8 - FACOM® 8 PC. LONG HEX KEY RING SET - METRIC

- Silicon steel.
- Includes: 1.5, 2, 2.5, 3, 4, 5, 6, 8mm long hex keys.
- Key ring.
- Weight: 0.43 lbs.

Product	
ID No.	Length
FM-87HL.JE8	150 mm



SET NO. FM-83H.JP9 - FACOM® 9 PC. HEX KEY SET - METRIC

- Weight: 0.77 lbs.

Product ID No.	Contents	 mm	Length
FM-83H.JP9	FM-83H.1.5	1.5	2-9/16"
	FM-83H.2	2	3-5/32"
	FM-83H.2.5	2.5	3-17/32"
	FM-83H.3	3	3-3/4"
	FM-83H.4	4	4-1/8"
	FM-83H.5	5	4-29/32"
	FM-83H.6	6	5-23/32"
	FM-83H.8	8	6-1/2"
	FM-83H.10	10	7-9/23"



Hex Keys

SET NO. FF-83SH.JP8U - FACOM® 8 PC. LONG ROUND HEAD HEX KEY SET

• Weight: 0.81 lbs.

Product ID No.	Contents	 in.	Length
FF-83SH.JP8U	FF-83SH.3/32	3/32"	3-17/32"
	FF-83SH.1/8	1/8"	3-3/4"
	FF-83SH.5/32	5/32"	4-11/32"
	FF-83SH.3/16	3/16"	4-29/32"
	FF-83SH.7/32	7/32"	5-23/32"
	FF-83SH.1/4	1/4"	5-29/32"
	FF-83SH.5/16	5/16"	6-11/16"
	FF-83SH.3/8	3/8"	7-9/32"



 FACOM®

SET NO. FM-83SH.JP9 - FACOM® 9 PC. LONG ROUND HEAD HEX KEY SET - METRIC

• Weight: 0.77 lbs.

Product ID No.	Contents	 mm	Length
FM-83SH.JP9	FM-83SH.1.5	1.5"	2-9/16"
	FM-83SH.2	2"	3-5/32"
	FM-83SH.2.5	2.5"	3-17/32"
	FM-83SH.3	3"	3-3/4"
	FM-83SH.4	4"	4-11/32"
	FM-83SH.5	5"	4-29/32"
	FM-83SH.6	6"	5-23/32"
	FM-83SH.8	8"	6-5/16"
	FM-83SH.10	10"	7-9/32"



 METRIC

 FACOM®

SET NO. FM-83S.JP9L - FACOM® 9 PC. EXTRA LONG ROUND HEAD HEX KEY SET - METRIC

• Weight: 0.94 lbs.

Product ID No.	Contents	 mm	Length
FM-83S.JP9L	FM-83S.1.5L	1.5"	3-3/4"
	FM-83S.2L	2"	4-1/8"
	FM-83S.2.5L	2.5"	4-17/32"
	FM-83S.3L	3"	5-1/8"
	FM-83S.4L	4"	5-23/32"
	FM-83S.5L	5"	6-1/2"
	FM-83S.6L	6"	7-9/32"
	FM-83S.8L	8"	8- 1/16"



 METRIC

 FACOM®

Hex Keys



SET NO. FX-89.JP8 - FACOM® 8 PC. TORX® HEX KEY SET

• Weight: 0.37 lbs.

Product ID No.	Contents		Length
FX-89.JP8	FX-89.10	T10	2-5/32"
	FX-89.15	T15	2-3/8"
	FX-89.20	T20	2-9/16"
	FX-89.25	T25	2-3/4"
	FX-89.27	T27	2-3/4"
	FX-89.30	T30	3-5/32"
	FX-89.40	T40	3-11/32"
	FX-89.45	T45	19/32"





SET NO. FX-89.JA8 - FACOM® 8 PC. TORX® KEY RING SET

- Includes: T8, T10, T15, T20, T25, T27, T30, T40 Torx® keys.
- Weight: 0.25 lbs.

Product ID No.	Length
FX-89.JA8	3-3/4"





SET NO. FX-89R.JP6 - FACOM® 6 PC. TAMPER PROOF TORX® HEX KEY SET

• Weight: 0.21 lbs.

Product ID No.	Contents		Length
FX-89R.JP6	FX-89R.10	T10	2-5/32"
	FX-89R.15	T15	2-3/8"
	FX-89R.20	T20	2-9/16"
	FX-89R.25	T25	2-9/16"
	FX-89R.30	T30	3-5/32"
	FX-89R.40	T40	3-11/32"





Torx is a trademark of Acument Intellectual Properties, LLC

Hex Keys

SET NO. FM-80.JL7 - FACOM® 7 PC. SPLINE HEX KEY

- Includes: M5, M6, M8, M10, M12, M14, M15, M16 keys for Spline Sockets.
- Supplied in a wallet.
- Weight: 1.93 lbs.

Product ID No.	Length
FM-80.JL7	6-7/8"



FACOM®

SET NO. FF-86H.JU6 - FACOM® 6 PC. FOLDING HEX KEY SAE

- Compact holder.
- Comfortable grip.
- 90° stop for high torque.
- Includes: 5/32, 3/16, 7/32, 1/4, 5/16, 3/8" hex keys.
- Weight: 0.82 lbs.

Product ID No.	Length
FF-86H.JU6	5-1/2"



FACOM®

SET NO. FF-86H.JU7 - FACOM® 7 PC. FOLDING HEX KEY SET - METRIC

- Compact holder.
- Comfortable grip.
- 90° stop for high torque.
- Includes: 1/16, 5/64, 3/32, 1/8, 5/32, 3/16, 1/4" hex keys.
- Weight: 0.35 lbs.

Product ID No.	Length
FF-86H.JU7	4-23/32"



METRIC

FACOM®

SET NO. FM-86H.JE7A - FACOM® 7 PC. FOLDING HEX KEY SET - METRIC

- Compact holder.
- Comfortable Grip.
- 90° stop for high torque.
- 82H-series silicon steel keys.
- Includes: 2.5, 3, 4, 5, 6, 8, 10mm hex keys.
- Weight: 0.81 lbs.

Product ID No.	Length
FM-86H.JE7A	5-1/2"



METRIC

FACOM®



Hex Keys



SET NO. FM-86H.JE7B - FACOM® 7 PC. HEX KEY SET - METRIC

METRIC

- Compact holder.
- Comfortable grip.
- 90° stop for high torque.
- 82H-series silicon steel keys.
- Includes: 1.5, 2, 2.5, 3, 4, 5, 6mm hex keys.
- Weight: 0.34 lbs.

Product ID No.	Length
FM-86H.JE7B	118 mm



FACOM®

SET NO. FX-89A.JM8 - FACOM® 8 PC. TORX® FOLDING HEX KEY SET

- Includes: T8, T10, T15, T20, T25, T27, T30, T40 Torx® keys.
- Weight: 0.6 lbs.

Product ID No.	Length
FX-89A.JM8	5-1/2"



FACOM®

SET NO. FX-89R.JM8 - FACOM® 8 PC. TORX® TAMPER PROOF HEX KEY SET

- Includes: T8, T10, T15, T20, T25, T27, T30, T40 tamper resistant Torx® keys.
- Weight: 0.6 lbs.

Product ID No.	Length
FX-89R.JM8	5-1/2"



FACOM®

Torx is a trademark of Acument Intellectual Properties, LLC

Hex Keys

STANDARD HEX KEYS

Product ID No.	in.	Short Arm Length	Long Arm Length	Weight lbs.
J46101	.028"	1/8"	1-1/4"	0.01
J46102	0.035"	3/16"	1-1/4"	0.01
J46103	0.050"	1/2"	1-11/16"	0.01
J46104	1/16"	9/16"	1-3/4"	0.01
J46105	5/64"	5/8"	1-7/8"	0.01
J46106	3/32"	11/16"	2"	0.01
J46107	7/64"	23/32"	2-1/8"	0.01
J46108	1/8"	3/4"	2-1/4"	0.01
J46109	9/64"	13/16"	2-3/8"	0.02
J46110	5/32"	27/32"	2-1/2"	0.02
J46112	3/16"	15/16"	2-3/4"	0.03
J46114	7/32"	1"	3"	0.05
J46116	1/4"	1-1/8"	3-1/4"	0.07
J46120	5/16"	1-1/4"	3-3/4"	0.10
J46124	3/8"	1-3/8"	4-1/4"	0.19
J46128	7/16"	1-1/2"	4-3/4"	0.31
J46132	1/2"	1-5/8"	5-1/4"	0.31
J46136	9/16"	1-3/4"	5-3/4"	0.58
J46140	5/8"	1-7/8"	6-1/4"	0.79



STANDARD HEX KEYS - METRIC

METRIC

Product ID No.	mm	Short Arm Length	Long Arm Length	Weight lbs.
J46300	.07	6	31	0.01
J46302	.09	9	31	0.01
J46304	1.3	13	41	0.01
J46306	1.5	13	44	0.01
J46308	2	16	49	0.01
J46310	3	18	55	0.01
J46312	3	19	62	0.01
J46314	4	24	68	0.01
J46316	5	27	78	0.04
J46318	6	31	88	0.07
J46320	8	35	98	0.13
J46322	10	39	109	0.23
J46324	12	44	122	0.36
J46326	14	55	136	0.57
J46328	17	61	156	0.95



Hex Keys



FACOM® STANDARD SHORT HEX KEYS

- Standard short hex keys.
- Silicon steel.



Product ID No.	in.	Short Arm Length	Long Arm Length	Length	Weight lbs.
FF-82H.028	0.028"	13/32"	1-5/16"	1-3/8"	0.01 lbs.
FF-82H.035	0.035"	7/16"	1-3/8"	1-9/16"	0.01 lbs.
FF-82H.050	0.050"	15/32"	1-1/2"	1-25/32"	0.01 lbs.
FF-82H.3/64	3/64"	15/32"	1-1/2"	1-9/16"	0.01 lbs.
FF-82H.1/16	1/16"	1/2"	1-25/32"	1-31/32"	0.01 lbs.
FF-82H.5/64	5/64"	5/5"	1-31/32"	2-5/32"	0.01 lbs.
FF-82H.3/32	3/32"	21/32"	2-7/16"	2-3/8"	0.01 lbs.
FF-82H.7/64	7/64"	23/32"	2-3/8"	3/16"	2.56 lbs.
FF-82H.1/8	1/8"	25/32"	2-9/16"	2-3/4"	0.01 lbs.
FF-82H.9/64	9/64"	7/8"	2-19/32"	2-15/16"	0.02 lbs.
FF-82H.5/32	5/32"	31/32"	2-3/4"	2-15/16"	0.02 lbs.
FF-82H.3/16	3/16"	1-3/32"	3-5/32"	3-17/32"	0.04 lbs.
FF-82H.7/32	7/32"	1-1/4"	3-17/32"	3-3/4"	0.06 lbs.
FF-82H.1/4	1/4"	1-1/4"	3-17/32"	3-15/16"	0.07 lbs.
FF-82H.5/16	5/16"	1-1/4"	3-15/16"	4-11/32"	0.13 lbs.
FF-82H.3/8	3/8"	1-9/16"	4-13/32"	4-23/32"	0.19 lbs.
FF-82H.7/16	7/16"	1-21/32"	4-21/32"	5-1/8"	0.3 lbs.
FF-82H.1/2	1/2"	1-25/32"	4-29/32"	5-29/32"	0.44 lbs.
FF-82H.9/16	9/16"	2-5/32"	5-1/2"	6-3/32"	0.61 lbs.
FF-82H.5/8	5/8"	2-3/8"	6-5/16"	7-3/32"	0.82 lbs.
FF-82H.11/16	11/16"	2-15/32"	6-11/16"	7-3/32"	1.04 lbs.
FF-82H.3/4	3/4"	2-3/4"	6-7/8"	7-7/8"	1.37 lbs.
FF-82H.7/8	7/8"	3-5/32"	7-7/8"	8-7/8"	2.11 lbs.
FF-82H.1	1"	3-17/32"	9-1/4"	10-1/4"	3.2 lbs.

Hex Keys

FACOM® STANDARD SHORT HEX KEYS - METRIC

METRIC

- Silicon steel.
- Phosphate finish.



Product ID No.	mm	Short Arm Length	Long Arm Length	Length	Weight lbs.
FM-82H.0.9	0.9	15/32"	1-1/2"	1-25/32"	0.01 lbs.
FM-82H.1.3	1.3	1/2"	1-25/32"	2-5/32"	0.01 lbs.
FM-82H.1.5	1.5	1/2"	1-25/32"	1-31/32"	0.01 lbs.
FM-82H.2	2	5/8"	1-31/32"	2-5/32"	0.01 lbs.
FM-82H.2.5	2.5	21/32"	2-7/16"	2-3/8"	0.01 lbs.
FM-82H.3	3	25/32"	2-9/16"	2-3/4"	0.01 lbs.
FM-82H.3.5	3.5	4-29/32"	2-19/32"	2-15/16"	0.02 lbs.
FM-82H.4	4	1-1/32"	2-3/4"	2-15/16"	0.02 lbs.
FM-82H.4.5	4.5	1-3/32"	2-15/16"	3-11/32"	0.03 lbs.
FM-82H.5	5	1-1/4"	3-5/32"	3-17/32"	0.04 lbs.
FM-82H.6	6	1-11/32"	3-17/32"	3-15/16"	0.07 lbs.
FM-82H.7	7	1-13/32"	3-3/4"	4-1/8"	0.10 lbs.
FM-82H.8	8	1-1/2"	3-15/16"	4-11/32"	0.14 lbs.
FM-82H.9	9	1-9/16"	4-1/8"	4-17/32"	0.18 lbs.
FM-82H.10	10	1-9/16"	4-13/32"	4-29/32"	0.23 lbs.
FM-82H.11	11	1-21/32"	4-21/32"	5-5/16"	0.30 lbs.
FM-82H.12	12	1-25/32"	4-29/32"	5-1/2"	0.37 lbs.
FM-82H.13	13	1-31/32"	5-5/16"	5-29/32"	0.47 lbs.
FM-82H.14	14	2-5/32"	5-1/2"	6-3/32"	0.59 lbs.
FM-82H.15	15	2-9/32"	5-29/32"	6-1/2"	0.71 lbs.
FM-82H.16	16	2-3/8"	6-1/16"	6-11/16"	0.83 lbs.
FM-82H.17	17	2-15/32"	6-5/16"	7-3/32"	0.99 lbs.
FM-82H.18	18	2-19/32"	6-11/16"	7-11/16"	1.16 lbs.
FM-82H.19	19	2-3/4"	7-3/32"	8-1/16"	1.37 lbs.
FM-82H.22	22	3-5/32"	7-7/8"	8-7/8"	2.06 lbs.
FM-82H.23	23	3-11/32"	8-9/32"	9-7/16"	2.37 lbs.
FM-82H.24	24	3-17/32"	8-13/16"	10-1/4"	2.76 lbs.
FM-82H.27	27	3-15/16"	9-27/32"	11-7/32"	3.92 lbs.
FM-82H.32	32	31/32"	12-13/32"	13-25/32"	6.85 lbs.



Hex Keys



FACOM® LONG HEX KEYS

METRIC

- Silicon steel.
- Standard length.

FACOM



Product ID No.	mm	Short Arm Length	Long Arm Length	Length	Weight lbs.
FM-83H.1.5	1.5	9/16"	2-7/16"	2-9/16"	0.01 lbs.
FM-83H.2	2	5/8"	2-15/16"	3-5/32"	0.01 lbs.
FM-83H.2.5	2.5	23/32"	3-11/32"	3-17/32"	0.01 lbs.
FM-83H.3	3	25/32"	3-17/32"	3-3/4"	0.02 lbs.
FM-83H.3.5	3.5	31/32"	3-3/4"	3-15/16"	0.02 lbs.
FM-83H.4	4	31/32"	3-15/16"	4-1/8"	0.03 lbs.
FM-83H.4.5	4.5	1-1/32"	4-11/32"	4-23/32"	0.04 lbs.
FM-83H.5	5	1-3/32"	4-17/32"	4-29/32"	0.06 lbs.
FM-83H.6	6	1-1/4"	5-5/16"	5-23/32"	0.09 lbs.
FM-83H.7	7	1-11/32"	5-1/2"	5-29/32"	0.13 lbs.
FM-83H.8	8	1-13/32"	5-29/32"	6-1/2"	0.18 lbs.
FM-83H.9	9	1-1/2"	6-5/16"	6-7/8"	0.25 lbs.
FM-83H.10	10	1-9/16"	6-11/16"	7-9/23"	0.32 lbs.
FM-83H.11	11	1- 21/32"	7- 3/32"	7-11/16"	0.41 lbs.
FM-83H.12	12	1-25/32"	7-15/32"	8-1/16"	0.51 lbs.
FM-83H.13	13	1-31/32"	7-7/8"	8-21/32"	0.63 lbs.
FM-83H.14	14	2-7/32"	8-15/32"	9-1/4"	0.8 lbs.
FM-83H.15	15	2-9/32"	8-27/32"	9-21/32"	0.96 lbs.
FM-83H.16	16	2-3/8"	9-1/4"	10-1/32"	1.14 lbs.
FM-83H.17	17	2-15/32"	9-21/32"	10-5/8"	1.34 lbs.
FM-83H.18	18	2-19/32"	10-1/32"	10-27/32"	1.57 lbs.
FM-83H.19	19	2-3/4"	10-7/16"	11/32"	1.83 lbs.
FM-83H.22	22	3-5/32"	10-13/16"	11-13/16"	2.6 lbs.
FM-83H.23	23	3-11/32"	11-7/32"	12-3/16"	2.96 lbs.
FM-83H.24	24	3-17/32"	11-25/32"	13"	3.4 lbs.
FM-83H.27	27	3-15/16"	12-13/32"	13-25/32"	4.62 lbs.
FM-83H.32	32	4-29/32"	14-11/32"	15-9/16"	7.62 lbs.

Hex Keys

LONG HEX KEYS

Product ID No.	in.	Long Arm	Short Arm	Weight lbs.
J46203	.050"	2-7/8"	1/2"	0.01 lbs.
J46204	1/16"	3"	9/16"	0.01 lbs.
J46205	5/64"	3-3/16"	5/8"	0.02 lbs.
J46206	3/32"	3-3/8"	11/16"	0.01 lbs.
J46207	7/64"	3-9/16"	23/32"	0.01 lbs.
J46208	1/8"	3-3/4"	3/4"	0.02 lbs.
J46209	9/64"	3-15/16"	13/16"	0.03 lbs.
J46210	5/32"	4-1/8"	27/32"	0.03 lbs.
J46212	3/16"	4-1/2"	15/16"	0.05 lbs.
J46214	7/32"	4-7/8"	1"	0.07 lbs.
J46216	1/4"	5-1/4"	1-1/8"	0.10 lbs.
J46220	5/16"	6"	1-1/4"	0.17 lbs.
J46224	3/8"	6-3/4"	1-3/8"	0.28 lbs.
J46228	7/16"	7-1/2"	1-1/2"	0.45 lbs.
J46232	1/2"	8-1/4"	1-5/8"	0.61 lbs.



FACOM® LONG HEX KEYS

- Long hex keys.



Product ID No.	in.	Short Arm Length	Long Arm Length	Length	Weight lbs.
FF-83H.050	.05"	9/16"	2-7/16"	2-9/16"	0.01 lbs.
FF-83H.3/64	3/64"	9/16"	2-9/32"	2-3/8"	0.01 lbs.
FF-83H.1/16	1/16"	1/2"	2-9/32"	2-9/16"	0.01 lbs.
FF-83H.5/64	5/64"	5/8"	2-15/16"	3-5/32"	0.01 lbs.
FF-83H.3/32	3/32"	21/32"	3-11/32"	3-17/32"	0.01 lbs.
FF-83H.7/64	7/64"	23/32"	3-17/32"	3-3/4"	0.01 lbs.
FF-83H.1/8	1/8"	25/32"	3-17/32"	3-3/4"	0.02 lbs.
FF-83H.9/64	9/64"	7/8"	3-3/4"	4-1/8"	0.02 lbs.
FF-83H.5/32	5/32"	31/32"	3-15/16"	4-1/8"	0.03 lbs.
FF-83H.3/16	3/16"	1-3/32"	4-17/32"	4-29/32"	0.05 lbs.
FF-83H.7/32	7/32"	1-1/4"	5-5/16"	5-23/32"	0.08 lbs.
FF-83H.1/4	1/4"	1-1/4"	5-1/2"	5-29/32"	0.11 lbs.
FF-83H.5/16	5/16"	1-13/32"	5-29/32"	6-1/2"	0.17 lbs.
FF-83H.3/8	3/8"	1-1/2"	6-11/16"	7-9/32"	0.29 lbs.
FF-83H.7/16	7/16"	1-21/32"	7-3/32"	7-11/16"	0.42 lbs.
FF-83H.1/2	1/2"	1-25/32"	7-15/32"	8-1/16"	0.59 lbs.
FF-83H.9/16	9/16"	2-7/32"	8-15/32"	9-1/16"	0.83 lbs.



Hex Keys



FACOM® HEX KEYS - LONG ROUND HEAD

- Long hex key with spherical head.
- Silicon steel.



Product ID No.	 in.	Short Arm Length	Long Arm Length	Length	Weight lbs.
FF-83SH.3/32	3/32"	3-11/32"	3-11/32"	3-17/32"	0.01 lbs.
FF-83SH.1/8	1/8"	3-17/32"	3-17/32"	3-3/4"	0.02 lbs.
FF-83SH.5/32	5/32"	3-15/16"	3-15/16"	4-11/32"	0.03 lbs.
FF-83SH.3/16	3/16"	4-17/32"	4-17/32"	4-29/32"	0.05 lbs.
FF-83SH.7/32	7/32"	5-5/16"	5-5/16"	5-23/32"	0.08 lbs.
FF-83SH.1/4	1/4"	5-1/2"	5-1/4"	5-29/32"	0.11 lbs.
FF-83SH.5/16	5/16"	5-29/32"	5-29/32"	6-11/16"	0.18 lbs.
FF-83SH.3/8	3/8"	6-11/16"	6-11/16"	7-9/32"	0.28 lbs.

FACOM® HEX KEYS - LONG ROUND HEAD - METRIC



- Long hex key with spherical head.
- Silicon steel.



Product ID No.	 mm	Short Arm Length	Long Arm Length	Length	Weight lbs.
FM-83SH.1.5	1.5	9/16"	2-7/16"	2-9/16"	0.01 lbs.
FM-83SH.2	2	5/8"	2-15/16"	3-5/32"	0.01 lbs.
FM-83SH.2.5	2.5	23/32"	3-11/32"	3-17/32"	0.01 lbs.
FM-83SH.3	3	25/32"	3-17/32"	3-3/4"	0.02 lbs.
FM-83SH.4	4	31/32"	3-15/16"	4-11/32"	0.03 lbs.
FM-83SH.5	5	1-3/32"	4-17/32"	4-29/32"	0.06 lbs.
FM-83SH.6	6	1-1/4"	5-5/16"	5-23/32"	0.09 lbs.
FM-83SH.7	7	1-11/32"	5-1/2"	6-3/32"	0.13 lbs.
FM-83SH.8	8	1-13/32"	5-29/32"	6-5/16"	0.18 lbs.
FM-83SH.9	9	1-1/2"	6-5/16"	6-11/16"	0.24 lbs.
FM-83SH.10	10	1-9/16"	6-11/16"	7-9/32"	0.32 lbs.
FM-83SH.12	12	1-25/32"	7-15/32"	8-1/16"	0.51 lbs.

Hex Keys

FACOM® HEX KEYS - EXTRA LONG ROUND HEAD - METRIC

METRIC

- Extra-long hex key with spherical head.
- Long length for leverage, high torque and to help improve in-line access.



Product ID No.	mm	Short Arm Length	Long Arm Length	Length	Weight lbs.
FM-83S.1.5L	1.5	9/16"	3-1/2"	3-3/4"	0.01 lbs.
FM-83S.2L	2	5/8"	3-15/16"	4-1/8"	0.01 lbs.
FM-83S.2.5L	2.5	23/32"	4-3/8"	4-17/32"	0.01 lbs.
FM-83S.3L	3	31/32"	4-7/8"	5-1/8"	0.02 lbs.
FM-83S.4L	4	1-3/32"	5-7/16"	5-23/32"	0.04 lbs.
FM-83S.5L	5	1-1/4"	6-1/4"	6-1/2"	0.07 lbs.
FM-83S.6L	6	1-11/32"	7-1/16"	7-9/32"	0.11 lbs.
FM-83S.7L	7	1-13/32"	7-13/32"	7-11/16"	0.16 lbs.
FM-83S.8L	8	1-9/16"	7-25/32"	8- 1/16"	0.22 lbs.
FM-83S.10L	10	1-9/16"	8-11/16"	8-11/16"	0.44 lbs.
FM-83S.12L	12	1-25/32"	9-23/32"	9-23/32"	0.71 lbs.

FACOM® TORX® KEYS

- CAMCAR specifications.
- Burnished finish.



Product ID No.		Short Arm Length	Long Arm Length	Length	Weight lbs.
FX-89.6	T6	23/32"	2"	1-31/32"	0.01 lbs.
FX-89.7	T7	23/32"	2-1/32"	2-5/32"	0.01 lbs.
FX-89.8	T8	23/32"	2-1/32"	2-5/32"	0.01 lbs.
FX-89.9	T9	25/32"	2-1/32"	2-5/32"	0.01 lbs.
FX-89.10	T10	25/32"	2-3/32"	2-5/32"	0.01 lbs.
FX-89.15	T15	27/32"	2-1/4"	2-3/8"	0.01 lbs.
FX-89.20	T20	15/16"	2-13/32"	2-9/16"	0.02 lbs.
FX-89.25	T25	25/32"	2-1/4"	2-3/4"	0.03 lbs.
FX-89.27	T27	1-1/16"	2-5/8"	2-3/4"	0.03 lbs.
FX-89.30	T30	1-3/16"	3"	3-5/32"	0.04 lbs.
FX-89.40	T40	1-11/32"	3-9/32"	3-11/32"	0.07 lbs.
FX-89.45	T45	1-15/32"	3-15/32"	19/32"	4.33 lbs.
FX-89.50	T50	1-5/8"	4-3/16"	4-11/32"	0.16 lbs.
FX-89.55	T55	1-7/8"	4-3/4"	4-23/32"	0.26 lbs.

Torx is a trademark of Acument Intellectual Properties, LLC



Hex Keys



FACOM® TAMPER PROOF TORX® KEYS

- CAMCAR specifications.
- Burnished finish.
- Tamper resistant.



Product ID No.		Short Arm Length	Long Arm Length	Length	Weight lbs.
FX-89R.10	T10	25/32"	2-1/8"	2-5/32"	0.01 lbs.
FX-89R.15	T15	13/16"	2-1/4"	2-3/8"	0.01 lbs.
FX-89R.20	T20	15/16"	2-13/32"	2-9/16"	0.02 lbs.
FX-89R.25	T25	31/32"	2-9/16"	2-9/16"	0.03 lbs.
FX-89R.30	T30	1-3/16"	3"	3-5/32"	0.04 lbs.
FX-89R.40	T40	1-5/16"	3-9/32"	3-11/32"	0.07 lbs.

T-HANDLE HEX KEYS

- T-handle design for torque.
- Cushion grip handle provides added comfort.
- Hex size is stamped on the handle for easy identification.



Product ID No.	 in.	Handle Width	Length	Weight lbs.
J46405	5/64"	3"	6"	0.11 lbs.
J46406	3/32"	3"	6"	0.11 lbs.
J46407	7/64"	3"	6"	0.14 lbs.
J46408	1/8"	3"	6"	0.11 lbs.
J46409	9/64"	3"	6"	0.14 lbs.
J46410	5/32"	3"	6"	0.32 lbs.
J46412	3/16"	4"	6"	0.63 lbs.
J46416	1/4"	4"	6"	0.82 lbs.
J46420	5/16"	6"	6"	0.89 lbs.
J46424	3/8"	6"	6"	0.90 lbs.

T-HANDLE HEX KEYS - METRIC



- T-handle design for greater torque.
- Cushion grip handle provides added comfort.
- Hex size is stamped on the handle for easy identification.



Product ID No.	 mm	Handle Length	Length	Weight lbs.
J46508	2	76	152	0.13
J46510	2.5	76	152	0.11
J46512	3	76	152	0.13
J46514	4	76	152	0.14
J46516	5	101	152	0.32
J46518	6	101	152	0.62

Hex Keys

FACOM® T-HANDLE HEX KEYS

- Ergonomically designed t-handle allows for effective use of either end of key.
- Polished phosphate finish.
- Silicon steel.

Product ID No.	in.	Short Arm Length	Long Arm Length	Length	Weight lbs.
FF-84TZ.5/32	5/32"	3-1/32"	7-7/32"	7-9/32"	0.12 lbs.
FF-84TZ.3/16	3/16"	3-1/32"	7-7/32"	25/32"	7.28 lbs.
FF-84TZ.7/32	7/32"	3-3/4"	9-7/16"	9-21/32"	0.24 lbs.
FF-84TZ.1/4	1/4"	3-3/4"	9-7/16"	9-21/32"	0.27 lbs.
FF-84TZ.3/8	3/8"	3-3/4"	9-7/16"	25/32"	7.28 lbs.
FF-84TZ.5/16	5/16"	3-3/4"	9-7/16"	9-21/32"	0.38 lbs.



FACOM

FACOM® T-HANDLE HEX KEYS METRIC

- Ergonomically designed t-handle allows for effective use of either end of key.
- Polished phosphate finish.
- Silicon steel.

Product ID No.	mm	Short Arm Length	Long Arm Length	Length	Weight lbs.
FM-84TZ.2.5	2.5	2-15/32"	2-15/32"	5-1/2"	0.05 lbs.
FM-84TZ.3	3	2-15/32"	2-15/32"	5-5/16"	0.06 lbs.
FM-84TZ.4	4	3-1/32"	3-1/32"	7-9/32"	0.12 lbs.
FM-84TZ.5	5	3-1/32"	3-3/4"	7-9/32"	0.15 lbs.
FM-84TZ.6	6	3-3/4"	3-3/4"	9-21/32"	0.26 lbs.
FM-84TZ.8	8	3-3/4"	3-3/4"	9-7/16"	0.37 lbs.
FM-84TZ.10	10	3-3/4"	9-7/16"	9-7/16"	0.51 lbs.



METRIC

FACOM



Hex Keys



FACOM® T-HANDLE HEX KEYS METRIC ROUND

METRIC

- Ergonomically designed t-handle allows for effective use of either end of key.
- Spherical head gives a working angle of up to 30°.
- Short shank provides extra torque for tightening.
- Polished phosphate finish.

Product ID No.	mm	Short Arm Length	Long Arm Length	Length	Weight lbs.
FM-84TZS.4	4	3-1/32"	7-7/32"	7-15/32"	0.12 lbs.
FM-84TZS.5	5	3-1/32"	7-7/32"	7-9/32"	0.15 lbs.
FM-84TZS.6	6	3-3/4"	9-7/16"	9-21/32"	0.25 lbs.
FM-84TZS.8	8	3-3/4"	9-7/16"	9-7/16"	0.31 lbs.
FM-84TZS.10	10	3-3/4"	9-7/16"	9-7/16"	0.37 lbs.



FACOM® T-HANDLE TORX® KEYS

- Ergonomically designed t-handle allows for effective use of either end of key.
- Chrome finish, sandblasted tips.

Product ID No.		Short Arm Length	Long Arm Length	Length	Weight lbs.
FX-89TX.6	T6	5-1/4"	2-15/32"	5-1/2"	0.05 lbs.
FX-89TX.7	T7	5-1/4"	2-15/32"	5-5/16"	0.05 lbs.
FX-89TX.8	T8	5-1/4"	2-15/32"	5-5/16"	0.05 lbs.
FX-89TX.9	T9	5-1/4"	2-15/32"	5-5/16"	0.05 lbs.
FX-89TX.10	T10	5-1/4"	2-15/32"	5-1/2"	0.05 lbs.
FX-89TX.15	T15	5-1/4"	2-5/32"	5-5/16"	0.06 lbs.
FX-89TX.20	T20	7-7/32"	3-1/32"	7-9/32"	0.11 lbs.
FX-89TX.25	T25	7-7/32"	3-1/32"	7-9/32"	0.14 lbs.
FX-89TX.27	T27	7-7/32"	3-1/32"	7-9/32"	0.15 lbs.
FX-89TX.30	T30	9-7/16"	3-3/4"	9-7/16"	0.24 lbs.
FX-89TX.40	T40	9-7/16"	3-3/4"	9-21/32"	0.3 lbs.
FX-89TX.45	T45	9-7/16"	3-3/4"	9-21/32"	0.36 lbs.
FX-89TX.50	T50	9-7/16"	3-3/4"	9-21/32"	0.48 lbs.



Torx is a trademark of Acument Intellectual Properties, LLC

WARRANTY AND DISCLAIMER

LIMITED LIFETIME WARRANTY

The Stanley Works and Proto Industrial Tools (collectively referred to as "TSW/Proto") warrants any of its Proto manufactured products for the useful life of the product against deficiency in material or workmanship.

Torque Wrenches, Multipliers and Testers are warranted for one year, except for calibration which is warranted for 90 days from date of purchase. Torque products can be repaired and recalibrated for a nominal charge at the Stanley Proto Authorized repair center (2195 East View Parkway, Suite 103 Conyers, GA 30013). Defects in material or workmanship will be repaired or replaced at no cost, all other repairs will be at a nominal charge. Torque products are precise measuring devices that require care in handling. Stanley Proto recommends that all micrometer wrenches be recalibrated once a year or more, depending on usage.

DISCLAIMERS AND LIMITATIONS

- Is subject to the disclaimers and limitations described below and is in lieu of all other warranties, express or implied, including the implied warranty of merchantability or fitness for a particular purpose.
- Gives you specific legal rights. You may also have other rights that vary by state.
- Does not extend to products that have been improperly used, altered, or repaired by any entity other than TSW/Proto.
- Does not extend to any claim for incidental, consequential, or special damages. Some states do not allow the exclusion of limitation of incidental or consequential damages, so this exclusion may not apply to you.
- TSW/Proto makes no representations beyond those contained in this Limited Lifetime Warranty.
- Agents of TSW/Proto have no authority to make representations of any sort beyond those contained in this Limited Lifetime Warranty.

EXCLUSIVE REMEDY AND CLAIM PROCEDURE

- Distributors of record must act as a return agent.
- The exclusive remedy under this Limited Lifetime Warranty for products determined to be deficient in materials or workmanship by TSW/Proto is repair or replacement with a reconditioned tool of equal value by TSW/Proto.
- The selected remedy is at the sole discretion of TSW/Proto. In no event shall TSW/Proto be responsible for more than the original purchase price of the product.

