



2016-17 Edition

KleenGuard*

Apparel & Accessories



Exceptional
Workplaces*

KleenGuard*
BRAND

KLEENGUARD* APPAREL & ACCESSORIES

- 5 Apparel Protection Levels
- 6 Styles and Seams
- 8 Reflex* Design and Sizing
- 10 A10 Apparel & Accessories
- 12 A20 Apparel & Accessories
- 16 A30 Apparel & Accessories
- 18 A35 Apparel
- 19 A40 Apparel & Accessories
- 22 A45 Apparel
- 24 A60 Apparel & Accessories
- 26 A65 Apparel
- 28 A70 Apparel & Accessories
- 30 A80 Apparel & Accessories



Creating Exceptional Workplaces*

At Kimberly-Clark Professional*, we understand the value of people. That's why everything we do is designed to put people first and make sure they're taken care of. Because it's only when your people are well cared for that your company is able to thrive.

With brands you can trust, you'll find we have the solutions and programs designed to get your employees actively involved in making their workplace healthier, safer, and more productive.

Do You Have an Efficient Workplace?

The Efficient Workplace from Kimberly-Clark Professional* focuses on quick, easy changes in industrial and washroom supply management that can have a big impact on safety and productivity.

Why Kimberly-Clark?

Kimberly-Clark Professional* is highly skilled in problem solving with industrial and washroom supply management through our achievements in hazard reduction and efficiencies in our own manufacturing facilities. That means we look at the entire lifecycle of the supplies you use, including product choice, storage, dispensing, use and disposal. Then we find simple ways to eliminate wastes and hazards.

Take a Walk With Us

Discover hidden opportunities for continued improvement. And remember, little changes can have a big impact so contact us today to start your continuous improvement journey.



Exceptional Workplaces*



Turn previously hard-to-recycle products into useful, eco-friendly items.

RightCycle by Kimberly-Clark Professional* is a program that enables you to collect previously hard-to-recycle items such as Kimberly-Clark Professional* nitrile gloves and single-use apparel, and have them turned into ecofriendly patio furniture, trash cans, planters & more.

Why The RightCycle Program?

Our Program enables you to:

- Reach your organization's sustainability goals
- Divert from your waste stream towards zero landfill
- Aid in the creation of colorful, eco-friendly products

Take the next step in your waste reduction journey and choose RightCycle by Kimberly-Clark Professional*.



Look for this symbol to see which products are eligible for recycling.



KleenGuard* Brand Apparel

*Protection, Comfort & Style
designed around you.*

KleenGuard* Brand Protective Apparel solutions are designed to increase worker compliance and productivity by delivering quality protection with optimal comfort.



See our interactive selection tool to help you choose the right apparel.

www.kcproductselector.com

KleenGuard* Brand levels of protection

Chemical Permeation & Jet Liquid Protection	A80	Chemical Protection
Chemical Spray Protection	A70	
Flame Resistant	A65	Flame Resistant
Bloodborne Pathogen & Chemical Splash Protection	A60	Liquid Particulate Protection
Liquid & Particle Protection Surface Prep & Paint Apparel	A45	
Liquid & Particle Protection	A40	
Liquid & Particle Protection	A35	
Breathable Particle & Light Splash Protection	A30	Dry Particulate Protection
Breathable Particle Protection	A20	
Light Duty	A10	

Product by Hazards

	Dry Particle Protection		Liquid Particulate Protection			Flame Resistant	Chemical Protection	
	General Dirt & Grime	Light Splash	Liquid Under Pressure	Isocyanate ¹ & Chromate ²	Blood & Bloodborne Pathogens	Sparks/Flame	Chemical Splash	Chemical Splash & Vapor/Gas
Premium	A20	A30	A40	A45	A60	A65	A70	A80
Economy	A10		A35					

¹ Tested against polyurethane containing polymeric isocyanate (40% concentration)

² Tested against potassium chromate (20% concentration)

Choosing a Garment

Before choosing a protective garment, a detailed hazard and risk assessment must be performed. Factors to be considered include **the consequence and likelihood of exposure; specific work environment; route of exposure and the orientation of exposure to the hazard.** Upon recording the hazards and assessing all risks, engineering controls are the first step to mitigating any hazard. When exposure to hazards cannot be engineered completely out of normal operations or maintenance work, and when safe work practices and other forms of administrative controls cannot provide sufficient additional protection, a supplementary method of control is the use of protective clothing.

Styles



**Zipper front,
no elastic**

*A30 Coverall
includes elastic back*



**Zipper front, elastic
wrists & ankles**

Reflex Design
includes elastic back*



**Zipper front, elastic
wrists & ankles,
hooded**


Reflex Design
includes elastic back*



**Zipper front, elastic
wrists & ankles, hood,
boots**

Reflex Design
includes elastic back*


Seams



A **SERGED SEAM** is a basic stitched seam that's appropriate for exposure to non-hazardous substances. Overlap stitching provides strength and durability.



A **BOUND SEAM** is a serged seam that's reinforced with binding for strength and tear resistance.



A **TAPED SEAM** is serged, then reinforced with a film tape that's resistant to water and many liquid chemicals.

If your application requires a chemical-resistant taped seam, you should ensure that the tape offers appropriate resistance to the chemical involved.



Key



TAA: Product complies with the Trade Agreements Act



Vending: Vending Machine Ready



MTO: Made-to-Order denoted by ■



RightCycle by Kimberly-Clark Professional*




Look for this symbol to see which products are eligible for recycling.

Reflex* Design Sizing

Reflex* Coverall Design:

- Provides a fuller cut and a generous fit for added range of motion
- 7-1/2 times less likely to rip out vs. minimum ANSI
- 6% longer body length
- 12% more chest room
- Seamless front provides more protection in the primary exposure area




— Solid **Black** line indicates KleenGuard* Brand Reflex* Design

- - - Dotted **Red** line indicates ANSI/ISEA 101-1996 Design Minimums

■ **Blue** areas demonstrate the superior Reflex* Design over ANSI design

The following KleenGuard* Brand Coveralls have the Reflex* Design: A20, A30, A45, A60, A70 and A80.

Sizing Chart for Reflex* Design Garments



TAA Compliant

Complying with the Federal Acquisition Regulations (FAR) is something that is top of mind for all Federal Government employees. One of the key elements and most easily missed elements of the FAR is the reference to the Trade Agreements Act (TAA), meaning products be manufactured or "substantially transformed" in a "designated country." Kimberly-Clark has developed a full line of TAA compliant protective apparel that provides you with the peace of mind and reassurance that you are purchasing product that complies with the Trade Agreements Act.

These items are identified throughout the catalog with this icon:



A10 Light Duty Apparel

Protective wear designed for entry level hazardous dust protection



IDEAL FOR USE when workers are in temporary contact with dirt and grime such as:

- Food processing
- General maintenance and manufacturing

FEATURES

- Lightweight, breathable coverall providing a cool, comfortable work environment
- Meets ANSI/ISEA 101-1996 sizing standards
- Serged seams

KleenGuard* A10 Light Duty Coveralls – SMMMS



Zipper Front, Elastic Wrists	Code	Size	Case Count
	10468	L	25
	10636	XL	25
	10616	2XL	25
	10625	3XL	25
	10621	4XL	25

Zipper Front, Elastic Wrists, Attached Hood	Code	Size	Case Count
	12231	L	25
	12225	XL	25
	12226	2XL	25
	12227	3XL	25
	12230	4XL	25

Zipper Front, Elastic Wrists, Attached Hood & Boots	Code	Size	Case Count
	10606	L	25
	10608	XL	25
	10631	2XL	25
	10610	3XL	25
	10615	4XL	25

KleenGuard* A10 Accessories



Apron	Code	Vending	Size	Case Count
<ul style="list-style-type: none"> • Polyethylene coated spunbond • Bound neck & ties • One size fits all 	43744	41235	28" x 36"	100/cs

Apron	Code	Vending	Size	Case Count
<ul style="list-style-type: none"> • Polyethylene 1.75 mil thick • One piece fabric • One size fits all 	43745	–	28" x 46"	5 Dispenser Cartons/ 100 ea

Lab Coat	Code	Vending	Size	Case Count
<ul style="list-style-type: none"> • Serged seams • 4-snap closure • Elastic wrists • Knee length 	40103	–	L	50
	40104	–	XL	50
	40105	–	2XL	50
	40106	–	3XL	50

Beard Cover	Code	Vending	Size	Case Count
	66815	–	Universal	1000
	66816	–	XL	1000



KleenGuard* A10 Accessories

Sleeve Protector	Code	Vending	Size	Case Count
 <ul style="list-style-type: none"> Serged seams Elastic top and wrist One size fits all 	23610	—	18"	200 ea/cs

Bouffant Cap	Code	Vending	Size	Case Count
 <ul style="list-style-type: none"> Spunbond Not made with natural rubber White 	36900	—	M (21")	600 ea/cs Dispenser pack
	36850	—	M (21")	1000 ea/cs 10 packs/100
	36920	—	L (24")	450 ea/cs Dispenser pack
	36860	—	L (24")	1000 ea/cs 10 packs/100

Shoe Cover	Code	Vending	Size	Case Count
 <ul style="list-style-type: none"> Spunbond fabric Serged seams Fully elasticized for formed fit 6.5" height Skid-resistant bottom Light blue Double-bagged for cleanroom 	36811	41236	Universal	300 ea/cs 2 packs/150 pairs
	27222	—	XL	300 ea/cs 2 packs/150 pairs

Cleanroom Packaging (double-bagged)

Bouffant Cap	Code	Size	Case Count
 <ul style="list-style-type: none"> Rayon, ideal for cleanroom Not made with natural rubber White 	66829	24"	5 bags of 100

Dry Particle Protection		Liquid Particulate Protection		Flame Resistant	Chemical Protection		
General Dirt & Grime	Light Splash	Liquid Under Pressure	Isocyanate ¹ & Chromate ²	Blood & Bloodborne Pathogens	Sparks/Flame	Chemical Splash	Chemical Splash & Vapor/Gas

A20

Breathable Particle Protection Apparel

Designed to move with you while protecting against non-hazardous and hazardous dust



IDEAL FOR USE when workers are in nonstop contact with dirt and grime such as:


- Laboratories
- Remediation
- Heavy dust environments
- Pesticide application
- Modesty garment

The KleenGuard* A20 SMMMS offers superior particle holdout coupled with unmatched comfort attributes offering workers protection without sacrificing comfort. The A20 fabric is five layers of stacked barrier protection (SMMMS) against hazardous particles.

FEATURES

- Lightweight and breathable
- Reflex* Coverall Design offers excellent fit and freedom of movement
- Seamless front to provide more protection in the primary exposure area
- Passes NFPA 99 for antistatic materials
- Serged seams

Superior Particle Holdout



Available in White and Blue Denim

60 days
20% savings
guaranteed

The program is very simple. Replace your current apparel with KleenGuard* A20 or A45 Apparel, for 60 days. If you don't see a cost savings of 20%, Kimberly-Clark Professional* will reimburse you the difference — up to \$1,000 in free product!

KleenGuard* A20 Coveralls meet the EPA Agricultural Worker Protection Standard (WPS) requirements for "coveralls"

KleenGuard* A20 Coveralls

Available in White and Denim Blue



Zipper Front	White Code	White Vending	Blue Denim Code	Size	Case Count	MTO
	35671	—	—	S	24	■
	49002	—	58532	M	24	
	49003	37711	58533	L	24	
	49004	37712	58534	XL	24	
	49005	37713	58535	2XL	24	
	49006	37714	58536	3XL	20	
	49007	37715	58537	4XL	20	
	35670	—	—	5XL 6XL	20	■




Zipper Front, Elastic Back, Wrists, Ankles & Hood	White Code	White Vending	Blue Denim Code	Blue Vending	Size	Case Count	MTO
	49112	43170	58512	—	M	24	
	49113	43171	58513	—	L	24	
	49114	41169	58514	41185	XL	24	
	49115	41170	58515	41186	2XL	24	
	49116	41171	58516	41187	3XL	20	
	49117	43173	58517	—	4XL	20	
	30924	43174	30953	—	5XL	20	■



Zipper Front, Elastic Back, Wrists & Ankles	White Code	White Vending	Blue Denim Code	Size	Case Count	MTO
	35810	—	—	S	24	■
	49102	—	58502	M	24	
	49103	37716	58503	L	24	
	49104	37717	58504	XL	24	
	49105	37718	58505	2XL	24	
	49106	37719	58506	3XL	20	
	49107	37720	58507	4XL	20	
	30920	—	23998	5XL	20	■
	27179	—	—	6XL	21	■
	35669	—	—	5XL 6XL	20	■



Zipper Front, Elastic Back, Wrists, Ankles, Hood & Boots	White Code	Blue Denim Code	Size	Case Count	MTO
	49122	58522	M	24	
	49123	58523	L	24	
	49124	58524	XL	24	
	49125	58525	2XL	24	
	49126	58526	3XL	20	
	49127	58527	4XL	20	
	27258	30910	5XL	20	■

Dry Particle Protection		Liquid Particulate Protection			Flame Resistant	Chemical Protection	
General Dirt & Grime	Light Splash	Liquid Under Pressure	Isocyanate ¹ & Chromate ²	Blood & Bloodborne Pathogens	Sparks/Flame	Chemical Splash	Chemical Splash & Vapor/Gas

KleenGuard* A20 Accessories



Apron	Code	Size	Case Count
 <ul style="list-style-type: none"> Bound neck & ties White One size fits all 	36550	28" x 40"	100 (10 packs of 10)
Denim with pockets	36260	28" x 40"	100 (10 packs of 10)

Lab Coat	Code	Size	Case Count	MTO
 <ul style="list-style-type: none"> Serged seams 4 hook-and-loop closure Elastic wrists Knee length White 	35618	S	30	■
	35619	M	30	
	35620	L	30	
	35621	XL	30	
	35622	2XL	30	
	35623	3XL	30	
	35624	4XL	30	
	37427	6XL	30	■

Lab Coat	Code	Size	Case Count	MTO
 <ul style="list-style-type: none"> Serged seams 4-snap closure Open wrists Knee length Left chest pocket Right hip pocket White 	42201	XS	25	■
	30913	S	25	■
	10019	M	25	
	10029	L	25	
	10039	XL	25	
	40049	2XL	25	
	30930	3XL	25	■
	30914	4XL	25	■

Frock	Code	Size	Case Count	MTO
 <ul style="list-style-type: none"> Serged seams 5-snap closure Elastic wrists Below knee length Mandarin collar White 	30926	S	30	■
	36262	M	30	
	36263	L	30	
	36264	XL	30	
	36265	2XL	30	
	30937	3XL	30	■
	30933	4XL	30	■
34815	5XL	30	■	

Shirt	Code	Size	Case Count
 <ul style="list-style-type: none"> Serged seams 5-snap closure Open wrists Hip length Mandarin collar White 	36212	M	50
	36213	L	50
	36214	XL	50
	36215	2XL	50



Smock	Code	Size	Case Count
 <ul style="list-style-type: none"> Sonic seams Tie closure Elastic wrists Knee length Open neck White 	36150	Universal	60

Pants	Code	Size	Case Count
 <ul style="list-style-type: none"> Serged seams Elastic waist Open ankles White 	36222	M	50
	36223	L	50
	36224	XL	50
	36225	2XL	50

Hood	Code	Size	Case Count
 <ul style="list-style-type: none"> Serged seams Elastic face seal White 	36890	Universal	100 ea

Sleeve Protector	Code	Size	Case Count
 <ul style="list-style-type: none"> Serged seams Elastic top & wrists 21" length ergonomically designed for improved fit White 	36870	21"	200 ea

Boot Cover	Code	Size	Case Count
 <ul style="list-style-type: none"> Serged seams Elastic opening 13" height Seamless sole White One size fits all 	36880	Universal	300 ea

Shoe Cover	Code	Size	Case Count
 <ul style="list-style-type: none"> Serged seams Fully elasticized for formed fit 6.5" height White One size fits all 	36885	Universal	300 ea

Shoe Cover	Code	Size	Case Count
 <ul style="list-style-type: none"> Double-bagged for cleanroom use Light blue color Fully elasticized NPFA 99 Compliant Antistatic Material 	66857	Universal	75 pr/bag 3 bags/cs

Shoe Cover	Code	Size	Case Count
 <ul style="list-style-type: none"> Double-bagged for cleanroom use Light blue color Fully elasticized NPFA 99 Compliant Antistatic Material 	66875	XL/2XL	75 pr/bag 3 bags/cs 225 pr/cs

 All A20 Accessories shown here are TAA Compliant

 ■ = Made to Order (MTO)



A30

Breathable Splash & Particle Protection Apparel

Designed to move with you while protecting against hazardous dry particles, aerosols and non-hazardous light liquid splash



IDEAL FOR USE when workers are in nonstop contact with dirt and grime where light splashes exist, such as:

- Pressure washing
- Powder painting
- Pharmaceutical research
- Fine-particle contamination
- Aerospace
- Maintenance/general manufacturing
- Aerosolized spray painting

KleenGuard* Apparel Microforce* Barrier SMS Fabric *Outer Layers* – Cloth-like, yet tough and abrasion-resistant spunbond polypropylene

Middle Layers – Intricate web of micro-fibers that filter out many water-based liquids and dry particulates.

FEATURES

- Strong and abrasion-resistant
- Filters out many water-based liquids and dry particles
- Reflex* Coverall Design offers excellent fit and freedom of movement
- Seamless front provides more protection in the primary exposure area
- Breathable, patented Microforce* Barrier SMMMS fabric blocks particles from penetrating garment
- Passes NFPA 99 for antistatic materials
- Serged seams



KleenGuard* A30 vs. Tyvek® Functional Feature Comparison

Product	Reflex* Design	12% more chest room	6% longer body length	Antistat	iFlex* Stretch Panels	30% more forward reach	Breathable
KleenGuard* A30 w/iFlex* Stretch Panels	●	●	●	●	●	● [†]	●
KleenGuard* A30	●	●	●	●			●
DuPont™ Tyvek® Comfort Fit							

Over 25 times more breathable with comparable particle holdout to Tyvek®

- Preferred 91% for overall fit, movement and comfort to the DuPont™ Tyvek®
- Preferred 87% for better ease of movement over DuPont™ Tyvek®

[†] Only compared to DuPont™ Tyvek® Comfort Fit

KleenGuard* A30 Coveralls



KleenGuard* A30 Coveralls — with iFlex* Stretch Panels

Zipper Front with 1" Flap & Elastic Back	Code	Size	Case Count	MTO
--	------	------	------------	-----



35738	S	25	■
46002	M	25	
46003	L	25	
46004	XL	25	
46005	2XL	25	
46006	3XL	21	
46007	4XL	21	
35688	5XL/6XL	21	■

Zipper Front with 1" Flap, Elastic Back, Wrists & Ankles	Code	Size	Case Count	MTO
--	------	------	------------	-----



30931	S	25	■
46102	M	25	
46103	L	25	
46104	XL	25	
46105	2XL	25	
46106	3XL	21	
46107	4XL	21	
30917	5XL	21	■
30918	6XL	21	■
35737	5XL/6XL	21	■

Zipper Front with 1" Flap, Elastic Back, Wrists, Ankles & Hood	Code	Size	Case Count	MTO
--	------	------	------------	-----




30909	S	25	■
46112	M	25	
46113	L	25	
46114	XL	25	
46115	2XL	25	
46116	3XL	21	
46117	4XL	21	
30936	5XL	21	■
30932	6XL	21	■

Zipper Front with 1" Flap, Elastic Back, Wrists, Ankles, Hood & Boots	Code	Size	Case Count	MTO
---	------	------	------------	-----




30908	S	25	■
46122	M	25	
46123	L	25	
46124	XL	25	
46125	2XL	25	
46126	3XL	21	
46127	4XL	21	
27238	5XL	21	■
27239	6XL	21	■
27241	8XL	21	■

Zipper Front with 1" Flap, Elastic Back & Front, Wrists & Ankles	Code	Size	Case Count
--	------	------	------------




46132	M	25
46133	L	25
46134	XL	25
46135	2XL	25
46136	3XL	21
46137	4XL	21

Zipper Front with 1" Flap, Elastic Back & Front, Wrists, Ankles & Hood	Code	Size	Case Count
--	------	------	------------



46142	M	25
46143	L	25
46144	XL	25
46145	2XL	25
46146	3XL	21
46147	4XL	21

Zipper Front with 1" Flap, Elastic Back & Front, Wrists, Ankles, Hood & Boots	Code	Size	Case Count
---	------	------	------------



46172	M	25
46173	L	25
46174	XL	25
46175	2XL	25
46176	3XL	21
46177	4XL	21

Hood	Code	Size	Case Count
------	------	------	------------



• Respirator Cut Out

35439	Universal	125 ea
-------	-----------	--------

A30 also available with iFlex stretch panels



Dry Particle Protection		Liquid Particulate Protection			Flame Resistant	Chemical Protection	
General Dirt & Grime	Light Splash	Liquid Under Pressure	Isocyanate ¹ & Chromate ²	Blood & Bloodborne Pathogens	Sparks/Flame	Chemical Splash	Chemical Splash & Vapor/Gas

A35

Liquid & Particle Protection Apparel

Designed for economical liquid and particulate barrier protection



IDEAL FOR USE when workers are in contact with hazardous particles or liquids such as:

- Liquid handling
- Pressure washing
- Maintenance
- General manufacturing

FEATURES

- Microporous film laminate
- Meets ANSI/ISEA 101-1996 sizing standard



KleenGuard* A35 Coveralls

Zipper Front	Code	Size	Case Count
	38916	S	25
	38917	M	25
	38918	L	25
	38919	XL	25
	38920	2XL	25
	38921	3XL	25
	38922	4XL	25
	38923	5XL	25

Zipper Front, Elastic Wrists & Ankles	Code	Size	Case Count
	38925	S	25
	38926	M	25
	38927	L	25
	38929	XL	25
	38930	2XL	25
	38932	3XL	25
	38934	4XL	25
	38935	5XL	25

Zipper Front, Elastic Wrists & Ankles & Hood	Code	Size	Case Count
	38936	S	25
	38937	M	25
	38938	L	25
	38939	XL	25
	38941	2XL	25
	38942	3XL	25
	38943	4XL	25
	38944	5XL	25

Zipper Front, Elastic Wrists & Ankles, Hood & Boots	Code	Size	Case Count
	38947	S	25
	38948	M	25
	38949	L	25
	38951	XL	25
	38950	2XL	25
	38952	3XL	25
	38953	4XL	25
	38954	5XL	25

Dry Particle Protection		Liquid Particulate Protection			Flame Resistant	Chemical Protection	
General Dirt & Grime	Light Splash	Liquid Under Pressure	Isocyanate ¹ & Chromate ²	Blood & Bloodborne Pathogens	Sparks/Flame	Chemical Splash	Chemical Splash & Vapor/Gas

A40

Liquid & Particle Protection Apparel

Designed for protection against hazardous particles and liquids



Also available with **Blue Breathable Back**



IDEAL FOR USE when workers are in nonstop contact with hazardous particles or liquids such as:

- Fiberglass manufacturing
- Tank cleaning
- Utilities
- Liquid handling
- Pressure washing
- Maintenance/general manufacturing
- Mold remediation
- Agriculture
- Lead abatement
- Sewage work

FEATURES

- Liquid barrier, particulate barrier, low in lint
- Passes NFPA 99 for antistatic materials
- Passes ASTM F1670 testing for penetration of blood and bodily fluids
- Meets ANSI/ISEA 101-1996 sizing standards
- Serged seams

KleenGuard* A40 Fabric Liquid Chemical Resistance Test

Chemicals	Test Method	Results
Potassium Chromate (20%)	F903 Method D	Pass
Isocyanate Paint (40%)	F903 Method D	Pass
Blood Penetration	ASTM F1670	Pass

Reference the *Technical Data Guide* for current liquid chemical resistance information at www.KCProfessional.com



Now available with **Thumb Holes**

Dry Particle Protection		Liquid Particulate Protection			Flame Resistant	Chemical Protection	
General Dirt & Grime	Light Splash	Liquid Under Pressure	Isocyanate ¹ & Chromate ²	Blood & Bloodborne Pathogens	Sparks/Flame	Chemical Splash	Chemical Splash & Vapor/Gas

KleenGuard* A40 Coveralls



Zipper Front	Code	Vending	Size	Case Count	MTO
	27151	42568	S	25	■
	44302	42569	M	25	
	44303	37685	L	25	
	44304	37686	XL	25	
	44305	37687	2XL	25	
	44306	37692	3XL	25	
	44307	37694	4XL	25	
	30922	42570	5XL	25	■
	30927	42571	6XL	25	■

Zipper Front, Elastic Wrists, Ankles, Hood & Boots	Code	Size	Case Count	MTO
	30940	S	25	■
	44332	M	25	
	44333	L	25	
	44334	XL	25	
	44335	2XL	25	
	44336	3XL	25	
	44337	4XL	25	
	30907	5XL	25	■
	30934	6XL	25	■

Zipper Front, Elastic Wrists & Ankles	Code	Vending	Size	Case Count	MTO
	30905	—	S	25	■
	44312	—	M	25	
	44313	37695	L	25	
	44314	37696	XL	25	
	44315	37701	2XL	25	
	44316	37702	3XL	25	
	44317	37703	4XL	25	
	30904	—	5XL	25	
	27189	—	6XL	25	■
	35630	—	5XL/6XL	25	■

KleenGuard* A40 Coveralls with Blue Breathable Back

Zipper Front, Elastic Wrists, Ankles & Hood	Code	Size	Case Count	
	42119	M	25	
	37591	L	25	
	37163	XL	25	
	37164	2XL	25	
	37165	3XL	25	
	38508	4XL	25	
	37584	5XL/6XL	25	
	NOW AVAILABLE WITH THUMB HOLES			
	42523	S	25	
	42525	M	25	
42526	L	25		
42527	XL	25		
42528	2XL	25		
42529	3XL	25		
42530	4XL	25		
42531	5XL	25		



Zipper Front, Elastic Wrists, Ankles & Hood	Code	Vending	Size	Case Count	MTO
	30939	42564	S	25	■
	44322	42565	M	25	
	44323	42566	L	25	
	44324	41172	XL	25	
	44325	41173	2XL	25	
	44326	41174	3XL	25	
	44327	42567	4XL	25	
	27158	—	5XL	25	
	30921	—	6XL	25	■

KleenGuard* A40 Accessories

Lab Coat	Code	Size	Case Count	MTO
 <ul style="list-style-type: none"> Serged seams 4-snap closure Open wrists Knee length Left chest pocket Right hip pocket White 	35617	XS	30	■
	27201	S	30	
	44452	M	30	
	44453	L	30	
	44454	XL	30	
	44455	2XL	30	
	44456	3XL	30	
	27207	4XL	30	■
30935	5XL	30	■	

Lab Coat	Code	Size	Case Count	MTO
 <ul style="list-style-type: none"> Serged seams 5-snap closure Elastic wrists Knee length No pocket White 	30938	S	30	■
	44442	M	30	
	44443	L	30	
	44444	XL	30	
	44445	2XL	30	
	44446	3XL	30	
	30923	4XL	30	■
30941	5XL	30	■	

Shirt	Code	Size	Case Count
 <ul style="list-style-type: none"> Serged seams 5-snap closure Hip length No pocket White 	44402	M	50
	44403	L	50
	44404	XL	50
	44405	2XL	50

Apron	Code	Size	Case Count
 <ul style="list-style-type: none"> Bound neck & ties White One size fits all 	44481	28" x 40"	100

Pants	Code	Size	Case Count
 <ul style="list-style-type: none"> Serged seams Elastic waist Open ankles White 	44412	M	50
	44413	L	50
	44414	XL	50
	44415	2XL	50

Sleeve Protector	Code	Vending	Size	Case Count
 <ul style="list-style-type: none"> Serged seams Elastic top & wrists 18" length White 	44480	41175	18"	200

Boot Cover	Code	Size	Case Count
 <ul style="list-style-type: none"> Serged seams Elastic opening 17" height Seamless sole White One size fits all 	44491	Universal	400

Boot Cover	Code	Size	Case Count
 <ul style="list-style-type: none"> Serged seams Elastic top Elastic at ankle Highly durable PVC sole 18" height White 	36779	M/L	400
	44495	XL/2XL	400

Shoe Cover	Code	Size	Case Count
 <ul style="list-style-type: none"> Serged seams Elastic opening 7" height Seamless sole White One size fits all 	27000	Universal	300

Shoe Cover	Code	Size	Case Count
 <ul style="list-style-type: none"> Serged seams Fully elasticized for formed fit 7" height White One size fits all 	44490	Universal	400

Shoe Cover	Code	Size	Case Count
 <ul style="list-style-type: none"> Serged seams Elastic top Highly durable PVC sole 5.25" height White 	44492	M/L	400
	44494	XL/2XL	400

A45

Liquid & Particle Protection Surface Prep & Paint Apparel

Designed to move with you while protecting in work environments where hazardous or non-hazardous contaminants may be present



IDEAL FOR USE in surface prep and paint application areas where isocyanate¹ and chromate dust protection is mandated.

Made with lighter-weight fabric than KleenGuard* A40 Liquid and Particle Protection suit allowing for improved comfort without sacrificing protection.

Designed specifically for the Surface Prep and Paint area in mind, KleenGuard* A45 allows more freedom of movement and less restriction allowing the worker to complete their job without modifying the garment.

FEATURES

- Protects against isocyanates¹
- Protects against chromate dust
- Silicone-free²
- Reflex* Coverall Design offers excellent fit and freedom of movement
- Passes NFPA 99 for antistatic materials
- Not processed with natural rubber latex
- Respirator fit hood design
- Water-resistant zipper
- Serged seams

KleenGuard* A45 Fabric Liquid Chemical Resistance Test

Chemicals	Test Method	Results
Isocyanate paint 40%	F903 Method D	Pass
Chromated epoxy corrosion primer 10%	F903 Method D	Pass

Reference the Technical Data Guide for current liquid chemical resistance information at www.KCProfessional.com

¹ Tested against polyurethane containing polymeric isocyanate (40% concentration)

² Per BMS 15-5G Method 2611 and AMS 3819C, 1% detection limit



Reflex* Coverall Design offers excellent fit and freedom of movement

60 days
20% savings
guaranteed

Dry Particle Protection		Liquid Particulate Protection			Flame Resistant	Chemical Protection	
General Dirt & Grime	Light Splash	Liquid Under Pressure	Isocyanate ¹ & Chromate ²	Blood & Bloodborne Pathogens	Sparks/Flame	Chemical Splash	Chemical Splash & Vapor/Gas

KleenGuard* A45 Coveralls



Zipper Front	Code	Size	Case Count
	41483	S	25
	41484	M	25
	41485	L	25
	41486	XL	25
	41487	2XL	25
	41488	3XL	25
	41489	4XL	25
41490	5XL/6XL	25	

Zipper Front, Elastic Wrists & Ankles	Code	Size	Case Count
	41491	S	25
	41492	M	25
	41493	L	25
	41494	XL	25
	41495	2XL	25
	41496	3XL	25
	41497	4XL	25
41498	5XL/6XL	25	

Zipper Front, Elastic Wrists, Ankles & Hood	Code	Size	Case Count
	41503	S	25
	41504	M	25
	41505	L	25
	41506	XL	25
	41507	2XL	25
	41508	3XL	25
	41509	4XL	25
	41510	5XL/6XL	25

Zipper Front, Elastic Wrists, Ankles, Hood & Boots	Code	Size	Case Count
	41513	S	25
	41514	M	25
	41515	L	25
	41516	XL	25
	41517	2XL	25
	41518	3XL	25
	41519	4XL	25
	41520	5XL/6XL	25

Snap Front	Code	Size	Case Count
	37166	L	25
	37167	XL	25
	37168	2XL	25
	37169	3XL	25
	37170	4XL	25



A60

Bloodborne Pathogen & Chemical Protection Apparel

Designed to move with you, offering protection in work environments where contact with blood, bodily fluids and bloodborne pathogen hazards are present



IDEAL FOR USE when workers may come into contact with bloodborne pathogens in:

- Crime lab
- Emergency medical response
- Crime scene cleanup
- Embalming/forensics and animal research

This protective coverall is made from a patented seven-layer fabric. The tough outer layers protect the film barrier from tearing and abrasion.

FEATURES

- Passes ASTM F1670/F1671 testing for penetration of blood, bodily fluids and bloodborne pathogens
- Reflex* Coverall Design offers excellent fit and freedom of movement
- Seamless front to provide more protection in the primary exposure area
- Three-layer fabric construction features:
 - A middle layer of microporous film that allows heat and sweat vapor to escape keeping the worker cool
 - Outer-layer film barrier against tearing and abrasion
- Taped storm flap
- Passes NFPA 99 for antistatic materials
- Serged seams

**Recommended by:
American Biorecovery
Association**

*Reference the Technical
Data Guide for current
liquid chemical resistance
information at
www.KCProfessional.com*



KleenGuard* A60 Fabric Liquid Chemical Resistance Test

Chemicals	Liquid Penetration Method D
	ASTM F903 Test Duration: 60 mins. Saturation Exposure
Acetone	Pass
Acetonitrile	Pass
Dichloromethane	Pass
Dimethylformamide	Pass
Ethyl Acetate	Pass
n-Hexane	Pass
MEK (99.5)	Pass
Methanol	Pass
Sodium Hydroxide (50%)	Pass
Sulfuric Acid (97%)	Pass
Tetrahydrofuran	Pass
Sodium Hypochlorite (household bleach)	Pass
Isocyanate Hardener (65%)	Pass

WARNING: Fabric passes penetration testing; however, the chemical is considered a known or suspected carcinogen or skin-absorbed toxin.

KleenGuard* A60 Coveralls



Zipper Front	Code	Size	Case Count	MTO
	23681	S	24	■
	45232	M	24	
	45233	L	24	
	45234	XL	24	
	45235	2XL	24	
	45236	3XL	20	
	45237	4XL	20	
	27288	5XL	20	■
	30954	6XL	20	■

Zipper Front, Storm Flap, Elastic Back, Wrists & Ankles	Code	Vending	Size	Case Count	MTO
	35407	—	S	24	■
	45002	—	M	24	
	45003	37704	L	24	
	45004	37705	XL	24	
	45005	37706	2XL	24	
	45006	37707	3XL	20	
	45007	37709	4XL	20	

Zipper Front, Storm Flap, Elastic Back, Wrists, Ankles & Hood	Code	Size	Case Count	MTO
	45022	M	24	
	45023	L	24	
	45024	XL	24	
	45025	2XL	24	
	45026	3XL	20	
	45027	4XL	20	
	30955	5XL	20	■
	12939	6XL	20	■

Zipper Front, Storm Flap, Elastic Back, Wrists, Ankles, Hood & Boots	Code	Size	Case Count	MTO
	45092	M	24	
	45093	L	24	
	45094	XL	24	
	45095	2XL	24	
	45096	3XL	20	
	45097	4XL	20	
	30943	5XL	20	■
	12940	6XL	20	■

KleenGuard* A60 Accessories



Lab Coat	Code	Size	Case Count	MTO
	30945	S	25	■
	45512	M	25	
	45513	L	25	
	45514	XL	25	
	45518	2XL	25	
	27326	3XL	25	■
	27327	4XL	25	■
	27328	5XL	25	■


Sleeve Protector	Code	Size	Case Count
	36871	21"	200

- Serged seams
- 4-snap closure
- Open wrists
- Knee length
- Left chest pocket
- Right hip pocket
- Blue

Hood	Code	Size	Case Count
	45343	Universal	100

- Serged seams
- Elastic face seal
- Blue

KleenGuard* A60 Apparel Fabric



Dry Particle Protection		Liquid Particulate Protection			Flame Resistant	Chemical Protection	
General Dirt & Grime	Light Splash	Liquid Under Pressure	Isocyanate ¹ & Chromate ²	Blood & Bloodborne Pathogens	Sparks/Flame	Chemical Splash	Chemical Splash & Vapor/Gas

A65 Flame Resistant Apparel

Designed for protection against non-hazardous and hazardous dust in areas where exposure to sparks is possible



IDEAL FOR USE when workers may be exposed to sparks; in environments, such as:

- Oil refining
- Utilities
- Welding processes
- Grinding processes

KleenGuard* A65 is breathable with a high moisture vapor transmission rate to be worn comfortably over Flame-Resistant garments.

- Flame-resistant and compliant with NFPA 701 FLAME PROPAGATION TEST (1999 edition)
- Complies with flame resistance requirements cited by paragraph 6.1 of CAN/CGSB-155.2-2000
- Passes NFPA 99 for antistatic materials
- Design meets ANSI/ISEA 101-1996 sizing standard
- Serged seams



Do not use for fire protection. Avoid open flame or intense heat. KleenGuard A65 garments do not provide thermal insulation/protection.*

KleenGuard* A65 Blue Coveralls



Zipper Front	Code	Size	Case Count	MTO
	45312	M	25	
	45313	L	25	
	45314	XL	25	
	45315	2XL	25	
	45316	3XL	21	
	45317	4XL	21	
	32420	5XL	21	■
	32417	6XL	21	■

Zipper Front, Elastic Wrists, Ankles, Hood & Boots	Code	Size	Case Count	MTO
	45352	M	25	
	45353	L	25	
	45354	XL	25	
	45355	2XL	25	
	45356	3XL	21	
	45357	4XL	21	
	30952	5XL	21	■
	30951	6XL	21	■

Zipper Front, Elastic Wrists, Ankles & Hood	Code	Size	Case Count	MTO
	45322	M	25	
	45323	L	25	
	45324	XL	25	
	45325	2XL	25	
	45326	3XL	21	
	45327	4XL	21	
	23558	5XL	21	■
	23559	6XL	21	■

Dry Particle Protection		Liquid Particulate Protection			Flame Resistant	Chemical Protection	
General Dirt & Grime	Light Splash	Liquid Under Pressure	Isocyanate ¹ & Chromate ²	Blood & Bloodborne Pathogens	Sparks/Flame	Chemical Splash	Chemical Splash & Vapor/Gas
					●		



A70 Chemical Spray Protection Apparel

Designed to move with you, offering protection in environments where contact with hazardous chemicals are present

IDEAL FOR USE when workers may come into contact with hazardous chemicals, as in:

- Hazardous waste remediation
- Environmental cleanup
- Petrochemical/oil refining
- Acid/caustic handling
- Biohazard cleanup
- Tank cleaning
- Pharmaceutical manufacturing



KleenGuard* A70 is 1.5 mil polyethylene-coated fabric resistant to many water-based liquids, greases and oils, and liquid chemical splashes. Protection with exceptional comfort is why 75% of industrial workers preferred KleenGuard* A70 over the leading brand for fit and productivity.

- Wick-away lining for enhanced comfort
- Liquid-resistant, extra-long zipper
- Taped, sealable zipper flap
- Reflex* Coverall Design offers excellent fit and freedom of movement
- Seamless front for more protection in the primary exposure area
- Bound seams
- Passes NFPA 99 for antistatic materials

KleenGuard* A70 Apparel Fabric Liquid Chemical Resistance Test

Chemicals ASTM F1001	Liquid Penetration ASTM F903	Vapor Permeation ASTM F739	
	Test Duration: 60 mins. Saturation Exposure	Normalized Breakthrough (min.)	Rate (µg/cm ² /min)
Acetone	Pass	Immediate	7.9
Acetonitrile	Pass ⚠	Immediate	8.97
Carbon Disulfide	Pass ⚠	Immediate	76.3
Dichloromethane	Pass ⚠	Immediate	85.1
Diethylamine	Pass ⚠	Immediate	High
n,n-Dimethylformamide	Pass	Immediate	2.54
Ethyl Acetate	Pass	Immediate	40.3
n-Hexane	Pass ⚠	Immediate	High
Methanol	Pass ⚠	Immediate	1.71
Nitrobenzene	Pass	Immediate	97.4
Sodium Hydroxide (50%)	Pass	>480	Not detected
Sulfuric Acid (98%)	Pass	>480	Not detected
Tetrachloroethylene	Pass ⚠	Immediate	High
Tetrahydrofuran	Pass	Immediate	32.8
Toluene	Pass ⚠	Immediate	High

Reference the Technical Data Guide for current liquid chemical resistance information at www.KCProfessional.com

⚠ WARNING: Fabric passes penetration testing; however, the chemical is a known or suspected carcinogen or skin absorbed toxin.

Dry Particle Protection		Liquid Particulate Protection			Flame Resistant	Chemical Protection	
General Dirt & Grime	Light Splash	Liquid Under Pressure	Isocyanate ¹ & Chromate ²	Blood & Bloodborne Pathogens	Sparks/Flame	Chemical Splash	Chemical Splash & Vapor/Gas

KleenGuard* A70 – Bound Seams • Yellow

Zipper Front, Storm Flap,
Elastic Wrists, Ankles & Hood



Code	Size	Case Count
09812	M	12
09813	L	12
09814	XL	12
09815	2XL	12
09816	3XL	12
09817	4XL	12
09818	5XL	12

Zipper Front, Storm Flap,
Elastic Wrists, Hood & Boots



Code	Size	Case Count
00682	M	12
00683	L	12
00684	XL	12
00685	2XL	12
00686	3XL	12
00687	4XL	12
00688	5XL	12



KleenGuard* A70 Accessories

V

Smock

Code

Size

Case Count



- Bound seams
- Elastic wrists
- Bound neck
- Back neck snaps
- Elastic shoulder for proper fit
- Yellow

09829	44" Length	25
09830	52" Length	25

Sleeve Protector

Code

Vending

Size

Case Count



- Bound seams
- Elastic top & wrist
- 21" length
- Ergonomically designed to fit to arm
- Yellow

97780	41233	21" Length	200
-------	-------	------------	-----

Apron

Code

Vending

Size

Case Count



- Bound seams
- Bound neck and ties
- One size fits all
- Yellow

97790	42134	29" x 44"	100
-------	-------	-----------	-----



See our interactive guide to determine which product is right for you.

www.kcproductselector.com

Chemical Permeation & Jet Liquid Protection Apparel

Designed to move with you, offering protection in environments where contact with hazardous chemical vapors may be present

IDEAL FOR USE when workers may come into contact with hazardous chemical vapors such as:

- Chemical handling/mixing/cleanup
- Hazardous material handling
- Hazardous waste cleanup
- Industrial Hazmat teams
- Petrochemicals
- Utilities

KleenGuard* A80 is made of Saranex® 23-P Film laminated to a durable fabric which provides a soft cloth-like feel against the skin.

- Saranex® 23-P Film laminated
- Taped, sealable zipper flap
- Liquid-resistant, extra-long zipper
- Reflex* Coverall Design offers excellent fit and freedom of movement
- Seamless front provides more protection in the primary exposure area
- Respirator-fit hood design for compatibility with complementary PPE
- Taped seams



⚠ WARNING: Fabric passes penetration testing; however, the chemical is a known or suspected carcinogen or skin absorbed toxin.

Reference the Technical Data Guide for current liquid chemical resistance information at www.KCProfessional.com

KleenGuard* A80 Apparel Fabric Liquid & Gas Chemical Resistance Test

Chemicals ASTM F1001	Liquid Penetration ASTM F903	Vapor Permeation ASTM F739	
	Test Duration: 60 mins. Saturation Exposure	Normalized Breakthrough (min.)	Rate (µg/cm ² /min)
Acetone	Pass	23	0.92
Acetonitrile	Pass ⚠	72.5	0.32
Ammonia	NA (gas)	>480	Not detected
1,3 Butadiene	Pass	>480	Not detected
Carbon Disulfide	Pass ⚠	Immediate	70.6
Chlorine	NA (gas)	>480	Not detected
Dichloromethane	Pass ⚠	Immediate	High
Diethylamine	Pass ⚠	17	92.6
n,n-Dimethylformamide	Pass	127.5	1.33
Ethyl Acetate	Pass	10	5.6
Ethylene Oxide	Pass	14.5	18.5
n-Hexane	Pass ⚠	>480	Not detected
Hydrochloric Acid (99%)	Pass	>480	Not detected
Methanol	Pass ⚠	>480	Not detected
Methyl Chloride	Pass	>480	Not detected
Nitrobenzene	Pass	89	6.96
Sodium Hydroxide (50%)	Pass	>480	Not detected
Sulfuric Acid (98%)	Pass	>480	Not detected
Tetrachloroethylene	Pass ⚠	10.5	17.4
Tetrahydrofuran	Pass	Immediate	289
Toluene	Pass ⚠	2.5	369.5

KleenGuard* A80 Taped Seams

Chemicals ASTM F1001	Liquid Penetration ASTM F903
	Test Duration: 60 mins. Saturation Exposure
Acetone	Pass
Acetonitrile	Pass 
Carbon Disulfide	Pass 
Dichloromethane	Pass 
Diethylamine	Pass 
n,n-Dimethylformamide	Pass
Ethyl Acetate	Pass
n-Hexane	Pass 
Methanol	Pass 
Nitrobenzene	Pass
Sodium Hydroxide (50%)	Pass
Sulfuric Acid (98%)	Pass
Tetrachloroethylene	Pass 
Tetrahydrofuran	Pass
Toluene	Pass 

 **WARNING:** Fabric passes penetration testing; however, the chemical is considered a known or suspected carcinogen or skin-absorbed toxin.

As we are continually collecting new data, reference the Technical Data Guide for A80 for the most up-to-date data at www.kcprofessional.com.

More than
25% stronger
than
Tychem® SL

Seams
taped with
Saranex®
23-P Film



Choose protective apparel
based on hazard type at
www.kcproductselector.com

KleenGuard* A80 – Level B/C Coveralls Taped Seams • White



Zipper Front, Storm Flap, Elastic Wrists, Ankles & Respirator-Fit Hood	Code	Size	Case Count	MTO
	45643	L	12	
	45644	XL	12	
	45645	2XL	12	
	45646	3XL	10	
	45647	4XL	10	
	30946	5XL	10	■
	30947	6XL	10	■

Zipper Front, Storm Flap, Elastic Wrists, Ankles, Respirator-Fit Hood & Boots	Code	Size	Case Count	MTO
	45663	L	12	
	45664	XL	12	
	45665	2XL	12	
	45666	3XL	10	
	45667	4XL	10	
	30948	5XL	10	■
	30949	6XL	10	■

KleenGuard* A80 Accessories



Sleeve Protector	Code	Size	Case Count
	45749	21"	100

- Taped seams
- Elastic top & wrist
- 21" length
- Ergonomically designed to fit to arm
- White

Apron	Code	Size	Case Count
	45748	29" x 44"	50

- White
- One size fits all

Dry Particle Protection		Liquid Particulate Protection			Flame Resistant	Chemical Protection	
General Dirt & Grime	Light Splash	Liquid Under Pressure	Isocyanate ¹ & Chromate ²	Blood & Bloodborne Pathogens	Sparks/Flame	Chemical Splash	Chemical Splash & Vapor/Gas



Exceptional
Workplaces*

Count on Kimberly-Clark Professional* to provide the essentials for a healthier, safer and more productive workplace.



Place your order today
with your local representative



Find your local distributor
www.KCProfessional.com/distributor



Visit our website
www.KCProfessional.com

Our Guarantee

Your total satisfaction means everything to us. If, for any reason, our products do not meet your expectations, Kimberly-Clark will reimburse you[†] for your initial purchase, via FREE product, for up to \$1,000. For more information on Kimberly-Clark Professional*, visit us online at www.KCProfessional.com.

‡ Guarantee extended to consuming end-user accounts only.

The following information is provided to assist with your buying decisions. Read all instructions and warnings attached to product before use. It is the responsibility of the user to assess the types of hazards and the risks associated with exposure and then decide on the appropriate personal protective equipment needed for each circumstance.

KLEENGUARD* APPAREL

Apparel should be replaced immediately if ripped, torn, abraded or punctured. Fabrics are not flame-resistant unless specified. Keep away from sparks, flames and sources of ignition. Melting fabric can cause severe burns.

The information provided within this literature refers to the performance of the fabric only, in the laboratory under controlled conditions. Kimberly-Clark makes no representation that its products will provide complete protection from exposure to contaminants. Thin mil gloves are for industrial use only, and are not intended for applications involving direct exposure to hazardous chemicals.

Kimberly-Clark warrants that its products (1) comply with K-C's standard specifications as of the delivery date to K-C's authorized distributors/direct purchasers and are warranted for the following periods from end-user's date of purchase (verified by valid sales receipt) (a) five years for Balder* Technology auto darkening filters; (b) two years for all other auto-darkening filters; and (c) one year for powered air-purifying respirators; (2) comply with all K-C labeling representations; and (3) are manufactured in compliance with all applicable federal, state, and local laws in effect at the time and place of manufacture of the products. **THIS WARRANTY IS IN LIEU OF ALL OTHER WARRANTIES, EXPRESS OR IMPLIED, INCLUDING ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE.** K-C is not liable for any kind of special, incidental, or consequential damages. K-C's liability for breach of contract, tort or other cause of action shall not exceed the product purchase price. Purchasers and users are deemed to have accepted the above warranty and limitation of liability, and cannot change the terms by verbal agreement or by any writing not signed by K-C. To the extent required by applicable law, K-C does not limit its liability for death/injury resulting from K-C's negligence.

^{®/*}Trademarks of Kimberly-Clark Worldwide, Inc. or its affiliates. Marques déposées de Kimberly-Clark Worldwide, Inc. ou de ses filiales. © KCWW. Nomex, Tychem and Tyvek are registered trademarks of E.I. DuPont de Nemours and Company. T7916 06/16

Effective June 2016