

A close-up, low-angle shot of a black Lacrosse cleat soleplate. The soleplate features a series of black, rectangular cleats arranged in a curved pattern. A yellow insole is visible, with the Lacrosse logo and the word "LACROSSE" printed on it. The background is a blurred field of grass and dirt.

 **LACROSSE**[®]

FALL 2015 | **WORK
BOOK**

 **LACROSSE**[®]



Two-Buckle
Perfection

LA GROSSE RUBBER MILLS CO.



FOUNDED IN 1897



With a dream and an idea, three idealistic men pooled their money together to start the La Crosse Rubber Mill, supplying the abundant use of horse-drawn power with the manufacturing of rubber horseshoes.

WITH THE INVENTION of the modern footwear last, La Crosse Rubber Mills shifted their attention to the perfection of hand crafted rubber overshoes, which were worn primarily in agriculture and industry. It was the beginning of our legendary LaCrosse brand.






IN THE YEARS THAT FOLLOWED, we continued to pioneer new manufacturing techniques in order to build tougher, stronger products. People with an eye for quality noticed. Individuals who trusted LaCrosse rubber boots to get them through each grueling day began taking them along on hunting trips too. They quickly noticed how our rubber boots performed better afield than traditional leather boots. Soon, hunters around the country began to ask for LaCrosse rubber boots by name. In fact, that's how the rubber hunting boot market was born.




IN 2003 we introduced Alpha technology, which set a new standard for hunting boots by revolutionizing the industry with a unique hybrid construction combining a cushioning neoprene interior with a waterproof, scent free

rubber exterior. The result was a boot that provided warmth, waterproof comfort and a performance fit that was easier to get on and off. The Alphaburly Sport was the first boot of its kind and, through its evolution to the current Alphaburly Pro, has remained a market leader since the beginning.



NEVER SATISFIED WITH STATUS QUO, we spent four years in development and 4000 miles in testing to introduce AeroForm™ technology, once again revolutionizing the hunting boot market with the AeroHead®. AeroForm redefines comfort and reinvents durability with its patented polyurethane over neoprene construction, delivering a lightweight, flexible glove-like feel to the boot, which is also highly insulating and abrasion resistant. We then expanded AeroForm technology with the AeroTuff, the most comfortable and lightest weight wader in its class, and we don't plan to stop there.



FOR OVER A CENTURY, LaCrosse boots have been the byproduct of an unparalleled commitment to doing things the right way, even when it's not the easiest way, and always striving to build a

better product. Respect is the consequence of our 100-plus-year commitment to quality. We promise to never take that respect for granted. Not now. Not ever.

WE BUILD MORE THAN JUST PRODUCT. WE BUILD SOLUTIONS.

We don't guess what our customers need. We live it. Our mining boots are developed side by side with miners. Our scent-free rubber boots with experienced hunters. Our work boots with employees of industry. See the pattern?

We design footwear for hunting, cold weather, agriculture and industry that are solutions – tools, if you will – for the task at hand. The technologies, materials, components and tread patterns we use are chosen because of their unique ability to do the job at hand better than anything else.

It's the reason we choose specific formulations of rubber and particular kinds of leather. It's why a boot's lugs are deep or shallow or shaped just so. Granted, it's not the easiest way to make products. But it's never been about easy. The heritage of our name and the dedicated individuals who wear our boots deserve no less.

LACROSSE COMPONENTS AND TECHNOLOGIES

AR AEROFORM™

LaCrosse's patent-pending Aeroform™ technology is a revolutionary construction that offers an extremely comfortable fit, with the ultimate in flexibility and durability all in a lightweight form.

ACS AIRCIRC SYSTEM

The LaCrosse® AirCirc System is a multi-layered lining that circulates airflow inside the boot with each step to ensure comfort in a range of temperatures.

AC ALPHA CONSTRUCTION

LaCrosse® Alpha Construction delivers uncompromising waterproof protection while allowing a snug fit on foot with the flexibility needed to slip the boot on and off.

AF ANKLE FIT

LaCrosse® Ankle Fit design keeps rubber boots from pulling loose by gripping the top of the foot and locking the heel in place.

AW ARMOR WELD

LaCrosse® Armor Weld is our four part seam sealing process that provides the strongest, most durable and abrasion-resistant bond in the industry, ensuring waterproof protection.

BT BRUSH TUFF

LaCrosse® Brush Tuff is an abrasion resistant material that protects against brush and briars, ensuring the durability of a LaCrosse® product.

CR CHEMICAL RESISTANT

Engineered to provide protection from industry chemicals and is tested to ASTM standards.

DC DRY-CORE®

LaCrosse® Dry-Core® is a 100% waterproof protection and moisture management system.

EH ELECTRICAL HAZARD

Non-conductive materials prevent against completing an electrical circuit to the ground and are tested to ASTM standards.

MG METATARSAL GUARD

Provides metatarsal region protection against external forces and is tested to ASTM standards.

PR PUNCTURE RESISANT

Provides puncture protection under foot and is tested to ASTM standards.

QC QUAD COMFORT®

LaCrosse® Quad Comfort® is a durable platform constructed with four layers of cushioning materials for all day comfort and stability.

QC QUAD CORE®

LaCrosse® Quad Core® is a layered platform system that provides the best in comfort, stability and durability.

ST SAFETY TOE

Provides toe protection against external forces and is tested to ASTM standards. May be constructed from steel, alloy or non-metallic composite material.

SD SCENT DRY

LaCrosse® Scent Dry is a proprietary technology that provides both scent protection and 100% waterproof protection.

SS SCENT SUPPRESSING

Designed to help hunters avoid detection in the field by containing odor, leaving a scent-free trail behind.



AEROFORM™

LIGHT + FLEXIBLE + DURABLE

A REVOLUTIONARY TECHNOLOGY



NEOPRENE CORE

- Flexible for easy on/off
- Naturally insulating
- Brush Tuff abrasion resistance

ARMOR WELD LIQUID RUBBER SEAM SEALER

- Ensures waterproof protection
- Abrasion resistant


LIGHTWEIGHT POLYURETHANE SHELL

- Highly flexible
- Superior cushioning & stability under foot
- Naturally insulating
- Extremely durable

We knew LaCrosse AeroForm™ technology would deliver the most comfortable boot we've ever made and we did extensive testing to ensure it was also the most durable. The total 6.5 million flexes is the equivalent of walking approximately 4000 miles, about the same as trekking from Anchorage, Alaska to New York City in a single pair of boots.

TEST	INDUSTRY RUBBER STANDARD	LACROSSE RUBBER STANDARD	LACROSSE AEROFORM RESULTS*
DRY FLEX	50,000	100,000	4,000,000
WET FLEX	15,000	30,000	2,500,000
COLD FLEX	50,000	100,000	250,000


* Boots with AeroForm technology showed zero signs of failure after the number of 45-degree flex cycles performed in each test. A single pair was tested for 4 million dry flexes and then tested for an additional 2.5 million wet flexes. A second pair was tested at a third party facility for the 250,000 cold flexes.



AC ALPHA CONSTRUCTION

LaCrosse® Alpha Construction delivers uncompromising waterproof protection while allowing a snug fit on foot with the flexibility needed to slip the boot on and off.


- 1 Natural hand-laid rubber exterior ensures waterproof protection
- 2 Flexible and insulating neoprene core
- 3 Internal lining for comfort against the skin



ACS AIRCIRC

The LaCrosse® AirCirc System is a multi-layered lining that circulates airflow inside the boot with each step to ensure comfort in a range of temperatures.

- 1 Flexible and insulating neoprene core
- 2 Perforated foam layer stimulates airflow keeping feet comfortable and dry
- 3 Mesh liner allows air to circulate against the skin



AF ANKLE FIT

LaCrosse® Ankle Fit design keeps rubber boots from pulling loose by gripping the top of the foot and locking the heel in place.


- 1 Unique boot last with a narrowed ankle design
- 2 Hand-laid premium rubber is fit tight to the last ensuring heel lock



AW ARMOR WELD

LaCrosse® Armor Weld is a four part seam-sealing process that provides the strongest, most durable and abrasion resistant bond in the industry, ensuring waterproof protection.


- 1 Strong bonding adhesive adheres the fabric together
- 2 Locking blind stitch strengthens the initial bond
- 3 Weld tape reinforces the bond and protects against wear on the inside of the fabric
- 4 Liquid rubber allows flexibility of the seam while providing reinforced exterior abrasion protection



BT BRUSH TUFF

LaCrosse® Brush Tuff is an abrasion resistant material that protects against brush and briars, ensuring the durability of a LaCrosse® product.


- 1 Abrasion resistant rubber shell
- 2 Abrasion resistant bidirectional weave to protect against brush and briars
- 3 Flexible and insulating neoprene core



QC QUAD CORE®

LaCrosse® Quad Core® is a layered platform system that provides the best in comfort, stability, and durability.


- 1 Rugged, lightweight outsole
- 2 Cushioning and supportive midsole
- 3 Pressure point cushioning for impact resistance
- 4 Stabilizing shank for maximum boot stability
- 5 Shock absorbing layer for underfoot cushioning
- 6 Cushioning footbed



QC **QUAD COMFORT®**

LaCrosse® Quad Comfort® is a durable platform constructed with four layers of cushioning materials for all day comfort and stability.


- 1** Rugged lightweight oil and slip resistant outsole
- 2** Durable dual-density polyurethane midsole
- 3** Pressure point foam cushioning layer
- 4** Stabilizing built-in nylon shank
- 5** Shock absorbent EVA foam layer
- 6** Cushioning dual-density EVA footbed



DC **DRY-CORE®**

LaCrosse® Dry-Core® is a 100% waterproof protection and moisture management system.



- 1** Fabric lining allows water vapor to escape while providing 100% waterproof protection
- 2** Outer boot shell provides additional waterproof protection



SD **SCENT DRY**

LaCrosse® Scent Dry is a proprietary technology that provides both scent protection and 100% waterproof protection.

- 1** 100% waterproof fabric lining that wraps the inside of the boot, allowing moisture to escape without letting water in
- 2** An antimicrobial treatment applied to both sides of the waterproof fabric lining fights odor-forming bacteria, keeping scent minimized



WHAT'S NEW FOR FALL 2015



SILENCER

page 10

The Silencer family receives an update as we refresh the camo patterns and expand the line with a 400G option. The lightweight platform with durable leather and 1000 Denier nylon upper materials of the Silencer remain the same, while the women's style has a new outsole that streamlines the silhouette and is perfect for stalking.



SURVEYOR

page 51

The new Surveyor is designed for rugged conditions where durable protection is a must and comfort is what keeps feet going well into the eleventh hour. The Quad Core® welt platform features four layers of cushioning and support and is backed by a 90 day comfort guarantee.

AEROTUFF BREATHABLE

page 15

We are expanding the AeroTuff family with a lightweight, breathable version that will offer versatility for early season and can be layered underneath when the days grow colder. The flexible comfort of AeroForm™ technology surrounds the foot and when combined with the neoprene sock, the boot has a warmth equivalent of 800G of insulation. The AeroTuff Breathable is one of the lightest weight breathable waders on the market, making it ideal for the active waterfowler.



ECONOMY KNEE BOOT

page 42

Tried and true, our Economy Knee Boot performs day in and day out in the dirtiest environments. We are adding a plain toe version this fall for those that do not require a safety toe but need a quality rubber boot to keep their feet dry and protected for the long haul.

4XALPHA

page 1

Featuring a LaCrosse Quad Core platform, the new 4xAlpha combines four layers of cushioning comfort underfoot with the unbeatable waterproof protection of Alpha construction. Available in 3.5mm or 7mm neoprene or in 3.5mm neoprene with 360° of snake guard protection, the 4xAlpha delivers comfortable protection from the range of elements at an exceptional value.



4XALPHA

page 34

A long day of sloshing through the mud and the muck just got a lot more comfortable. Built on our proven Quad technology platform, the new 4xAlpha for work combines four layers of cushioning comfort underfoot with the unbeatable waterproof protection of Alpha construction and is backed by a 30 day comfort guarantee. The rugged outsole delivers outstanding traction while the back gusset accommodates varying calf sizes and allows room for pants to be comfortably tucked in.





RUBBER HUNT



4X ALPHA NEW



376103



376101 // 4XBURLY

FEATURES

- 1 Natural hand-laid rubber over insulating neoprene
- 2 Uncompromising waterproof protection from LaCrosse® Alpha Construction
- 3 Quad Core® technology underfoot featuring four layers of cushioning and support
- 4 Contoured Ankle Fit design to prevent heel slippage
- 5 Adjustable back gusset and strap with adjustable fit for various leg sizes
- 6 Shin guard for added protection and durability
- 7 Removable PU Footbed
- 8 4xBurly outsole for superior traction in snow, mud and loose terrain

	STYLE	HEIGHT	WEIGHT	INSULATION	PATTERN	AC	AF	QC
NEW	376101	16"	4.8 LBS	3.5MM NEOPRENE	REALTREE XTRA® GREEN	•	•	•
NEW	376103	16"	5.2 LBS	7MM NEOPRENE	REALTREE XTRA®	•	•	•

SIZES	MEN'S 6-15M WHOLE SIZES ONLY	LINING	JERSEY
TEMP RATING	376101 -20°F 376103 -50°F		

4X ALPHA SNAKE BOOT NEW



376121 // 4XBURLY

FEATURES

- 1 Natural hand-laid rubber over neoprene
- 2 Uncompromising waterproof protection from LaCrosse® Alpha Construction
- 3 360° Snake Guard Protection
- 4 Quad Core® technology underfoot featuring four layers of cushioning and support
- 5 Contoured Ankle Fit design to prevent heel slippage
- 6 Adjustable back gusset and strap with adjustable fit for various leg sizes
- 7 Shin guard for added protection and durability
- 8 Removable PU footbed
- 9 4xBurly outsole for superior traction in mud and loose terrain

	STYLE	HEIGHT	WEIGHT	INSULATION	PATTERN	AC	AF	QC
NEW	376121	16"	5.1 LBS	NONE	REALTREE XTRA® GREEN	•	•	•

SIZES	6-15 WHOLE SIZES ONLY	LINING	JERSEY
TEMP RATING	-20°F		

AEROHEAD®



716032 // AERO



716030 | 716031



716033 | 716037

FEATURES

- 1 LaCrosse AeroForm™ technology featuring a revolutionary liquid polyurethane over neoprene construction which provides an extremely lightweight and flexible glove-like feel to the boot with highly durable abrasion resistant and insulating protection
- 2 Uncompromising waterproof protection
- 3 Back gusset and strap with adjustable fit for various leg sizes
- 4 Armor Weld liquid rubber protective coating the seams
- 5 Quick drying and moisture wicking jersey knit liner
- 6 Abrasion resistant protection from LaCrosse® Brush Tuff bi-directional material
- 7 Injected PU midsole for added cushioning with an integrated shank for providing support and stability
- 8 Aero non-loading outsole featuring a lightweight rubber compound for superior durability and traction in mud and loose terrain

STYLE	HEIGHT	WEIGHT	INSULATION	PATTERN	AF	AR	AW	BT
716030	18"	4.0 LBS	3.5MM NEOPRENE	MOSSY OAK® BREAK-UP INFINITY®	•	•	•	•
716031	18"	4.0 LBS	3.5MM NEOPRENE	REALTREE XTRA® GREEN	•	•	•	•
716032	18"	5.0 LBS	7MM NEOPRENE	REALTREE XTRA®	•	•	•	•
716033	18"	5.0 LBS	7MM NEOPRENE	MOSSY OAK® BOTTOMLAND®	•	•	•	•
NEW 716037	18"	5.0 LBS	7MM NEOPRENE	REALTREE MAX-5	•	•	•	•
EXTENDED SIZES	5-15 WHOLE SIZES ONLY			LINING	JERSEY			
TEMP RATING	716030, 716031 -30°F 716032, 716033, 716037 -60°F							

WOMEN'S ALPHABURLY PRO



376043 // BURLY® PRO



376047

FEATURES

- 1 Natural hand-laid rubber over insulating neoprene
- 2 Uncompromising scent-free and waterproof protection from LaCrosse® Alpha Construction
- 3 Contoured Ankle Fit design to prevent heel slippage
- 4 Adjustable back gusset and strap with adjustable fit for various leg sizes
- 5 Bidirectional embossed neoprene liner for increased inner air circulation
- 6 Available with Thinsulate™ Ultra Insulation
- 7 Removable EVA footbed
- 8 Burly® Pro outsole featuring superior traction and stability with no mud build up

STYLE	HEIGHT	WEIGHT	INSULATION	PATTERN	SS	AF	AC
376043	15"	4.0 LBS	UNINSULATED	REALTREE XTRA® GREEN	•	•	•
376047	15"	4.8 LBS	1600G THINSULATE™ ULTRA	MOSSY OAK® BREAK-UP INFINITY®	•	•	•
SIZES	5-11 WHOLE SIZES ONLY			LINING	POLYESTER		
COMPONENTS	Thinsulate™ Ultra						
TEMP RATING	376043 -20°F 376047 -70°F						

ALPHABURLY PRO



376005 // BURLY® PRO

FEATURES

- 1 Natural hand-laid rubber over insulating neoprene
- 2 Uncompromising scent-free and waterproof protection from LaCrosse® Alpha Construction
- 3 Contoured Ankle Fit design to prevent heel slippage
- 4 Adjustable back gusset and strap with adjustable fit for various leg sizes
- 5 Bidirectional embossed neoprene liner for increased inner air circulation
- 6 Available with various levels of Thinsulate™ Ultra Insulation
- 7 Removable EVA footbed
- 8 Burly® Pro outsole featuring superior traction and stability
- 9 Side zipper for easy on/off (376007, 376017)

STYLE	HEIGHT	WEIGHT	INSULATION	PATTERN	AC	AF	SS
376001	18"	4.8 LBS	UNINSULATED	FOREST GREEN	•	•	•
376005	18"	4.8 LBS	UNINSULATED	REALTREE XTRA® GREEN	•	•	•
376007	18"	4.8 LBS	UNINSULATED	MOSSY OAK® BREAK-UP INFINITY®	•	•	•
376011	18"	5.2 LBS	800G THINSULATE™ ULTRA	FOREST GREEN	•	•	•
376015	18"	5.5 LBS	1000G THINSULATE™ ULTRA	MOSSY OAK® BREAK-UP INFINITY®	•	•	•
376017	18"	5.5 LBS	1000G THINSULATE™ ULTRA	REALTREE XTRA®	•	•	•
376019	18"	5.5 LBS	1600G THINSULATE™ ULTRA	REALTREE XTRA®	•	•	•
NEW 376021	18"	5.2 LBS	800G THINSULATE™ ULTRA	REALTREE MAX-5	•	•	•
SIZES	6-15 WHOLE SIZES ONLY			LINING	POLYESTER		
COMPONENTS	Thinsulate® Ultra						
TEMP RATING	376001, 376005, 376007 -20°F		376011, 376013, 376015, 376021 -60°F		376019 -70°F		



376001, 376011



376015



376019



376021



376007 / SIDE ZIP



376017 / SIDE ZIP

4XBURLY



202000 // 4XBURLY



202002

202004

FEATURES

- 1 Natural, hand-laid rubber
- 2 Uncompromising scent-free and waterproof protection
- 3 Contoured Ankle Fit design to prevent heel slippage
- 4 Adjustable back gusset and strap with adjustable fit for various leg sizes
- 5 Added rubber abrasion protection in toe, heel and shin
- 6 Available with various levels of Thinsulate™ Ultra Insulation
- 7 Dual-density molded PU and sponge-rubber footbed
- 8 Quad-Core® technology featuring four layers of cushioning and support
- 9 Three layer sponge-rubber midsole
- 10 4xBurly outsole for superior traction in snow, mud and loose terrain

STYLE	HEIGHT	WEIGHT	INSULATION	PATTERN	SS	AF	QC
202000	18"	5.5 LBS	NONE	REALTREE APG™	•	•	•
202002	18"	6.2 LBS	800G THINSULATE™ ULTRA	MOSSY OAK® BREAK-UP INFINITY®	•	•	•
202004	18"	6.5 LBS	1200G THINSULATE™ ULTRA	REALTREE AP™	•	•	•

SIZES	6-15 WHOLE SIZES ONLY	LINING	POLYESTER
COMPONENTS	Thinsulate™ Ultra INSULATION		
TEMP RATING	202002 -40°F; 202004 -50°F		

ALPHA LITE PULL-ON



200062 // ALPHA LITE

FEATURES

- 1 Natural, hand-laid rubber over 5mm insulating neoprene
- 2 100% waterproof protection from LaCrosse® Alpha Construction
- 3 Contoured Ankle Fit design to prevent heel slippage
- 4 Removable EVA footbed
- 5 Alpha Lite outsole for excellent traction in mud and loose terrain

STYLE	HEIGHT	WEIGHT	INSULATION	COLOR	AC	AF
200062	16"	4 LBS	5MM NEOPRENE	GREEN	•	•

SIZES	6-15 WHOLE SIZES ONLY	LINING	JERSEY
TEMP RATING	-30°F		

BURLY® AIR GRIP 800



266075 // AIR-GRIP

FEATURES

- 1 Natural, hand-laid rubber
- 2 Uncompromising scent-free and waterproof protection
- 3 Contoured Ankle Fit design to prevent heel slippage
- 4 Adjustable back gusset and strap
- 5 800G Thinsulate™ Ultra Insulation
- 6 Removable EVA footbed
- 7 Air-Grip outsole featuring a self-cleaning lug pattern for traction in snow or mud

STYLE	HEIGHT	WEIGHT	INSULATION	PATTERN	SS	AF
266075	18"	5.3 LBS	800G THINSULATE™ ULTRA	FOREST GREEN	•	•

SIZES 6-15 WHOLE SIZES ONLY **LINING** NYLON

COMPONENTS *Thinsulate™ Ultra* INSULATION

TEMP RATING -40°F

BURLY® AIR GRIP



266050 // AIR-GRIP

FEATURES

- 1 Natural, hand-laid rubber
- 2 Uncompromising scent-free and waterproof protection
- 3 Contoured Ankle Fit design to prevent heel slippage
- 4 Top strap for secure fit
- 5 Removable EVA footbed
- 6 Foam insulated bottom with wool felt midsole
- 7 Air-Grip outsole featuring a self-cleaning lug pattern for traction in snow or mud

STYLE	HEIGHT	WEIGHT	INSULATION	PATTERN	SS	AF
266050	18"	5.3 LBS	FOAM	OD GREEN	•	•

SIZES 6-15 WHOLE SIZES ONLY **LINING** NYLON

TEMP RATING -20°F

BURLY® TRAC-LITE



266060 // TRAC-LITE

FEATURES

- 1 Natural, hand-laid rubber
- 2 Uncompromising scent-free and waterproof protection
- 3 Contoured Ankle Fit design to prevent heel slippage
- 4 Adjustable back gusset and strap
- 5 800G Thinsulate™ Ultra Insulation
- 6 Removable EVA footbed
- 7 Wool felt midsole
- 8 Trac-Lite outsole for superior traction in snow, mud and loose terrain

STYLE	HEIGHT	WEIGHT	INSULATION	PATTERN	SS	AF
266060	18"	5.5 LBS	800G THINSULATE™ ULTRA	FOREST GREEN	•	•
SIZES	6-15 WHOLE SIZES ONLY		LINING	NYLON		
COMPONENTS	Thinsulate™ Ultra INSULATION					
TEMP RATING	-40°F					

BURLY® CLASSIC



266040 // CHEVRON CLEATED

FEATURES

- 1 Natural, hand-laid rubber
- 2 Uncompromising scent-free and waterproof protection
- 3 Contoured Ankle Fit design to prevent heel slippage
- 4 Top strap for secure fit
- 5 Removable EVA footbed
- 6 Foam insulated bottom with wool felt midsole
- 7 Chevron Cleated outsole featuring a self-cleaning lug pattern for superior traction

STYLE	HEIGHT	WEIGHT	INSULATION	PATTERN	SS	AF
266040	18"	4.5 LBS	FOAM	OD GREEN	•	•
EXTENDED SIZES	5-15 WHOLE SIZES ONLY		LINING	NYLON		
TEMP RATING	-20°F					

GRANGE®



150040 // CHEVRON CLEATED

FEATURES

- 1 Natural, hand-laid rubber
- 2 Uncompromising scent-free and waterproof protection
- 3 Contoured Ankle Fit design to prevent heel slippage
- 4 Top strap for secure fit
- 5 Removable EVA footbed
- 6 Chevron Cleated outsole featuring a self-cleaning lug pattern for superior traction

STYLE	HEIGHT	WEIGHT	INSULATION	PATTERN	SS	AF
150040	18"	4.5 LBS	NONE	OD GREEN	•	•
EXTENDED SIZES		5-15 WHOLE SIZES ONLY	LINING	NYLON		

INSULATED PAC



260040 // CHEVRON CLEATED

FEATURES

- 1 Natural, hand-laid rubber
- 2 Uncompromising scent-free and waterproof protection
- 3 Contoured Ankle Fit design to prevent heel slippage
- 4 Lace-up capability for an adjustable secure fit
- 5 Removable EVA footbed
- 6 Foam insulated bottom with wool felt midsole
- 7 Chevron Cleated outsole featuring a self-cleaning lug pattern for superior traction

STYLE	HEIGHT	WEIGHT	INSULATION	PATTERN	SS	AF
260040	12"	4.9 LBS	FOAM	OD GREEN	•	•
EXTENDED SIZES		5-15 WHOLE SIZES ONLY	LINING	NYLON		
TEMP RATING		-20°F				

INSULATED 2-BUCKLE




267040 // TRAC-LITE

FEATURES

- 1 Natural, hand-laid rubber
- 2 Uncompromising scent-free and waterproof protection
- 3 Non-corrosive metal buckles for an adjustable secure fit
- 4 Removable EVA footbed
- 5 Foam insulated bottom with wool felt midsole
- 6 Trac-Lite outsole for superior traction in snow, mud and loose terrain

STYLE	HEIGHT	WEIGHT	INSULATION	PATTERN	SS
267040	18"	6.3 LBS	FOAM	OD GREEN	•
SIZES	6-14 WHOLE SIZES ONLY		LINING	NYLON	
TEMP RATING	-20°F				



LEATHER HUNT



SILENCER NEW



541015 // DEER TRACKS



541016

541017

FEATURES

- 1 Lightweight and rugged 1000 Denier nylon upper (541016)
- 2 Suede leather and rugged 1000 Denier nylon upper (541015, 541017)
- 3 Comfort collar padding
- 4 100% waterproof Dry-Core® lining
- 5 Available with various levels of Thinsulate™ Ultra Insulation
- 6 Removable EVA footbed
- 7 Deer Tracks outsole specifically designed for stalking
- 8 Youth style available (page 29)

	STYLE	HEIGHT	WEIGHT	INSULATION	COLOR	DC
NEW	541015	8"	3.1 LBS	400G THINSULATE™ ULTRA	REALTREE XTRA®	•
NEW	541016	8"	2.9 LBS	1000G THINSULATE™ ULTRA	REALTREE XTRA®	•
NEW	541017	8"	3.2 LBS	800G THINSULATE™ ULTRA	MOSSY OAK™ BREAK-UP INFINITY	•

SIZES 7-12, 13, 14M ; 8-12, 13W **LINING** DRY-CORE

COMPONENTS Thinsulate® Ultra

WOMEN'S SILENCER NEW



541021 // TRILLIUM

FEATURES

- 1 Suede leather and rugged 1000 Denier nylon upper
- 2 Comfort collar padding
- 3 100% waterproof Dry-Core® lining
- 4 Removable EVA footbed
- 5 Trillium outsole specifically designed for stalking

	STYLE	HEIGHT	WEIGHT	INSULATION	PATTERN	DC
NEW	541021	8"	2.9 LBS	800G THINSULATE™ ULTRA	MOSSY OAK™ BREAK-UP INFINITY	•

SIZES 5-10, 11M **LINING** DRY-CORE

COMPONENTS Thinsulate® Ultra

QUICK SHOT



536010 // BOLT



563012

FEATURES

- 1 Waterproof suede upper with lightweight and rugged 900 Denier nylon
- 2 Lace-to-toe lacing system for secure fit
- 3 Scent-free and 100% waterproof Scent Dry lining
- 4 600G Thinsulate™ Ultra Insulation (563012)
- 5 Removable EVA footbed
- 6 Bolt lightweight outsole featuring a rugged lug pattern with non-loading performance

STYLE	HEIGHT	WEIGHT	INSULATION	PATTERN	SD
536010	8"	2.4 LBS	NONE	REALTREE XTRA® GREEN	•
563012	8"	3.7 LBS	600G THINSULATE™ ULTRA	MOSSY OAK® BREAK-UP INFINITY®	•

SIZES	6-12, 13, 14, 15M; 7-12, 13, 14W	LINING	SCENT DRY
COMPONENTS	Thinsulate™ Ultra INSULATION		

GAME COUNTRY



500028 // GAME COUNTRY

FEATURES

- 1 Suede leather upper with lightweight and rugged 1000 Denier nylon
- 2 Comfort collar padding
- 3 100% waterproof Dry-Core™ lining
- 4 1600G Thinsulate™ Ultra Insulation
- 5 Removable EVA footbed
- 6 Game Country outsole for superior traction in cold weather hunting conditions

STYLE	HEIGHT	WEIGHT	INSULATION	PATTERN	DC
500028	10"	3.7 LBS	1600G THINSULATE™ ULTRA	REALTREE AP™	•

SIZES	7-12, 13, 14M; 8-12, 13, 14W	LINING	DRY-CORE®
COMPONENTS	Thinsulate™ Ultra INSULATION		

HUNT PAC EXTREME



283160 // ICE GRIP

FEATURES

- 1 Full-grain leather upper with lightweight and rugged 1000 Denier nylon
- 2 Comfort collar padding
- 3 Abrasion resistant toe and heel cap
- 4 100% waterproof Dry-Core® lining
- 5 2000G Thinsulate™ Ultra Insulation
- 6 Removable EVA footbed
- 7 Thick, cushioning EVA midsole
- 8 Ice Grip outsole for superior traction on snow

STYLE	HEIGHT	WEIGHT	INSULATION	PATTERN	DC
283160	10"	5.4 LBS	2000G THINSULATE™ ULTRA	MOSSY OAK® BREAK-UP®	•

SIZES 8-14 WHOLE SIZES ONLY **LINING** DRY-CORE®

COMPONENTS *Thinsulate™ Ultra*
INSULATION

VENOM SNAKE BOOT



425615 // LOW COUNTRY

FEATURES

- 1 Full-grain leather upper with lightweight and rugged 1000 Denier nylon
- 2 360° snake proof protection
- 3 Lace-up design for an adjustable and secure fit
- 4 Side zipper for easy on/off
- 5 Abrasion resistant toe cap
- 6 Scent-free and 100% waterproof Scent Dry lining
- 7 Internal antimicrobial membrane that fights odor-forming bacteria
- 8 Removable dual-density PU footbed
- 9 Thick, cushioning EVA midsole
- 10 Low Country outsole for quick movement through snake country
- 11 Extended sizing available
- 12 Youth style available (page 30)

STYLE	HEIGHT	WEIGHT	INSULATION	PATTERN	SD
425615	18"	5.0 LBS	NONE	REALTREE® APG®	•

EXTENDED SIZES 5-12, 13, 14M; 8-12, 13W **LINING** SCENT DRY

ADDER SNAKE BOOT



425620 // LOW LUG II

FEATURES

- 1 Full-grain leather upper with lightweight and rugged 1000 Denier nylon
- 2 360° snake proof protection
- 3 Adjustable back gusset and strap
- 4 Abrasion resistant toe cap
- 5 Scent-free and 100% waterproof Scent Dry lining
- 6 Removable dual-density PU footbed
- 7 Thick, cushioning EVA midsole
- 8 Low Lug II outsole featuring a non-loading lug pattern for quick athletic performance

STYLE	HEIGHT	WEIGHT	INSULATION	PATTERN	SD
425620	18"	4.6 LBS	NONE	MOSSY OAK® BREAK-UP INFINITY®	•
SIZES	7-12, 13, 14M; 8-12, 13W		LINING	SCENT DRY	

TALLGRASS SNAKE BOOT



532062 // TALLGRASS



532068

FEATURES

- 1 Full-grain leather upper with lightweight and rugged 1000 Denier nylon
- 2 360° snake proof protection
- 3 100% waterproof Dry-Core® lining
- 4 Quad Core® technology featuring four layers of cushioning and support
- 5 Removable PU footbed
- 6 Durable welt construction with Tallgrass low lug non-loading outsole

STYLE	HEIGHT	WEIGHT	INSULATION	PATTERN	QC	DC
532062	17"	4.5 LBS	NONE	MOSSY OAK® BREAK-UP INFINITY®	•	•
532068	17"	4.5 LBS	NONE	BROWN	•	•
SIZES	7-12, 13, 14M; 8-12, 13W		LINING	DRY-CORE®		



WADERS

WHAT SIZE WADERS SHOULD I BUY?

REFER TO THE CHART AND SELECT THE SIZE CORRESPONDING TO THE INDIVIDUAL'S MEASUREMENTS. NEOPRENE WADERS CAN ACCOMMODATE A RANGE OF SIZES DUE TO THE HIGH DEGREE OF STRETCH.

BOOT SIZE: WADERS ARE AVAILABLE IN FULL SIZES AND ONE WIDTH ONLY. IT IS RECOMMENDED THAT HALF SIZES ORDER THE NEXT FULL SIZE LISTED ON THE CHART

INSEAM: MEASUREMENT FROM CROTCH TO FLOOR

OUTSEAM: MEASUREMENT FROM ARMPIT TO FLOOR

CHEST/WAIST: MEASUREMENT AROUND WIDEST PART OF CHEST OR WAIST

** MEASUREMENTS LISTED IN SIZE CHARTS ARE BODY MEASUREMENTS (IN INCHES). THEY ARE NOT THE DIMENSIONS OF THE WADERS.

WADER SIZE CHART	BOOT SIZE	INSEAM	OUTSEAM	CHEST/WAIST	EXPANDABLE CHEST/WAIST
	7 MEDIUM	31	45	42	58
	8 MEDIUM	31	45	42	58
	9 MEDIUM	32	47	45	61
	10 MEDIUM	32	47	45	61
	11 MEDIUM	33	49	48	64
	12 MEDIUM	33	49	48	64
	13 MEDIUM	34	51	50	66
	14 MEDIUM	35	53	50	66
	15 MEDIUM	35	53	52	68
	10 KING	33	48	47	
	11 KING	34	50	50	
	12 KING	34	50	50	
	13 KING	35	52	52	
	14 KING	36	54	54	
	8 STOUT	29	43	44	
	9 STOUT	30	44	46	
	10 STOUT	30	45	47	
	11 STOUT	31	47	50	
	12 STOUT	31	47	50	

AEROTUFF BREATHABLE NEW



BACK

700044 // AEROTUFF

FEATURES

- 1 LaCrosse AeroForm™ technology featuring a revolutionary liquid polyurethane over neoprene construction which provides an extremely lightweight and flexible glove-like feel to the boot with highly durable abrasion resistant and insulating protection
- 2 Breathable and abrasion resistant Taslon nylon upper
- 3 Uncompromising waterproof protection
- 4 3.5mm neoprene sock combined with AeroForm™ technology provides warmth equivalent of 800G insulation
- 5 Buckled straps
- 6 Waterproof front loading pocket and fleece handwarmer
- 7 Aerotuff outsole is a non-loading outsole designed for superior traction in various wading environments

	STYLE	BOOT INSULATION	PATTERN	AR	AF	AW
NEW	700044	800G EQUIVALENT	REALTREE® MAX-5	•	•	•
	SIZES REG 7-15 WHOLE SIZES ONLY		LINING	JERSEY		

AEROTUFF



BACK

700040 // AEROTUFF

FEATURES

- 1 LaCrosse AeroForm™ technology featuring a revolutionary liquid polyurethane over neoprene construction which provides an extremely lightweight and flexible glove-like feel to the boot with highly durable abrasion resistant and insulating protection
- 2 Heavyweight 7mm neoprene boot sock and 5mm upper combined with AeroForm technology provides warmth equivalent of 1500G insulation
- 3 Abrasion resistant protection from LaCrosse® Brush Tuff bi-directional material
- 4 Buckled and Velcro straps with capabilities to create a belt when folded down
- 5 Top loading pocket and hand warmer
- 6 Removable waterproof internal pocket
- 7 Double stitched Armor Weld seams and PU reinforced knees and seat
- 8 Aerotuff outsole is a non-loading outsole designed for superior traction in various wading environments

	STYLE	BOOT INSULATION	PATTERN	AR	AF	AW	BT
	700040	1500G EQUIVALENT	REALTREE® MAX-5	•	•	•	•
	SIZES KING 10-14; REG 7-15; STOUT 8-12 WHOLE SIZES ONLY		LINING	JERSEY			

SWAMP TUFF PRO



FEATURES

- 1 Heavyweight 5mm fleece-lined insulating neoprene upper
- 2 Uncompromising waterproof protection
- 3 Detachable waist belt for adjustable fit
- 4 Velcro® straps and buckle with capabilities to create a belt when folded down
- 5 Rollout game bag
- 6 Removable rollout shell pouch
- 7 Top loading pocket, waterproof front pocket and hand warmer
- 8 Removable waterproof internal pocket
- 9 Abrasion resistant protection from LaCrosse® Brush Tuff bi-directional material
- 10 Armor Weld liquid rubber protective coating on double stitched seams
- 11 PU protective coating on knees and seat
- 12 3.5mm neoprene plus 1000G Thinsulate™ Ultra Insulation boot
- 13 Contoured Ankle Fit design to prevent heel slippage
- 14 Swamp Tuff low lug non-loading outsole

STYLE	BOOT INSULATION	PATTERN	AC	BT	AW	AF
700120	1000G THINSULATE™ ULTRA	MOSSY OAK® BOTTOMLAND®	•	•	•	•
700124	1000G THINSULATE™ ULTRA	MOSSY OAK® SHADOW GRASS® BLADES™	•	•	•	•
700130	1000G THINSULATE™ ULTRA	REALTREE® MAX-5	•	•	•	•
SIZES	KING 10-14; REG 7-14; STOUT 8-12 WHOLE SIZES ONLY		LINING FLEECE			
COMPONENTS	Thinsulate™ Ultra					

BRUSH TUFF EXTREME ATS



FEATURES

- 1 Heavyweight 5mm fleece-lined insulating neoprene upper
- 2 Uncompromising waterproof protection
- 3 Abrasion resistant protection from LaCrosse® Brush Tuff bi-directional material
- 4 Buckled straps with capabilities to create a belt when folded down
- 5 Top loading pocket and hand warmer
- 6 Built-in shell holder
- 7 Double stitched seams and reinforced knees
- 8 1600G Thinsulate™ Ultra Insulation boot
- 9 Removable EVA footbed
- 10 ATS outsole for advanced traction and stability with no mud build up

STYLE	BOOT INSULATION	PATTERN	BT
700055	1600G THINSULATE™ ULTRA	REALTREE® MAX-5	•
SIZES	KING 10-14; REG 7-14 WHOLE SIZES ONLY		LINING FLEECE
COMPONENTS	Thinsulate™ Ultra		

SUPER BRUSH TUFF



BACK



700150 // TRAC-LITE



BACK

700152

FEATURES

- 1 Heavyweight 5mm insulating neoprene upper
- 2 Uncompromising waterproof protection with Armor Weld seams
- 3 Abrasion resistant protection from LaCrosse® Brush Tuff bi-directional material
- 4 Buckle straps with capabilities to create a belt when folded down
- 5 Top loading pocket and hand warmer
- 6 PU reinforced knees and seat
- 7 1200G Thinsulate™ Ultra Insulation boot
- 8 Removable EVA footbed
- 9 9mm felt midsole
- 10 Trac-Lite outsole for superior traction in snow, mud and loose terrain

STYLE	BOOT INSULATION	PATTERN	AW	BT
700150	1200G THINSULATE™ ULTRA	MOSSY OAK® SHADOW GRASS® BLADES™	•	•
700152	1200G THINSULATE™ ULTRA	REALTREE® MAX-5	•	•
SIZES	KING 10-14; REG 7-14; STOUT 8-12 WHOLE SIZES ONLY		LINING JERSEY	
COMPONENTS	Thinsulate™ Ultra INSULATION			

MALLARD II



BACK



700312 // SWAMP-LITE

FEATURES

- 1 3.5mm stretch insulating neoprene upper
- 2 Uncompromising waterproof protection
- 3 Abrasion resistant protection from LaCrosse® Brush Tuff bi-directional material
- 4 Buckled straps with capabilities to create a belt when folded down
- 5 Front top loading pocket, call holder and hand warmer provide ample, accessible storage
- 6 PU protective coating on knees and seat
- 7 1000G Thinsulate™ Ultra Insulation boot
- 8 Removable EVA footbed
- 9 Swamp-Lite outsole for superior traction in snow, mud and loose terrain
- 10 Youth style available (page 31)

STYLE	BOOT INSULATION	PATTERN	BT	AF
700312	1000G THINSULATE™ ULTRA	REALTREE® MAX-5	•	•
SIZES	7-15 WHOLE SIZES ONLY		LINING JERSEY	
COMPONENTS	Thinsulate™ Ultra INSULATION			

MALLARD II EXPANDABLE



BACK

700316 // SWAMP-LITE

FEATURES

- 1 3.5mm stretch insulating neoprene
- 2 Uncompromising waterproof protection
- 3 Abrasion resistant protection from LaCrosse® Brush Tuff bi-directional material
- 4 Buckled straps with capabilities to create a belt when folded down
- 5 Front top loading pocket, call holder and hand warmer provide ample, accessible storage
- 6 PU protective coating on knees and seat
- 7 1000G Thinsulate™ Ultra Insulation boot
- 8 Removable EVA footbed
- 9 Swamp-Lite outsole for superior traction in snow, mud and loose terrain
- 10 Expandable with 16" torso length and additional room in the thigh

STYLE	BOOT INSULATION	PATTERN	BT	AF
700316	1000G THINSULATE™ ULTRA	REALTREE® MAX-5	•	•
SIZES	7-15 WHOLE SIZES ONLY	LINING	JERSEY	
COMPONENTS	Thinsulate™ Ultra INSULATION			

ALPHA SWAMPFOX DROP TOP



700082 // SWAMP-LITE

FEATURES

- 1 Breathable and abrasion resistant Talson nylon upper
- 2 3.5mm neoprene plus 600G Thinsulate™ Ultra Insulating boot
- 3 Uncompromising waterproof protection
- 4 Contoured Ankle Fit design to prevent heel slippage
- 5 Detachable belt and adjustable sidestraps for customized, secure fit
- 6 Ability to convert from chest to pant
- 7 Front waterproof pocket
- 8 Available with elastic suspenders
- 9 Removable EVA footbed
- 10 Swamp-Lite outsole for superior traction in snow, mud and loose terrain

STYLE	BOOT INSULATION	PATTERN	AC	AF
700082	600G THINSULATE™ ULTRA	REALTREE® MAX-5	•	•
SIZES	7-15 WHOLE SIZES ONLY	LINING	NYLON	
COMPONENTS	Thinsulate™ Ultra INSULATION			

TRAPLINE HIP



700066 // TRAC-LITE

FEATURES

- 1 Natural, hand-laid rubber
- 2 Uncompromising scent-free and waterproof protection
- 3 Wool felt lining
- 4 Removable EVA footbed
- 5 Trac-Lite outsole for superior traction in snow, mud and loose terrain

STYLE	HEIGHT	INSULATION	PATTERN
700066	32"	WOOL FELT	FOREST GREEN
SIZES 6-16 WHOLE SIZES ONLY			LINING WOOL FELT

MARSH



156040 // CHEVRON CLEATED

FEATURES

- 1 Natural, hand-laid rubber
- 2 Uncompromising scent-free and waterproof protection
- 3 Adjustable internal calf harness for a secure fit
- 4 Removable EVA footbed
- 5 Chevron Cleated outsole featuring a self-cleaning lug pattern for superior traction

STYLE	HEIGHT	INSULATION	PATTERN
156040	32"	NONE	OD GREEN
SIZES 6-16 WHOLE SIZES ONLY			LINING NYLON



154040 // CHEVRON CLEATED



700001 // AIR GRIP

FEATURES

- 1 Natural, hand-laid rubber
- 2 Uncompromising scent-free and waterproof protection
- 3 Adjustable internal calf harness for a secure fit
- 4 Contoured Ankle Fit design to prevent heel slippage
- 5 Available with 600G Thinsulate™ Ultra Insulation (700001)
- 6 Removable EVA footbed
- 7 Chevron Cleated outsole featuring a self-cleaning lug pattern for superior traction (154040)
- 8 Air-Grip outsole featuring a self-cleaning lug pattern for traction in snow or mud (700001)

STYLE	HEIGHT	INSULATION	PATTERN	AF
154040	32"	NONE	OD GREEN	•
700001	32"	600G THINSULATE™ ULTRA	OD GREEN	•

EXTENDED SIZES	154040 5-14; 700001 5-15 WHOLE SIZES ONLY	LINING	NYLON
COMPONENTS	Thinsulate Ultra		



RECREATION



ICE KING®



600014 // TRAC-LITE

FEATURES

- 1 Full-grain leather upper
- 2 Natural, hand-laid rubber bottom
- 3 100% waterproof bottom with water resistant upper
- 4 Removable poly foam liner
- 5 400G Thinsulate™ Ultra Insulation built into boot upper
- 6 6mm felt footbed
- 7 8mm felt midsole
- 8 Trac-Lite outsole for superior traction in snow, mud and loose terrain

STYLE	HEIGHT	WEIGHT	INSULATION	COLOR
600014	10"	6.6 LBS	400G THINSULATE™ ULTRA+FOAM	BROWN

SIZES	7-15 WHOLE SIZES ONLY	LINING	REMOVABLE FOAM
COMPONENTS	Thinsulate™ Ultra INSULATION		
TEMP RATING	-70°F		

ICEMAN



600008 // TRAC-LITE

FEATURES

- 1 Full-grain leather upper
- 2 Natural, hand-laid rubber bottom
- 3 100% waterproof bottom with water resistant upper
- 4 Removable 9mm felt liner
- 5 Foam insulation built into boot upper
- 6 Trac-Lite outsole for superior traction in snow, mud and loose terrain

STYLE	HEIGHT	WEIGHT	INSULATION	COLOR
600008	10"	6.2 LBS	FOAM	BLACK

SIZES	7-15 WHOLE SIZES ONLY	LINING	REMOVABLE FELT
TEMP RATING	-60°F		

OUTPOST II



600801 // SNOW GRIP



600802

FEATURES

- 1 Full-grain leather, suede and durable nylon upper
- 2 Natural, hand-laid rubber bottom
- 3 100% waterproof bottom with water resistant upper
- 4 Removable foam liner

STYLE	HEIGHT	WEIGHT	INSULATION	COLOR
600801	11"	5.2 LBS	FOAM	BROWN
600802	11"	5.2 LBS	FOAM	BLACK

SIZES	7-14 WHOLE SIZES ONLY	LINING	FOAM
TEMP RATING	-40° F		

WOMEN'S OUTPOST



600803 // SNOW GRIP

FEATURES

- 1 Full-grain leather, suede and durable nylon upper
- 2 Natural, hand-laid rubber bottom
- 3 100% waterproof bottom with water resistant upper
- 4 Removable foam liner

STYLE	HEIGHT	WEIGHT	INSULATION	COLOR
600803	10"	4.2 LBS	FOAM	BLACK

SIZES	5-11 WHOLE SIZES ONLY	LINING	FOAM
TEMP RATING	-40° F		

MESQUITE II



273124



273124 // ROPE CLEATED

FEATURES

- 1 Full-grain, oiled and distressed leather upper
- 2 Natural, hand-laid rubber bottom
- 3 100% waterproof bottom with water resistant upper
- 4 Side zipper
- 5 200G Thinsulate™ Insulation
- 6 Rope Cleated outsole for slip resistant traction in snow and ice

STYLE	HEIGHT	WEIGHT	INSULATION	COLOR
273124	10"	4.6 LBS	200G THINSULATE™	BROWN
SIZES	7-15 WHOLE SIZES ONLY		LINING	POLYESTER
COMPONENTS	Thinsulate			
TEMP RATING	-20° F			

UPLANDER II



273122 // ROPE CLEATED

FEATURES

- 1 Full-grain, oiled and distressed leather upper
- 2 Natural, hand-laid rubber bottom
- 3 100% waterproof bottom with water resistant upper
- 4 Removable Air Cushion footbed
- 5 Rope Cleated outsole for slip resistant traction in snow and ice

STYLE	HEIGHT	WEIGHT	INSULATION	COLOR
273122	10"	3.4 LBS	NONE	BROWN
SIZES	7-15 WHOLE SIZES ONLY		LINING	NONE

TREKKER II



273120 // ROPE CLEATED

FEATURES

- 1 Full-grain, oiled and distressed leather upper
- 2 Natural, hand-laid rubber bottom
- 3 100% waterproof bottom with water resistant upper
- 4 Removable Air Cushion footbed
- 5 Rope Cleated outsole for slip resistant traction in snow and ice

STYLE	HEIGHT	WEIGHT	INSULATION	COLOR
273120	7"	3.0 LBS	NONE	BROWN

SIZES	7-15 WHOLE SIZES ONLY	LINING	NONE
--------------	-----------------------	---------------	------

HAMPTON



200052 // AQUA



200050

FEATURES

- 1 Natural, hand-laid rubber over insulating neoprene
- 2 Uncompromising fit and waterproof protection from LaCrosse® Alpha Construction
- 3 Pull tabs and side stretch panel for easy on/off
- 4 Thick, cushioning EVA footbed for all day comfort
- 5 Aqua outsole for all day comfort

STYLE	HEIGHT	WEIGHT	INSULATION	PATTERN	AC
200050	6"	2.5 LBS	3MM NEOPRENE	BLACK	•
200052	6"	2.5 LBS	3MM NEOPRENE	OD GREEN	•

SIZES	7-14 WHOLE SIZES ONLY	LINING	NYLON
--------------	-----------------------	---------------	-------

WOMEN'S HAMPTON II



201200


FEATURES

- 1 Natural, hand-laid rubber over insulating neoprene
- 2 Uncompromising fit and waterproof protection from LaCrosse® Alpha Construction
- 3 Pull tabs and side stretch panel for easy on/off
- 4 Thick, cushioning EVA footbed for all day comfort
- 5 Rugged Walker outsole for all day comfort

STYLE	HEIGHT	WEIGHT	INSULATION	PATTERN	AC
201200	6"	2.1 LBS	3MM NEOPRENE	BLACK	•
201206	6"	2.1 LBS	3MM NEOPRENE	RED	•
SIZES	5-11 WHOLE SIZES ONLY		LINING	NYLON	



201206 // RUGGED WALKER



YOUTH

WHAT SIZE WADERS SHOULD I BUY?

REFER TO THE CHART AND SELECT THE SIZE CORRESPONDING TO THE INDIVIDUAL'S MEASUREMENTS. NEOPRENE WADERS CAN ACCOMMODATE A RANGE OF SIZES DUE TO THE HIGH DEGREE OF STRETCH.

BOOT SIZE: WADERS ARE AVAILABLE IN FULL SIZES AND ONE WIDTH ONLY. IT IS RECOMMENDED THAT HALF SIZES ORDER THE NEXT FULL SIZE LISTED ON THE CHART

INSEAM: MEASUREMENT FROM CROTCH TO FLOOR

OUTSEAM: MEASUREMENT FROM ARMPIT TO FLOOR

CHEST/WAIST: MEASUREMENT AROUND WIDEST PART OF CHEST OR WAIST

** MEASUREMENTS LISTED IN SIZE CHARTS ARE BODY MEASUREMENTS (IN INCHES). THEY ARE NOT THE DIMENSIONS OF THE WADERS.

YOUTH WADER SIZE CHART	BOOT SIZE	INSEAM	OUTSEAM	CHEST	WAIST
	13	22	33	29	28
	1	23	35	30	29
	2	24	37	31	30
	3	26	39	33	32
	4	27	41	35	34
	5	27	44	37	36
	6	28	47	39	38
	7	29	49	41	40
	8	30	50	43	42

LIL' BURLY®



266002 // CHEVRON CLEATED



266003

FEATURES

- 1 Natural, hand-laid rubber
- 2 Uncompromising scent-free and waterproof protection
- 3 Contoured Ankle Fit design to prevent heel slippage
- 4 Available with 1000G Thinsulate™ Ultra Insulation (266002)
- 5 Removable EVA footbed
- 6 Wool felt midsole
- 7 Chevron Cleated outsole featuring a self-cleaning lug pattern for superior traction

STYLE	HEIGHT	WEIGHT	INSULATION	PATTERN	SS	AF
266002	9"	2.5 LBS	1000G THINSULATE™ ULTRA	NEXT G-1®	•	•
266003	9"	2.5 LBS	FOAM	00 GREEN	•	•

SIZES 11-6 WHOLE SIZES ONLY **LINING** NYLON

COMPONENTS *Thinsulate Ultra* INSULATION

TEMP RATING 266002 -50°F 266003 -20°F

SILENCER NEW



541114 // LACROSSE® TRACKS

FEATURES

- 1 Suede leather with lightweight and rugged 1000 Denier nylon upper
- 2 Comfort collar padding
- 3 100% waterproof Dry-Core® lining
- 4 Removable EVA footbed
- 5 800G Thinsulate™ Ultra Insulation
- 6 LaCrosse® Tracks outsole specifically designed for stalking

STYLE	HEIGHT	WEIGHT	INSULATION	PATTERN	DC
541114	8"	2.3 LBS	800G THINSULATE™ ULTRA	MOSSY OAK® BREAK-UP INFINITY®	•

SIZES 1-6 WHOLE SIZES ONLY **LINING** DRY-CORE®

COMPONENTS *Thinsulate Ultra* INSULATION

VENOM SNAKE BOOT



425600 // LACROSSE® TRACKS

FEATURES

- 1 Suede leather upper with lightweight and rugged 1000 Denier nylon
- 2 360° snake proof protection
- 3 Lace-up design for an adjustable secure fit
- 4 Side zipper for easy on/off
- 5 Abrasion resistant toe cap
- 6 Scent-free and 100% waterproof Scent Dry lining
- 7 Internal antimicrobial membrane that fights odor-forming bacteria
- 8 Removable EVA footbed
- 9 Thick, cushioning EVA midsole
- 10 LaCrosse® Tracks outsole specifically designed for stalking

STYLE	HEIGHT	WEIGHT	INSULATION	PATTERN	SD
425600	12"	3.0 LBS	NONE	NEXT G-1® GREEN	•
SIZES	1-6 WHOLE SIZES ONLY		LINING	SCENT DRY	

WELLINGTON



200141 // WELLINGTON YOUTH



200140

FEATURES

- 1 Full-grain leather and 900 Denier nylon upper with pull straps
- 2 100% waterproof Dry-Core® lining
- 3 Removable EVA footbed
- 4 Wellington Youth outsole for lightweight traction

STYLE	HEIGHT	WEIGHT	INSULATION	PATTERN	DC
200140	8"	2.3 LBS	NONE	BROWN	•
200141	8"	2.3 LBS	NONE	NEXT G-1®	•
SIZES	11-6 WHOLE SIZES ONLY		LINING	DRY-CORE®	

MALLARD II



BACK



700320 // SWAMP-LITE

FEATURES

- 1 3.5mm stretch insulating neoprene
- 2 Uncompromising waterproof protection
- 3 Abrasion resistant protection from LaCrosse® Brush Tuff bi-directional material
- 4 Buckled straps with capabilities to create a belt when folded down
- 5 Top loading pocket and hand warmer
- 6 Double stitched seams and reinforced knees and seat
- 7 1000G Thinsulate™ Ultra Insulation boot
- 8 Removable EVA footbed
- 9 Swamp-Lite outsole for superior traction in mud and loose terrain

STYLE	BOOT INSULATION	PATTERN	AF	BT
700320	1000G THINSULATE™ ULTRA	REALTREE® MAX-5	•	•
SIZES	13-8 WHOLE SIZES ONLY	LINING	JERSEY	
COMPONENTS	Thinsulate™ Ultra			



RUBBER WORK

CHEMICAL RESISTANCE CHART

E - EXCELLENT G - GOOD F - FAIR P - POOR

	RUBBER	NEOPRENE	PVC		RUBBER	NEOPRENE	PVC		RUBBER	NEOPRENE	PVC
Acetaldehyde	F	E	G	Castor Oil	F	E	G	Linseed Oil	F	E	G
Acetic Acid	F	E	G	Caustic Potash	E	E	G	Methyl Acetate	F	G	F
Acetone	E	E	G	Chlorox	G	E	G	Methyl Alcohol	G	E	E
Acrylonitrile	F	G	P	Citric Acid	G	E	E	Methyl Ethyl Ketone	F	G	P
Ammonia Anhydrous	F	G	G	Copper Chloride	E	E	E	Milk	E	E	E
Ammonium Hydroxide	E	E	G	Copper Sulfate	F	G	G	Mineral Oil	P	E	G
Ammonium Sulfate	G	E	G	Cyclohexane	F	G	G	Naphta	P	E	F
Amyl Acetate	E	E	G	Diesel Fuel	P	G	P	Nitric Acid	F	G	G
Amyl Alcohol	F	F	G	Diethanolamine	P	G	G	Nitrobenzene	P	F	P
Animal FATS™	G	E	E	Ethyl Acetate	F	G	G	Perchlorethylene	P	F	P
Aniline	P	E	G	Ethyl Alcohol	F	F	F	Perchloric Acid	F	G	G
Battery Acid	F	E	G	Ethylene Glycol	G	E	E	Phosphoric Acid 20%	F	E	G
Benzaldehyde	P	F	G	Ethyl Formate	G	E	G	Potassium Hydroxide	G	E	G
Benzene	F	G	F	Formic Acid	E	E	E	Propyl Acetate	F	G	F
Benzyl Alcohol	P	F	P	Furfural	F	G	G	Propyl Alcohol	G	E	E
Benzyl Chloride	P	G	E	Gasoline (cracked)	P	E	F	Sodium Chloride	G	E	G
Butane	P	F	F	Gasoline (SR)	P	E	F	Sodium Hydroxide	G	E	G
Butter	F	G	F	Glycerine	E	E	G	Stearic Acid	E	E	E
Buttermilk	F	E	G	Hexane	F	G	F	Sulfuric Acid	F	G	G
Butyl Acetate	F	E	E	Hydrobromic Acid	G	E	G	Tannic Acid	E	E	E
Butyl Alcohol	F	F	G	Hydrochloric Acid	F	G	G	Toluene	P	F	P
Calcium Chloride	E	E	G	Hydrofluoric Acid	P	P	G	Toluol	P	G	P
Calcium Hypochlorite	E	E	G	Hydrogen Peroxide	G	G	E	Trichlorethylene	F	G	F
Carbolic Acid	G	E	G	Hydrogen Sulfide	F	G	G	Triethanolamine	F	G	G
Carbon Disulfide	E	F	E	Isopropyl Alcohol	G	E	G	Trinitrotoluene	P	F	G
Carbon Tetrachloride	F	F	G	Lactic Acid	E	E	E	Turpentine	P	E	G
Carbonic Acid	P	G	F					Xylol	P	G	P

LACROSSE® ASSUMES NO RESPONSIBILITY FOR THE SUITABILITY OF AN END USER'S PRODUCT SELECTION FOR A SPECIFIC APPLICATION. UPON REQUEST, WE WILL PROVIDE SAMPLES TO AID THE USER IN DETERMINING SUITABILITY.

ALPHA AGGRESSIVE CHEMICAL RESISTANCE

TEST PERFORMED:

CHEMICAL PENETRATION

TEST METHOD USED:

ASTM F 903

TESTING THESE INDUSTRY CHEMICALS:

ACETONE	BROMINE	ETHYLENE GLYCOL	HYDROGEN PEROXIDE (50%)	PHOSPHORIC ACID
AMMONIUM HYDROXIDE (30%)	BUTYL ALCOHOL	FORMIC ACID	METHYL ETHYL KETONE	SODIUM HYDROXIDE (50%)
AMMONIUM SULFATE (30%)	CARBON DISULFIDE	GAS (UNLEADED)	NAPHTHA	SULFURIC ACID (30%)
ANILINE	CHLOROX	HYDROCHLORIC ACID (30%)	NITRIC ACID (70%)	TOLUNE
BENZENE	DIESEL FUEL	HYDROFLUORIC ACID (50%)	OLEIC ACID	XYLOL FIDE

SPOG CHEMICAL RESISTANCE

TEST PERFORMED:

CHEMICAL PENETRATION

TEST METHOD USED:

ASTM F 903

SPOG TESTED TO ALL 25 CHEMICALS LISTED ABOVE FOR ALPHA AGGRESSIVE PLUS THESE ADDITIONAL CHEMICALS:

PETROLEUM DISTILLATES
METHANOL
ISOPROPYL ALCOHOL

4X ALPHA NEW



202100 // 4XBURLY

FEATURES

- 1 Natural hand-laid rubber over 7mm insulating neoprene
- 2 Uncompromising waterproof protection from LaCrosse® Alpha Construction
- 3 Quad Core® technology underfoot featuring four layers of cushioning and support
- 4 Contoured Ankle-Fit design to prevent heel slippage
- 5 Back gusset and strap with adjustable fit for various leg sizes
- 6 Shin guard for added protection and durability
- 7 Nylon shank
- 8 Removable PU footbed
- 9 4xBurly outsole featuring slip resistant traction
- 10 30 day comfort guarantee

	STYLE	HEIGHT	WEIGHT	INSULATION	COLOR	AC	AF	EH
NEW	202100	16"	5.1 LBS	7MM NEOPRENE	BLACK	•	•	•

SIZES	7-14 WHOLE SIZES ONLY	LINING	JERSEY
SAFETY STANDARDS	MEETS ASTM F2892-11 EH		
TEMP RATING	-50°F		

ALPHA LITE PULL-ON



200063 // ALPHA LITE



200062

FEATURES

- 1 Natural, hand-laid rubber over 5mm insulating neoprene
- 2 Uncompromising waterproof protection from LaCrosse® Alpha Construction
- 3 Contoured Ankle Fit design to prevent heel slippage
- 4 Removable EVA footbed
- 5 Alpha Lite outsole for excellent traction in mud

	STYLE	HEIGHT	WEIGHT	INSULATION	COLOR	AC	AF	EH
	200062	16"	4 LBS	5MM NEOPRENE	GREEN	•	•	•
	200063	16"	4 LBS	5MM NEOPRENE	BLACK	•	•	•

SIZES	6-15 WHOLE SIZES ONLY	LINING	JERSEY
SAFETY STANDARDS	MEETS ASTM F2892-11 EH		
TEMP RATING	-30°F		

ALPHA MUDLITE



200240 // MUDLITE

FEATURES

- 1 Natural, hand-laid rubber over 5mm insulating neoprene
- 2 Uncompromising waterproof protection from LaCrosse® Alpha Construction
- 3 Abrasion resistant protection from LaCrosse® Brush Tuff bi-directional material
- 4 Available with adjustable back gusset and strap
- 5 Contoured Ankle Fit design to prevent heel slippage
- 6 Air circulation inside the boot from LaCrosse® Air Circ system
- 7 Removable EVA footbed
- 8 Safety toe protection
- 9 Non-exposed floatable rubber shock absorbing midsole
- 10 Mudlite rubber cup outsole featuring oil and slip resistant traction

STYLE	HEIGHT	WEIGHT	INSULATION	COLOR	AC	ST	EH	AF	BT	ACS
200240	16"	6.2 LBS	5MM NEOPRENE	BLACK	•	•	•	•	•	•

SIZES 6-15 WHOLE SIZES ONLY **LINING** BREATHABLE MESH

SAFETY STANDARDS STEEL TOE MEETS OR EXCEEDS ASTM F2413-11 M I/75 C/75 EH

TEMP RATING -40°

SPOG



426056 // VIBRAM® SPOG



426045

426047

FEATURES

- 1 Seamless exterior of chemical resistant dipped latex neoprene
- 2 Adjustable back gusset and strap
- 3 Lightweight non-metallic toe protection (426047, 426056)
- 4 Breathable air mesh lining
- 5 Removable EVA footbed
- 6 Fiberglass shank
- 7 LaCrosse® SPOG chemical resistant nitrile rubber cup outsole featuring oil and slip resistant traction (426045, 426047)
- 8 Vibram® SPOG cup outsole featuring Vibram® Fire & Ice compound for durability and grip on dry and wet terrain, combined with a tread pattern designed for oil and slip resistance. (426056)
- 9 Chemically tested against 28 industry chemicals, including most common chemicals found in the hydraulic fracturing industry, see category tab for chart

STYLE	HEIGHT	WEIGHT	INSULATION	COLOR	CR	AF	ST	EH
426045	16"	5.3 LBS	NONE	OLIVE GREEN	•	•		
426047	16"	5.9 LBS	NONE	OLIVE GREEN	•	•	•	•
426056	16"	5.9 LBS	NONE	OLIVE GREEN	•	•	•	•

SIZES 6-15 WHOLE SIZES ONLY **LINING** AIR MESH **SAFETY STANDARDS** NON-METALLIC TOE MEETS OR EXCEEDS ASTM F2413-11 M I/75 C/75 EH, 426045 MEET ASTM F2892-11 EH. UPPER TESTED TO ASTM F903

PROCEDURE FOR A CHEMICAL PENETRATION RESISTANCE

COMPONENTS  

ALPHA AGGRESSIVE



00426040 // VIBRAM® 132 MONTAGNA

FEATURES

- 1 Natural, hand-laid, tear and chemical resistant rubber over 3.5mm insulating neoprene
- 2 Uncompromising waterproof protection from LaCrosse® Alpha Construction
- 3 Adjustable back gusset and strap
- 4 Contoured Ankle Fit design to prevent heel slippage
- 5 Steel toe safety protection
- 6 Removable EVA footbed
- 7 Fiberglass shank
- 8 Vibram® 132 Montagna outsole featuring a 90° heel and oil and slip resistant traction
- 9 Chemically tested against 25 industry chemicals, see category tab for chart

STYLE	HEIGHT	WEIGHT	INSULATION	COLOR	AC	ST	EH	CR	AF
00426040	16"	5.1 LBS	3.5MM NEOPRENE	BROWN	•	•			
SIZES	6-15 WHOLE SIZES ONLY		LINING	NYLON					
SAFETY STANDARDS	STEEL TOE MEETS OR EXCEEDS ASTM F2413-11 M I/75 C/75 EH								
UPPER TESTED TO ASTM F903 PROCEDURE A FOR CHEMICAL PENETRATION RESISTANCE									
COMPONENTS									
TEMP RATING	-20°F								

INSULATED ALPHA AGGRESSIVE



426050 // MUDLITE

FEATURES

- 1 Natural, hand-laid, tear and chemical resistant rubber over 3.5mm insulating neoprene
- 2 Uncompromising waterproof protection from LaCrosse® Alpha Construction
- 3 Adjustable back gusset and strap
- 4 800G Thinsulate™ Ultra Insulation
- 5 Contoured Ankle Fit design to prevent heel slippage
- 6 Lightweight non-metallic toe protection
- 7 Non-exposed floatable shock absorbing midsole
- 8 Open cell PU footbed
- 9 Fiberglass shank
- 10 Mudlite rubber cup outsole featuring oil and slip resistant traction
- 11 Chemically tested against 25 industry chemicals; see category tab for chart

STYLE	HEIGHT	WEIGHT	INSULATION	COLOR	AC	ST	EH	CR	AF
426050	16"	5.1 LBS	800G THINSULATE™ ULTRA	BLACK	•	•	•	•	
SIZES	6-15 WHOLE SIZES ONLY		LINING	NYLON					
SAFETY STANDARDS	NON-METALLIC TOE MEETS OR EXCEEDS ASTM F2413-11 M I/75 C/75 EH UPPER TESTED TO ASTM F903 PROCEDURE A FOR CHEMICAL PENETRATION RESISTANCE								
COMPONENTS									
TEMP RATING	-50°F								

META-PAC AP



00228265 // VIBRAM® 132 MONTAGNA

FEATURES

- 1 Natural, hand-laid ZXT ozone and tear resistant rubber
- 2 Uncompromising waterproof protection
- 3 Lace-up capability for an adjustable secure fit
- 4 Double layer abrasion resistant toe guard
- 5 Internal reinforced rubber heel and ankle
- 6 Lightweight alloy protective toe and non-metallic metatarsal guard
- 7 Lightweight Flex-Shield II puncture resistant midsole
- 8 Removable PU footbed with added breathability
- 9 Fiberglass shank
- 10 Vibram® 132 Montagna outsole with flanged out construction featuring a 90° heel and oil and slip resistant traction

STYLE	HEIGHT	WEIGHT	INSULATION	COLOR	ST	EH	MG	PR
00228265	16"	8.8 LBS	NONE	BLACK	•	•		
SIZES	6-15 WHOLE SIZES ONLY		LINING	NYLON				
SAFETY STANDARDS	ALLOY TOE, FLEX-SHIELD II MIDSOLE AND FLOATING METATARSAL GUARD MEETS OR EXCEEDS ASTM F2413-11 M I/75 C/75 Mt/75 EH PR							
COMPONENTS								

16" META-PAC



00228050 // VIBRAM® 132 MONTAGNA

FEATURES

- 1 Natural, hand-laid ZXT ozone and tear resistant rubber
- 2 Uncompromising waterproof protection
- 3 Lace-up capability for an adjustable secure fit
- 4 Double layer abrasion resistant toe guard
- 5 Safety toe and metatarsal guard protection
- 6 Removable EVA footbed
- 7 Fiberglass shank
- 8 Vibram® 132 Montagna outsole featuring a 90° heel and oil and slip resistant traction
- 9 Extended sizing available for women

STYLE	HEIGHT	WEIGHT	INSULATION	COLOR	ST	EH	MG
00228050	16"	6.7 LBS	NONE	BLACK	•	•	•
EXTENDED SIZES	3-15 WHOLE SIZES ONLY		LINING	NYLON			
SAFETY STANDARDS	STEEL TOE AND FLOATING METATARSAL GUARD MEETS OR EXCEEDS ASTM F2413-11 M I/75 C/75 Mt/75 EH						
COMPONENTS							

12" META-PAC



00228040 // TRAC-LITE

FEATURES

- 1 Natural, hand-laid ZXT ozone and tear resistant rubber
- 2 Uncompromising waterproof protection
- 3 Lace-up capability for an adjustable secure fit
- 4 Double layer abrasion resistant toe guard
- 5 Contoured Ankle Fit design to prevent heel slippage
- 6 Safety toe and metatarsal guard protection
- 7 Removable EVA footbed
- 8 Puncture resistant midsole
- 9 Fiberglass shank
- 10 Trac-Lite outsole featuring slip resistant traction

STYLE	HEIGHT	WEIGHT	INSULATION	COLOR	ST	EH	MG	PR	AF
00228040	12"	6.3 LBS	NONE	BLACK	•	•	•	•	•
SIZES	6-14 WHOLE SIZES ONLY		LINING	NYLON					
SAFETY STANDARDS STEEL TOE, STEEL MIDSOLE AND FLOATING METATARSAL GUARD MEETS OR EXCEEDS									
ASTM F2413-11 M I/75 C/75 Mt/75 EH PR									

16" META



00228260 // TRAC-LITE

FEATURES

- 1 Natural, hand-laid ZXT ozone and tear resistant rubber
- 2 Uncompromising waterproof protection
- 3 Safety toe and metatarsal guard protection
- 4 Removable EVA footbed
- 5 Puncture resistant midsole
- 6 Fiberglass shank
- 7 Trac-Lite outsole featuring slip resistant traction

STYLE	HEIGHT	WEIGHT	INSULATION	COLOR	ST	EH	MG	PR	
00228260	16"	6.6 LBS	NONE	BLACK	•	•	•	•	
SIZES	6-16 WHOLE SIZES ONLY		LINING	NYLON					
SAFETY STANDARDS STEEL TOE, STEEL MIDSOLE AND FULL METATARSAL GUARD MEETS OR EXCEEDS									
ASTM F2413-11 M I/75 C/75 Mt/75 EH PR									

32" MET HIP BOOT



24509099 // TRAC-LITE

FEATURES

- 1 Natural, hand-laid ZXT ozone and tear resistant rubber
- 2 Uncompromising waterproof protection
- 3 Double layer abrasion resistant toe guard and shovel arch protection
- 4 Safety toe and metatarsal guard protection
- 5 Removable EVA footbed
- 6 Puncture resistant midsole
- 7 Fiberglass shank
- 8 Trac-Lite outsole featuring slip resistant traction

STYLE	HEIGHT	WEIGHT	INSULATION	COLOR	ST	EH	MG	PR
24509099	32"	8.0 LBS	NONE	BLACK	•	•	•	•

SIZES 7-15 WHOLE SIZES ONLY **LINING** CANVAS

SAFETY STANDARDS STEEL TOE, STEEL MIDSOLE AND FLOATING METATARSAL GUARD MEETS OR EXCEEDS

ASTM F2413-11 M I/75 C/75 Mt/75 EH PR

16" PROTECTA



00227050 // TRAC-LITE

FEATURES

- 1 Natural, hand-laid ZXT ozone and tear resistant rubber
- 2 Uncompromising waterproof protection
- 3 Top strap for an adjustable secure fit
- 4 Safety toe and metatarsal guard protection
- 5 Removable EVA footbed
- 6 Puncture resistant midsole
- 7 Fiberglass shank
- 8 Trac-Lite outsole featuring slip resistant traction

STYLE	HEIGHT	WEIGHT	INSULATION	COLOR	ST	EH	MG	PR
00227050	16"	6.6 LBS	NONE	RUST	•	•	•	•

SIZES 6-14 WHOLE SIZES ONLY **LINING** NYLON

SAFETY STANDARDS STEEL TOE, STEEL MIDSOLE AND FULL METATARSAL GUARD MEETS OR EXCEEDS

ASTM F2413-11 M I/75 C/75 Mt/75 EH PR

16" PAC



00223050 // TRAC-LITE

FEATURES

- 1 Natural, hand-laid ZXT ozone and tear resistant rubber
- 2 Uncompromising waterproof protection
- 3 Top strap for an adjustable secure fit
- 4 Double layer abrasion resistant toe guard
- 5 Contoured Ankle Fit design to prevent heel slippage
- 6 Safety toe protection
- 7 Removable EVA footbed
- 8 Steel shank
- 9 Trac-Lite outsole featuring slip resistant traction
- 10 Extended sizing available for women

STYLE	HEIGHT	WEIGHT	INSULATION	COLOR	ST	EH	AF
00223050	16"	4.5 LBS	NONE	RUST	•	•	•
EXTENDED SIZES		3-16 WHOLE SIZES ONLY		LINING	NYLON		
SAFETY STANDARDS STEEL TOE MEETS OR EXCEEDS ASTM F2413-11 M I/75 C/75 EH							

12" INSULATED PAC



00223120 // TRAC-LITE

FEATURES

- 1 Natural, hand-laid ZXT ozone and tear resistant rubber
- 2 Uncompromising waterproof protection
- 3 Lace-up capability for an adjustable secure fit
- 4 Double layer abrasion resistant toe guard
- 5 Polymeric foam insulation and 9mm felt midsole
- 6 Contoured Ankle Fit design to prevent heel slippage
- 7 Safety toe protection
- 8 Removable EVA footbed
- 9 Steel shank
- 10 Trac-Lite outsole featuring slip resistant traction

STYLE	HEIGHT	WEIGHT	INSULATION	COLOR	ST	EH	AF
00223120	12"	6.0 LBS	FOAM	RED	•	•	•
SIZES		6-16 WHOLE SIZES ONLY		LINING	NYLON		
SAFETY STANDARDS STEEL TOE MEETS OR EXCEEDS ASTM F2413-11 M I/75 C/75 EH							

ZXT GUARDSMAN



232050 // CHEVRON CLEATED

FEATURES

- 1 Natural, hand-laid ZXT ozone and tear resistant rubber
- 2 Uncompromising waterproof protection
- 3 Contoured Ankle Fit design to prevent heel slippage
- 4 Top strap for an adjustable secure fit
- 5 Removable EVA footbed
- 6 Steel shank
- 7 Chevron Cleated outsole featuring slip resistant traction and debris release

STYLE	HEIGHT	WEIGHT	INSULATION	COLOR	EH	AF
232050	16"	4.4 LBS	NONE	RUST	•	•
SIZES	6-13 WHOLE SIZES ONLY		LINING	NYLON		
SAFETY STANDARDS	MEETS ASTM F2892-11 EH					

ZXT KNEE BOOT



189010 // TRAC-LITE



267180

FEATURES

- 1 Natural, hand-laid ZXT ozone and tear resistant rubber
- 2 Uncompromising waterproof protection
- 3 Double layer abrasion resistant toe guard and shovel arch protection
- 4 Available with polymeric foam insulation and 9mm felt midsole (189010)
- 5 Removable EVA footbed
- 6 Fiberglass shank
- 7 Trac-Lite outsole featuring slip resistant traction

STYLE	HEIGHT	WEIGHT	INSULATION	COLOR	EH
189010	16"	4.5 LBS	FOAM	BLACK	•
267180	16"	4.0 LBS	NONE	BLACK	•
SIZES	189010 6-15 WHOLE SIZES ONLY; 267180 6-16 WHOLE SIZES ONLY		LINING	NYLON	
SAFETY STANDARDS	MEETS ASTM F2892-11 EH				

PREMIUM KNEE BOOT



00101110 // TRAC-LITE



00267220

FEATURES

- 1 Natural, hand-laid ZXT ozone and tear resistant rubber
- 2 Uncompromising waterproof protection
- 3 Double layer abrasion resistant toe guard and shovel arch protection
- 4 Safety toe protection
- 5 Available with puncture resistant midsole protection (00101110)
- 6 Removable EVA footbed
- 7 Fiberglass shank (00101110)
- 8 Steel shank (00267220)
- 9 Trac-Lite outsole featuring slip resistant traction

STYLE	HEIGHT	WEIGHT	INSULATION	COLOR	ST	EH	PR
00101110	16"	5.8 LBS	NONE	BLACK	•	•	•
00267220	16"	5.5 LBS	NONE	BLACK	•	•	•

SIZES 6-16 WHOLE SIZES ONLY **LINING** NYLON

SAFETY STANDARDS 00101110 STEEL TOE & MIDSOLE MEETS OR EXCEEDS ASTM F2413-11 M I/75 C/75 EH PR

00267220 STEEL TOE MEETS OR EXCEEDS ASTM F2413-11 M I/75 C/75 EH

ECONOMY KNEE BOOT



24009043 // DIAMOND BAR



24009033

FEATURES

- 1 Natural, hand-laid rubber
- 2 Uncompromising waterproof protection
- 3 Double layer abrasion resistant toe guard
- 4 Safety toe protection
- 5 Removable EVA footbed
- 6 Steel shank
- 7 Diamond Bar outsole featuring slip resistant traction

	STYLE	HEIGHT	WEIGHT	INSULATION	COLOR	ST	EH
NEW	24009033	16"	5.0 LBS	NONE	BLACK	•	•
	24009043	16"	5.1 LBS	NONE	BLACK	•	•

SIZES 5-16 WHOLE SIZES ONLY **LINING** NYLON

SAFETY STANDARDS 24009043 STEEL TOE MEETS OR EXCEEDS ASTM F2413-11 M I/75 C/75 EH

ECONOMY HIP BOOT



24009091 // DIAMOND BAR

FEATURES

- 1 Natural, hand-laid rubber
- 2 Uncompromising waterproof protection
- 3 Double layer abrasion resistant toe guard
- 4 Canvas lining and pull straps
- 5 Safety toe protection
- 6 Removable EVA footbed
- 7 Steel shank
- 8 Diamond Bar outsole featuring slip resistant traction

STYLE	HEIGHT	WEIGHT	INSULATION	COLOR	ST	EH
24009091	32"	7.0 LBS	NONE	BLACK	•	•
SIZES		5-16 WHOLE SIZES ONLY	LINING		CANVAS	
SAFETY STANDARDS		STEEL TOE MEETS OR EXCEEDS ASTM F2413-11 M I/75 C/75 EH				

PREMIUM HIP BOOT



00152030 // TRAC-LITE

FEATURES

- 1 Natural, hand-laid ZXT ozone and tear resistant rubber
- 2 Uncompromising waterproof protection
- 3 Canvas lining and pull straps
- 4 Internal reinforced rubber heel and ankle zones
- 5 Removable EVA footbed
- 6 Fiberglass shank
- 7 Trac-Lite outsole featuring slip resistant traction

STYLE	HEIGHT	WEIGHT	INSULATION	COLOR	EH
00152030	32"	9.3 LBS	NONE	BLACK	•
SIZES		6-15 WHOLE SIZES ONLY	LINING		CANVAS
SAFETY STANDARDS		MEETS ASTM F2892-11 EH			

INSULATED STORM HIP BOOT



00109050 // TRAC-LITE

FEATURES

- 1 Natural, hand-laid ZXT ozone and tear resistant rubber
- 2 Uncompromising waterproof protection
- 3 Double layer abrasion resistant toe guard
- 4 Canvas lining and pull straps
- 5 Polymeric foam insulation and 8mm felt midsole
- 6 Safety toe protection
- 7 Removable EVA footbed
- 8 Puncture resistant midsole
- 9 Steel shank
- 10 Trac-Lite outsole featuring slip resistant traction

STYLE	HEIGHT	WEIGHT	INSULATION	COLOR	ST	EH	PR
00109050	31"	8.3 LBS	FOAM	BLACK	•	•	•

SIZES	6-16 WHOLE SIZES ONLY	LINING	CANVAS
SAFETY STANDARDS	STEEL TOE AND MIDSOLE MEETS OR EXCEEDS ASTM F2413-11 M I/75 C/75 EH PR		

ZXT IRRIGATION HIP BOOT



267260 // TRAC-LITE

FEATURES

- 1 Natural, hand-laid ZXT ozone and tear resistant rubber
- 2 Uncompromising waterproof protection
- 3 Top strap for an adjustable secure fit
- 4 Heavy duty cotton duck lining
- 5 Foam footbed
- 6 Fiberglass shank
- 7 Trac-Lite outsole featuring slip resistant traction
- 8 Extended sizing available for women

STYLE	HEIGHT	WEIGHT	INSULATION	COLOR
267260	26"	6.7 LBS	NONE	OD GREEN

EXTENDED SIZES	4-16 WHOLE SIZES ONLY	LINING	COTTON DUCK
SAFETY STANDARDS	MEETS ASTM F2892-11 EH		

ZXT INSULATOR III



191200 // TRAC-LITE

FEATURES

- 1 Natural, hand-laid ZXT ozone and tear resistant rubber
- 2 Uncompromising waterproof protection
- 3 Internal reinforced rubber leg and stomach zones
- 4 Polymeric foam insulation and 9.0mm wool felt insole
- 5 Removable EVA footbed
- 6 Steel shank
- 7 Trac-Lite outsole featuring slip resistant traction
- 8 Suspenders available on (page 66)

STYLE	HEIGHT	WEIGHT	INSULATION	COLOR	EH
191200	CHEST	16.2 LBS	FOAM	BLACK	•
SIZES	6-15 WHOLE SIZES ONLY		LINING	CANVAS	
SAFETY STANDARDS	MEETS ASTM F2892-11 EH				

13" UTAH BROGUE II OVERSHOE



100030 // DIAMOND CHEVRON

FEATURES

- 1 Natural, hand-laid ZXT ozone and tear resistant rubber
- 2 Uncompromising waterproof protection
- 3 Designed to fit over protective toe footwear
- 4 Top strap for an adjustable secure fit
- 5 Diamond Chevron outsole won't track mud or dirt

STYLE	HEIGHT	WEIGHT	INSULATION	COLOR
100030	13"	4.0 LBS	NONE	BLACK
SIZES	6-16 WHOLE SIZES ONLY		LINING	NYLON

ZXT BUCKLE DEEP HEEL OVERSHOE



00267090 // HEX-TREAD



00267140

FEATURES

- 1 Natural, hand-laid ZXT ozone and tear resistant rubber
- 2 Uncompromising waterproof protection
- 3 Designed to fit over deep heel footwear
- 4 Non-corrosive metal buckles for an adjustable secure fit
- 5 3M™ Scotchlite™ Reflective Material wraps heel
- 6 Hex-Tread outsole for increased stability and traction on ladder rungs
- 7 Extended sizing available for women (00267140)

STYLE	HEIGHT	WEIGHT	INSULATION	COLOR
00267090	5"	4.0 LBS	NONE	BLACK
00267140	14"	5.8 LBS	NONE	BLACK

EXTENDED SIZES 00267090 6-16 WHOLE SIZES ONLY; 00267140 4-16 WHOLE SIZES ONLY

LINING NYLON

COMPONENTS 3M Scotchlite™ Reflective Material

ZXT BUCKLE WEDGE OVERSHOE



267110 // HEX-TREAD



267190

FEATURES

- 1 Natural, hand-laid ZXT ozone and tear resistant rubber
- 2 Uncompromising waterproof protection
- 3 Designed to fit over wedge or flat heel footwear
- 4 Non-corrosive metal buckles for an adjustable secure fit
- 5 3M™ Scotchlite™ Reflective Material wraps heel
- 6 Hex-Tread outsole for increased stability and traction on ladder rungs

STYLE	HEIGHT	WEIGHT	INSULATION	COLOR
267110	5"	4.0 LBS	NONE	BLACK
267190	14"	5.8 LBS	NONE	BLACK

SIZES 6-16 WHOLE SIZES ONLY **LINING** NYLON

COMPONENTS 3M Scotchlite™ Reflective Material

5" ATS OVERSHOE



229107 // ATS OVERSHOE

FEATURES

- 1 Natural, hand-laid ZXT ozone and tear resistant rubber
- 2 Uncompromising waterproof protection
- 3 Designed to fit over deep heel footwear
- 4 Non-corrosive metal buckles for an adjustable secure fit
- 5 3M™ Scotchlite™ Reflective Material wraps heel
- 6 Industrial strength Carbide studs
- 7 ATS Overshoe outsole features an industrial strength patented stud design which is slip resistant on hard and soft surfaces

STYLE	HEIGHT	WEIGHT	INSULATION	COLOR
229107	5"	5.2 LBS	NONE	BLACK

SIZES	6-18 WHOLE SIZES ONLY	LINING	FLEECE
--------------	-----------------------	---------------	--------

COMPONENTS	3M Scotchlite™ Reflective Material
-------------------	------------------------------------

Z SERIES OVERSHOE



266100 // DIAMOND CHEVRON



266200



266160

FEATURES

- 1 Natural, hand-laid rubber
- 2 Uncompromising waterproof protection
- 3 Designed to fit over flat heel footwear
- 4 Non-corrosive metal buckles for an adjustable secure fit
- 5 Diamond Chevron outsole won't track mud or dirt

STYLE	HEIGHT	WEIGHT	INSULATION	COLOR
266100	5"	2.8 LBS	NONE	BLACK
266160	11"	4.0 LBS	NONE	BLACK
266200	14"	5.0 LBS	NONE	BLACK

SIZES	6-16 WHOLE SIZES ONLY	LINING	NYLON
--------------	-----------------------	---------------	-------

12" ATS OVERSHOE



229108 // ATS OVERSHOE

FEATURES

- 1 Natural, hand-laid ZXT ozone and tear resistant rubber
- 2 Uncompromising waterproof protection
- 3 Designed to fit over deep heel footwear
- 4 Non-corrosive metal buckles for an adjustable secure fit
- 5 3M™ Scotchlite™ Reflective Material wraps heel
- 6 Fleece lining
- 7 Industrial strength Carbide studs
- 8 ATS Overshoe outsole features an industrial strength patented stud design which is slip resistant on hard and soft surfaces

STYLE	HEIGHT	WEIGHT	INSULATION	COLOR
229108	12"	5.2 LBS	NONE	BLACK
SIZES	6-18 WHOLE SIZES ONLY		LINING	FLEECE
COMPONENTS	3M Scotchlite™ Reflective Material			

PERMAFROST



464550 // PERMAFROST

FEATURES

- 1 Vulcanized black rubber shell bottom with waterproof full-grain leather upper
- 2 100% waterproof Dry-Core® lining
- 3 Abrasion resistant PU coated leather protection
- 4 3M™ Scotchlite™ reflective piping for increased visibility
- 5 1000G Thinsulate™ Ultra Insulation
- 6 Lightweight non-metallic toe protection
- 7 Removable dual-density footbed with TPU arch support and PU toe to heel cushioning and protection
- 8 Fiberglass shank
- 9 LaCrosse® Permafrost outsole is an ultra aggressive design featuring a deep lug pattern, a 90° heel for extreme traction in snow and ice, and oil and slip resistant traction

STYLE	HEIGHT	WEIGHT	INSULATION	COLOR	DC	ST	EH
464550	10"	6.7 LBS	1000G THINSULATE™ ULTRA	BLACK	•	•	•
SIZES	6-15 WHOLE SIZES ONLY		LINING	DRY-CORE®			
SAFETY STANDARDS	NON-METALLIC TOE MEETS OR EXCEEDS ASTM F2413-11 M I/75 C/75 EH						
COMPONENTS	Thinsulate™ Ultra INSULATION 3M Scotchlite™ Reflective Material						
TEMP RATING	-70°F						



00367215 // TRAC-LITE

FEATURES

- 1 Vulcanized black rubber shell bottom with full-grain leather upper
- 2 Uncompromising waterproof protection
- 3 400G Thinsulate™ Ultra Insulation
- 4 Lightweight non-metallic safety toe
- 5 Removable five-layer, insulated, heat-reflecting Radiantex® liner
- 6 Steel shank
- 7 Trac-Lite outsole featuring slip resistant traction and is ideal for use on ladder rungs

STYLE	HEIGHT	WEIGHT	INSULATION	COLOR	ST	EH
00367215	12"	6.0 LBS	400G THINSULATE™ ULTRA	BLACK	•	•
SIZES	6-15 WHOLE SIZES ONLY		LINING	RADIANTEX®		
SAFETY STANDARDS	NON-METALLIC TOE MEETS OR EXCEEDS ASTM F2413-11 M I/75 C/75 EH					
COMPONENTS	Thinsulate™ Ultra					
TEMP RATING	-70°F					




LEATHER WORK

LACROSSE QUAD TECHNOLOGY

LACROSSE® QUAD TECHNOLOGY IS A LAYERED PLATFORM SYSTEM THAT PROVIDES THE BEST IN COMFORT, STABILITY AND DURABILITY.

90 DAY
COMFORT GUARANTEE



- 1** Rugged lightweight outsole
- 2** Cushioning and supportive midsole
- 3** Pressure point cushioning for impact resistance
- 4** Stabilizing shank for maximum boot stability
- 5** Shock absorbing layer for underfoot cushioning
- 6** Cushioning footbed

We build more than just product, we build solutions. Solutions we stand by. Solutions that last. It's our focus and dedication to engineer footwear that stands up to your expectations and when it comes to our work boots with Quad technology, we are willing to put these solutions to the test.

If, within 90 days of purchase, you are not satisfied with the comfort and performance of your LaCrosse leather work boots featuring Quad technology, return them with proof of purchase to the retailer you purchased them from for a full refund.

90 DAY

Styles with this mark feature Quad technology and are backed by our 90 day comfort guarantee.

SURVEYOR NEW



90 DAY



402732 // SURVEYOR

FEATURES

- 1 Oiled nubuc leather
- 2 100% waterproof Dry-Core® lining
- 3 Quad Core® welt technology featuring four layers of cushioning and support
- 4 Flex-Shield II flexible, non-metallic puncture resistant midsole and lightweight non-metallic safety toe protection
- 5 Removable PU molded footbed
- 6 Fiberglass shank
- 7 Durable welt construction with Surveyor outsole featuring rugged, oil and slip resistant traction
- 8 90 day comfort guarantee



STYLE	HEIGHT	WEIGHT	INSULATION	COLOR	DC	EH	PR	QC	ST
NEW 402732	8"	4.8 LBS	NONE	BROWN	•	•	•	•	•

SIZES 7-12, 13, 14, 15M; 7-12, 13, 14W **LINING** DRY-CORE®

SAFETY STANDARDS ASTM F2413-11 M I/75 C/75 EH PR AND CSA Z195-02 GRADE 1 ELECTRIC-SHOCK RESISTANCE

SURVEYOR 1000G NEW



90 DAY



402736 // SURVEYOR

FEATURES

- 1 Oiled nubuc leather
- 2 100% waterproof Dry-Core® lining
- 3 Quad Core® welt technology featuring four layers of cushioning and support
- 4 Flex-Shield II flexible, non-metallic puncture resistant midsole and lightweight non-metallic safety toe protection
- 5 1000G Thinsulate™ Ultra Insulation
- 6 Removable PU molded footbed
- 7 Fiberglass shank
- 8 Surveyor outsole featuring Winter Master rubber compound for superior performance with oil and slip resistant traction in cold weather environments
- 9 90 day comfort guarantee



STYLE	HEIGHT	WEIGHT	INSULATION	COLOR	DC	EH	PR	QC	ST
NEW 402736	8"	5.2 LBS	1000G THINSULATE ULTRA	BROWN	•	•	•	•	•

SIZES 7-12, 13, 14, 15M; 7-12, 13, 14W **LINING** DRY-CORE®

SAFETY STANDARDS ASTM F2413-11 M I/75 C/75 EH PR AND CSA Z195-02 GRADE 1 ELECTRIC-SHOCK RESISTANCE

COMPONENTS Thinsulate™ Ultra INSULATION

TALLGRASS SQUARE TOE

90 DAY



467213, 467215



467211 // TALLGRASS

FEATURES

- 1 Full-grain leather upper
- 2 100% waterproof Dry-Core® lining (467213, 467215)
- 3 Quad Core® welt technology featuring four layers of cushioning and support
- 4 Removable PU molded footbed
- 5 Fiberglass shank
- 6 Durable welt construction with Tallgrass outsole featuring a 90° heel and oil and slip resistant traction
- 7 90 day comfort guarantee

STYLE	HEIGHT	WEIGHT	INSULATION	COLOR	ST	EH	QC	DC
467211	11"	4.0 LBS	NONE	TWO-TONE	•	•		
467213	11"	4.1 LBS	NONE	BROWN		•	•	•
467215	11"	5.0 LBS	NONE	BROWN	•	•	•	•

SIZES 7-12, 13, 14M; 8-12, 13W

LINING 467213, 467215 DRY-CORE®

SAFETY STANDARDS 467215 NON-METALLIC TOE MEETS OR EXCEEDS ASTM F2413-11 M I/75 C/75 EH

467211, 467213 MEETS ASTM F2892-11 EH

TALLGRASS WESTERN TOE

90 DAY



467223, 467225



467221 // TALLGRASS

FEATURES

- 1 Full-grain leather upper
- 2 100% waterproof Dry-Core® lining (467223, 467225)
- 3 Quad Core® welt technology featuring four layers of cushioning and support
- 4 Removable PU molded footbed
- 5 Fiberglass shank
- 6 Durable welt construction with Tallgrass outsole featuring a 90° heel and oil and slip resistant traction
- 7 90 day comfort guarantee

STYLE	HEIGHT	WEIGHT	INSULATION	COLOR	ST	EH	QC	DC
467221	11"	3.9 LBS	NONE	TWO-TONE	•	•		
467223	11"	3.9 LBS	NONE	BROWN		•	•	•
467225	11"	4.8 LBS	NONE	BROWN	•	•	•	•

SIZES 7-12, 13, 14M; 8-12, 13W

LINING 467223, 467225 DRY-CORE®

SAFETY STANDARDS 467225 NON-METALLIC TOE MEETS OR EXCEEDS ASTM F2413-11 M I/75 C/75 EH

467221, 467223 MEETS ASTM F2892-11 EH

QUAD COMFORT® 4X6

90 DAY



460001, 460002



483001, 483003 // QUAD

FEATURES

- 1 Full-grain leather upper with padded collar
- 2 100% waterproof Dry-Core® lining
- 3 Dual-density molded EVA footbed
- 4 Quad Comfort® technology featuring four layers of cushioning and support
- 5 Nylon shank
- 6 Quad outsole featuring oil and slip resistant traction
- 7 Extended sizing available
- 8 90 day comfort guarantee

STYLE	HEIGHT	WEIGHT	INSULATION	COLOR	ST	EH	QC	DC
460001	6"	3.3 LBS	NONE	BROWN		•	•	•
460002	6"	4.0 LBS	NONE	BROWN	•	•	•	•
483001	6"	3.3 LBS	NONE	DARK BROWN		•	•	•
483003	6"	4.0 LBS	NONE	DARK BROWN	•	•	•	•

SIZES 483001, 483003 7-12, 13, 14, 15, 16M; 8-12, 13, 14W

EXTENDED SIZES 460001, 460002 4-12, 13, 14, 15, 16M; 4-12, 13W, 14, 15W

LINING DRY-CORE®

SAFETY STANDARDS 460002, 483003 STEEL TOE MEETS OR EXCEEDS ASTM F2413-11 M I/75 C/75 EH

460001, 483001 MEETS ASTM F2892-11 EH

QUAD COMFORT® 4X8

90 DAY



480001, 480002



483005, 483007, 483009
483011 // QUAD

FEATURES

- 1 Full-grain leather upper with wide padded collar
- 2 100% waterproof Dry-Core® lining
- 3 Dual-density molded EVA footbed
- 4 Quad Comfort® technology featuring four layers of cushioning and support
- 5 Nylon shank
- 6 Quad outsole featuring oil and slip resistant traction
- 7 Extended sizing available
- 8 90 day comfort guarantee

STYLE	HEIGHT	WEIGHT	INSULATION	COLOR	ST	EH	QC	DC
480001	8"	3.3 LBS	NONE	BROWN		•	•	•
480002	8"	4.0 LBS	NONE	BROWN	•	•	•	•
483005	8"	3.8 LBS	NONE	DARK BROWN		•	•	•
483007	8"	4.5 LBS	NONE	DARK BROWN	•	•	•	•
483009	8"	4.7 LBS	400G THINSULATE™ ULTRA	DARK BROWN		•	•	•
483011	8"	5.5 LBS	400G THINSULATE™ ULTRA	DARK BROWN	•	•	•	•

SIZES 483005, 483007, 483009, 483011 7-12, 13, 14, 15M; 8-12, 13, 14W

EXTENDED SIZES 480001, 480002 4-12, 13, 14, 15, 16M; 4-12, 13, 14W, 15W

LINING DRY-CORE®

SAFETY STANDARDS 480002, 483007, 483011 STEEL TOE MEETS OR EXCEEDS ASTM F2413-11 M I/75 C/75 EH

480001, 483005, 483009 MEETS ASTM F2892-11 EH

COMPONENTS Thinsulate® Ultra

QC WELLINGTON DC

90 DAY



670020, 670030 // QUAD 90

FEATURES

- 1 Full-grain leather upper with pull straps
- 2 100% waterproof Dry-Core® lining
- 3 Quad Comfort® footbed
- 4 Quad Comfort® technology featuring four layers of cushioning and support
- 5 Nylon shank
- 6 Quad 90 outsole featuring a 90° heel and oil and slip resistant traction
- 7 90 day comfort guarantee

STYLE	HEIGHT	WEIGHT	INSULATION	COLOR	ST	EH	QC	DC
670020	11"	3.1 LBS	NONE	BROWN		•	•	•
670030	11"	3.9 LBS	NONE	BROWN	•	•	•	•

SIZES 7-12, 13, 14M; 7-12, 13, 14W **LINING** DRY-CORE®

SAFETY STANDARDS 670030 STEEL TOE MEETS OR EXCEEDS ASTM F2413-11 M I/75 C/75 EH

670020 MEETS ASTM F2892-11 EH

ALTERRA



455040, 455042 // ALTERRA

FEATURES

- 1 Durable leather and nylon upper
- 2 100% waterproof Dry-Core® lining
- 3 Abrasion resistant heel and toe wrap
- 4 Single density molded EVA footbed
- 5 Fiberglass shank
- 6 Alterra rubber outsole featuring a 90° heel and oil and slip resistant traction

STYLE	HEIGHT	WEIGHT	INSULATION	COLOR	ST	EH	DC
455040	5"	3 LBS	NONE	BROWN		•	•
455042	5"	3.3 LBS	NONE	BROWN	•	•	•

SIZES 7-12, 13, 14M; 8-12, 13W **LINING** DRY-CORE®

SAFETY STANDARDS 455042 NON-METALLIC TOE MEETS OR EXCEEDS ASTM F2413-11 M I/75 C/75 EH

455040 MEETS ASTM F2892-11 EH

WORK LITE



461025, 461027



461029, 461031 // WORK LITE

FEATURES

- 1 Durable leather upper
- 2 100% waterproof Dry-Core® lining
- 3 Dual-density molded EVA footbed
- 4 Fiberglass shank
- 5 Ultra lightweight PU footbed
- 6 Work Lite outsole featuring a 90° heel and oil and slip resistant traction

STYLE	HEIGHT	WEIGHT	INSULATION	COLOR	ST	EH	DC
461025	6"	3 LBS	NONE	BROWN	•	•	•
461027	6"	3.5 LBS	NONE	BROWN	•	•	•
461029	8"	3.8 LBS	NONE	BROWN	•	•	•
461031	8"	4 LBS	NONE	BROWN	•	•	•

SIZES 7-12, 13, 14M; 8-12, 13W

LINING DRY-CORE®

SAFETY STANDARDS 461027, 461031 NON-METALLIC TOE MEETS OR EXCEEDS ASTM F2413-11 M I/75 C/75 EH

461025, 461029 MEETS ASTM F2892-11 EH

WOMEN'S LAURELWOOD



155380, 155620 // LAURELWOOD

FEATURES

- 1 Nubuc leather upper
- 2 Abrasion resistant heel wrap
- 3 100% waterproof Dry-Core® lining
- 4 Removable EVA footbed
- 5 Lightweight alloy protective toe (155380)
- 6 Nylon shank
- 7 Laurelwood outsole provides lightweight athletic performance with a 90° heel and oil and slip resistant traction

STYLE	HEIGHT	WEIGHT	INSULATION	COLOR	ST	EH	DC
155620	5"	2.4 LBS	NONE	BROWN	•	•	•
155380	5"	3.0 LBS	NONE	BROWN	•	•	•

SIZES WOMEN'S 5-11

LINING DRY-CORE®

SAFETY STANDARDS 155380 ALLOY TOE MEETS OR EXCEEDS ASTM F2413-11 F I/75 C/75 EH

155620 MEETS ASTM F2892-11 EH

HIGHWALL



00552085 // VIBRAM® HIGHWALL



00552089 // VIBRAM® 573 FIRE & ICE

FEATURES

- 1 2mm waterproof full-grain leather upper
- 2 Triple stitched for maximum durability
- 3 Vibram® pyramid rubber abrasion and chemical resistant toe and heel wrap
- 4 100% waterproof and breathable GORE-TEX® lining
- 5 Lightweight non-metallic protective toe and Flex-Shield II puncture resistant midsole flexible internal MetFlex metatarsal guard
- 6 Cushioning, quick drying dual-density footbed
- 7 Fiberglass shank
- 8 Vibram® Highwall outsole featuring a 90° heel, oil and slip resistant traction and foreign object debris release (00552085)
- 9 Vibram® 573 Fire & Ice outsole featuring a 90° heel and oil and slip resistant traction in extreme cold conditions (00552089)

STYLE	HEIGHT	WEIGHT	INSULATION	COLOR	ST	EH	MG	PR	CR
00552085	8"	5.0 LBS	NONE	BROWN	•	•	•	•	•
00552089	8"	6.4 LBS	1000G THINSULATE™ ULTRA	BROWN	•	•	•	•	•
SIZES	7-12, 13, 14, 15M; 7-12, 13, 14, 15W		LINING	GORE-TEX®					
SAFETY STANDARDS NON-METALLIC SAFETY TOE, FLEX-SHIELD II MIDSOLE & INTERNAL METFLEX MEETS OR EXCEEDS ASTM F2413-11 M I/75 C/75 Mt/75 EH PR AND CSA Z195-02 GRADE 1 ELECTRIC-SHOCK RESISTANCE									
COMPONENTS									

LONGWALL II



00553054 // VIBRAM® MALTESE

FEATURES

- 1 2mm waterproof full-grain leather upper
- 2 Triple stitched for maximum durability
- 3 3M™ Scotchlite™ reflective piping for increased visibility
- 4 Vibram® dual-density abrasion and chemical resistant rubber heel and toe wrap
- 5 100% waterproof and breathable GORE-TEX® lining
- 6 200G Thinsulate™ Insulation
- 7 Lightweight non-metallic protective toe and flexible internal MetFlex metatarsal guard
- 8 Removable dual-density footbed with TPU arch support and PU toe to heel cushioning and protection
- 9 Flex-Shield II flexible, non-metallic, puncture-resistant midsole
- 10 Fiberglass shank
- 11 Vibram® Maltese outsole featuring oil and slip resistant traction
- 12 Extended sizing available

STYLE	HEIGHT	WEIGHT	INSULATION	COLOR	ST	EH	MG	PR	CR
00553054	10"	6.2 LBS	200G THINSULATE™	BLACK	•	•	•	•	•
EXTENDED SIZES	4-12, 13, 14, 15M; 7-12, 13, 14, 15W; 8-12, 13, 14XW		LINING	GORE-TEX®					
SAFETY STANDARDS NON-METALLIC SAFETY TOE, FLEX-SHIELD II MIDSOLE & INTERNAL METFLEX MEETS OR EXCEEDS ASTM F2413-11 M I/75 C/75 Mt/75 EH PR AND CSA Z195-02 GRADE 1 ELECTRIC-SHOCK RESISTANCE									
COMPONENTS									

SAFETY PAC



367225 // BEAR TRAP

FEATURES

- 1 Full-grain leather upper
- 2 100% waterproof Dry-Core® lining
- 3 Abrasion resistant toe and heel wrap
- 4 1000G Thinsulate™ Ultra Insulation
- 5 Lightweight non-metallic safety toe
- 6 Lightweight PU coated EVA midsole
- 7 Nylon shank
- 8 Bear Trap outsole features a tread pattern design for equipment operation use in both indoor and outdoor cold weather and extreme cold weather environments

STYLE	HEIGHT	WEIGHT	INSULATION	COLOR	ST	EH	DC
367225	10"	6.8 LBS	1000G THINSULATE™ ULTRA	BLACK	•	•	•

SIZES	7-14 WHOLE SIZES ONLY	LINING	DRY-CORE®
SAFETY STANDARDS	NON-METALLIC TOE MEETS OR EXCEEDS ASTM F2413-11 M I/75 C/75 EH		
COMPONENTS	Thinsulate™ Ultra INSULATION		



ACCESSORIES

SOCK SIZING CHART

	M	L	XL
MEN'S	5-8.5	9-12	12.5-15
WOMEN'S	7.5-10	10.5-13.5	
YOUTH	12-2.5	3-6	

HUNT HEAVYWEIGHT



H60230



H60231



H60228

FEATURES

- 1 Merino wool and acrylic blend provide added warmth and comfort
- 2 Constructed with antimicrobial material which fights odor-forming bacteria
- 3 Durability through reinforced nylon on toe, heel and upper
- 4 Full cushion sole, toe, heel and padded reinforced shin add comfort and reduces impact
- 5 Flat toe seam prevents irritation
- 6 Merino Wool 53%, Acrylic 22%, Stretch nylon 10%, Nylon 6%, LYCRA® 5%, Modal® 4% (H60228)
- 7 Merino Wool 50%, Acrylic 23%, Stretch nylon 11%, Nylon 7%, LYCRA® 5%, Modal® 4% (H60230, H60231)

STYLE	HEIGHT	WEIGHT	COLOR
H60228	CREW	HEAVYWEIGHT	DARK BROWN
H60230	OVER CALF	HEAVYWEIGHT	DARK BROWN
H60231	YOUTH	HEAVYWEIGHT	DARK BROWN
SIZES	H60228, H60230 M, L, XL; H60231 M, L		SOLD IN SETS OF 6 PER SIZE

LACROSSE® EXTREME HUNTING



H60207



H60206

FEATURES

- 1 Modal® fibers wick moisture away from foot
- 2 Thermolite™ material adds warmth and lightweight comfort
- 3 Constructed with Ultra-Fresh material which fights odor-forming bacteria
- 4 Durability through reinforced nylon on toe, heel and upper
- 5 Full sock padding provides added cushioning
- 6 Flat toe seam prevents irritation
- 7 55% Thermolite™, 15% Lenzing Modal®, 15% Nylon, 10% Stretch Nylon, 5% Elastane LYCRA®

STYLE	HEIGHT	WEIGHT	COLOR
H60206	CREW	HEAVYWEIGHT	DARK GREY
H60207	OVER CALF	HEAVYWEIGHT	DARK GREY
SIZES	M, L, XL	SOLD IN SETS OF 6 PER SIZE	

HUNTER 2-PACK



H60213

FEATURES

- 1 Merino wool blend adds warmth and comfort
- 2 Durability through reinforced nylon on toe, heel and upper
- 3 Additional elastic yarn for a superior fit
- 4 Full sock padding provides added cushioning
- 5 Flat toe seam prevents irritation
- 6 40% Merino Wool, 40% Acrylic, 16% Nylon, 4% Elastane LYCRA®

STYLE	HEIGHT	WEIGHT	COLOR
H60213	CREW	MIDWEIGHT	DARK CHARCOAL
SIZES	M, L, XL	SOLD IN SETS OF 6 PER SIZE, 2 PAIRS PER SET	

WORK LIGHTWEIGHT



H60240

FEATURES

- 1 Merino wool and lightweight acrylic blend provide moisture wicking comfort
- 2 Constructed with antimicrobial material which fights odor-forming bacteria
- 3 Durability through reinforced nylon on toe, heel and upper
- 4 Full cushion sole reduces impact
- 5 Flat toe seam prevents irritation
- 6 Merino Wool 52%, Acrylic 14%, Stretch nylon 12%, Nylon 12%, LYCRA® 5%, Modal® 5%

STYLE	HEIGHT	WEIGHT	COLOR
H60240	CREW	LIGHTWEIGHT	LIGHT GREY

SIZES M, L, XL SOLD IN SETS OF 6 PER SIZE

WORK MIDWEIGHT



H60243



H60241

FEATURES

- 1 Merino wool and acrylic blend provide added warmth and all day comfort
- 2 Constructed with antimicrobial material which fights odor-forming bacteria
- 3 Durability through reinforced nylon on toe, heel and upper
- 4 Full cushion sole, toe, heel and padded reinforced shin add comfort and reduces impact
- 5 Flat toe seam prevents irritation
- 6 Merino Wool 55%, Acrylic 15%, Stretch nylon 10%, Nylon 10%, LYCRA® 5%, Modal® 5% (H60241)
- 7 Merino Wool 51%, Acrylic 17%, Stretch nylon 11%, Nylon 11%, LYCRA® 5%, Modal® 5% (H60243)

STYLE	HEIGHT	WEIGHT	COLOR
H60241	CREW	MIDWEIGHT	DARK GREY
H60243	OVER CALF	MIDWEIGHT	DARK GREY

SIZES M, L, XL SOLD IN SETS OF 6 PER SIZE

SOCK LINER



H60209

FEATURES

- 1 Constructed with Ultra-Fresh material which fights odor-forming bacteria
- 2 Durability through reinforced nylon on toe, heel and upper
- 3 Y-heel construction for superior fit
- 4 Mesh venting on top of foot adds breathability
- 5 Flat toe seam prevents irritation
- 6 35% Polyester, 28% Stretch Nylon, 20% Nylon, 13% Elastane LYCRA®, 4% Lenzing Modal®

STYLE	HEIGHT	WEIGHT	COLOR
H60209	CREW	LIGHTWEIGHT	BLACK

SIZES M, L, XL SOLD IN SETS OF 6 PER SIZE

UNIVERSAL LINER



919959

FEATURES

- 1 9mm foam for added warmth
- 2 Ideal for use with LaCrosse® Outpost

STYLE 919959 **SIZES** 7-15 WHOLE SIZES ONLY

ICEMAN LINER



904000

FEATURES

- 1 9mm felt for added warmth
- 2 Ideal for use with LaCrosse® Ice Man

STYLE 904000 **SIZES** 7-15 WHOLE SIZES ONLY

ICE KING® LINER



918220

FEATURES

- 1 Foam cushion for added warmth
- 2 Ideal for use with LaCrosse® Ice King®

STYLE 918220 **SIZES** 6-15 WHOLE SIZES ONLY

RADIANTEX™ LINER



919975

FEATURES

- 1 Five layer liner with heat reflecting Radiantex™
- 2 Ideal for use with LaCrosse® NMT PAC

STYLE 919975 **SIZES** 7-15 WHOLE SIZES ONLY

FELT INSOLE



902001 // 902201

FEATURES

- 1 Adds cushion and warmth to rubber boots
- 2 Improves leather boot fit
- 3 Provides insulation in cold-weather conditions
- 4 Ideal use with any LaCrosse® boot
- 5 Grey 6mm (902001), black 9mm (902201)

STYLE 902001, 902201 **SIZES** 902001 3-14; 902201 6-14 WHOLE SIZES ONLY

QUAD COMFORT® INSOLE



902010

FEATURES

- 1 Dual-density Poliyou® pods cushion heel strike
- 2 FALLtec forefoot pad fights foot fatigue
- 3 EVA charcoal layer reduces odor
- 4 Perforated design increases airflow to keep feet warm and dry
- 5 Trimmed to fit with use on Quad technology LaCrosse® Leather Work styles

STYLE 902010 **SIZES** 8-12M; 12.5-14L

AIR CUSHION INSOLE



24002250

FEATURES

- 1 Perforated design provides breathability
- 2 Polyurethane foam layer prevents odor

STYLE 24002250 **SIZES** 6-14 WHOLE SIZES ONLY

FLEX SHIELD INSOLE



24002251

FEATURES

- 1 Lenzi L protection lining shields foot bottom from puncture wounds
- 2 Non-metallic, P4 lining
- 3 Exceeds ASTM F2413-11 requirement for a puncture resistant midsole by 70lbs.
- 4 Added heel cushion provides all-day comfort
- 5 Micro-fiber top sheet reduces slip and underfoot hot spots
- 6 Available in any quantity
- 7 Patent pending

STYLE 24002251 **SIZES** 6-14 WHOLE SIZES ONLY

BOOT & WADER REPAIR KIT



907022

FEATURES

- 1 .75 oz. Aquaseal® (urethane repair adhesive)
- 2 2 self adhesive patches
- 3 Brush for application
- 4 Resusable bag

STYLE 907022

LACES



ALL STYLES

STYLE	LENGTH	FOR	COLOR
983000	66"	6" BOOTS	BLACK BROWN TICK
983001	76"	8"– 9" BOOTS	BLACK BROWN TICK
983002	86"	10"– 12" BOOTS	BLACK BROWN TICK
983003	104"	14"– 18" BOOTS	BLACK BROWN TICK

SOLD IN SETS OF 12

LONGWALL LACES



983010 // LONGWALL

FEATURES

- Industrial strength and highly abrasion resistant

STYLE	LENGTH	FOR	COLOR
983010	91"	10" BOOTS	BLACK

SOLD IN SETS OF 12

RUBBER CONDITIONING SPRAY



980000

FEATURES

- 1 Stops color-fading
- 2 Prevents UV damage
- 3 Non-glossy/non-slip formula
- 4 Water-based and biodegradable
- 5 8 oz.
- 6 Sold in sets of 12

STYLE 980000

SOLD IN SETS OF 12

H-BACK WADER SUSPENDERS



908250

FEATURES

- 1 2" wide elastic for comfort and stretch
- 2 Durable, leather fasteners
- 3 Universal sizing fits all

STYLE 908250

ONE SIZE FITS ALL



RESOURCES

PARTNER TECHNOLOGY



GORE-TEX® offers breathable, comfortable waterproof protection across a wide range of outdoor activities.



Thinsulate™ and Thinsulate™ Ultra are high-performance insulations that keep the wearer warm without bulk and continue to insulate even when wet.



3M™ Scotchlite™ Reflective Material incorporates patented retroreflection technology for superior visibility.



Vibram® is recognized worldwide as the leader in high-performance outsoles.



GREEN DIAMOND PRODUCTS
Made with industrial grade anti-slip diamonds embedded 5mm into the rubber soles to provide extreme traction in wet, slippery and cold conditions.



A specialized Vibram® Fire & Ice compound for durability and oil and slip resistance, combined with a tread pattern designed for maximum grip on dirt and wet terrain.

MEN'S TO WOMEN'S FOOTWEAR SIZING CHART

MEN'S	3	4	5	6	7	8	9	10	11
WOMEN'S	5	6	7	8	9	10	11	12	13

LACROSSE® ENTERPRISE PORTAL

24/7 DEALER ACCOUNT INFO:

- 24 hour, secure online access
- Inventory review
- Shipping updates
- UPC checks
- Quick placement of orders
- Check return order status

To learn more, or to open your secure Enterprise Portal account, dial 800-323-BOOT and talk with one of our Customer Resource representatives. They'll get you access.



MARKETING TOOLS: LACROSSE® MEDIA PORTAL


Looking for an image to support your website or marketing programs?

We're pleased to provide access to the LaCrosse® Media Portal: It houses our product image library and other marketing assets, including logos, videos, catalogs, lifestyle images and more. All of these materials are available to you for the purpose of promoting LaCrosse® products to your customers. Use is subject to review and approval by the LaCrosse® marketing department.

To access visit <https://lacrossefootwear.colortechology.com/> and it will lead you through setting up your own custom user name and password. You may also access the LaCrosse® Media Portal through the link found at the bottom of the page at lacrossefootwear.com.

Requirements:

1. An Internet connection
2. A web browser (Firefox is recommended)



RUBBER HUNT

150040	GRANGE 18" OD GREEN	PG. 7
200062	ALPHA LITE PULL-ON 16" OD GREEN	PG. 4
202000	4XBURLY 18" REALTREE APG	PG. 4
202002	4XBURLY 18" MOSSY OAK INFINITY 800G	PG. 4
202004	4XBURLY 18" REALTREE AP 1200G	PG. 4
260040	INSULATED PAC 12" FOREST GREEN	PG. 7
266040	BURLY CLASSIC 18" OD GREEN	PG. 6
266050	BURLY AIR GRIP 18" OD GREEN	PG. 5
266060	BURLY TRAC-LITE 18" FOREST GREEN 800G	PG. 6
266075	BURLY AIR GRIP 800 18" FOREST GREEN	PG. 5
267040	INSULATED 2-BUCKLE 18" OD GREEN	PG. 8
376001	ALPHABURLY PRO 18" FOREST GREEN	PG. 3
376005	ALPHABURLY PRO 18" REALTREE X-TRA® GREEN	PG. 3
376007	ALPHABURLY PRO SIDE-ZIP 18" MOSSY OAK® BREAKUP-INFINITY®	PG. 3
376011	ALPHABURLY PRO 18" 800G FOREST GREEN	PG. 3
376015	ALPHABURLY PRO 18" 1000G MOSSY OAK® BREAKUP-INFINITY®	PG. 3
376017	ALPHABURLY PRO SIDE-ZIP 18" 1000G REALTREE X-TRA®	PG. 3
376019	ALPHABURLY PRO 18" 1600G REALTREE X-TRA®	PG. 3
376021	ALPHABURLY PRO 18" 800G REALTREE MAX 5	PG. 3
376043	ALPHABURLY PRO 15" REALTREE X-TRA® GREEN	PG. 2
376047	ALPHABURLY PRO 15" 1600G MOSSY OAK® BREAKUP-INFINITY®	PG. 2
376101	4X ALPHA 16" 3.5MM REALTREE X-TRA® GREEN	PG. 1
376103	4X ALPHA 16" 7MM REALTREE X-TRA®	PG. 1
376121	4X ALPHA SNAKE BOOT 16" REALTREE X-TRA® GREEN	PG. 1
716031	AEROHEAD 18" 3.5MM REALTREE X-TRA® GREEN	PG. 2
716030	AEROHEAD 18" 3.5MM MOSSY OAK INFINITY	PG. 2
716032	AEROHEAD 18" 7MM REALTREE X-TRA®	PG. 2
716033	AEROHEAD 18" 7MM MOSSY OAK BOTTOMLAND	PG. 2
716037	AEROHEAD 18" 7MM REALTREE MAX-5	PG. 2

LEATHER HUNT

283160	HUNT PAC EXTREME 10" MOSSY OAK® BREAK-UP INFINITY™ 2000G	PG. 12
425615	VENOM 18" REALTREE® APG®	PG. 12
425620	ADDER 18" MOSSY OAK® BREAK-UP INFINITY®	PG. 13
500028	GAME COUNTRY 10" REALTREE® AP 1600G	PG. 13
532062	AEROTUFF REALTREE® MAX-5 7MM	PG. 13
532068	TALLGRASS SNAKE BOOT 17" BROWN	PG. 13
536010	QUICKSHOT 8" REALTREE X-TRA® GREEN	PG. 11
541015	SILENCER 8" REALTREE X-TRA® 400G	PG. 10
541016	SILENCER 8" REALTREE X-TRA® 1000G	PG. 10
541017	SILENCER 8" MOSSY OAK® BREAK-UP INFINITY™ 800G	PG. 10
541021	SILENCER 8" MOSSY OAK® BREAK-UP INFINITY™ 800G	PG. 10
563012	QUICKSHOT 8" MOSSY OAK® BREAK-UP INFINITY™ 600G	PG. 11

WADERS

154040	BIG CHIEF 32" OD GREEN	PG. 20
156040	MARSH 32" OD GREEN	PG. 19
700001	BIG CHIEF 32" OD GREEN 600G	PG. 20
700040	AEROTUFF REALTREE® MAX-5 7MM	PG. 15
700044	AEROTUFF BREATHABLE REALTREE® MAX-5 7MM	PG. 15
700055	BRUSH TUFF EXTREME ATS REALTREE® MAX-5 1600G	PG. 16
700066	TRAPLINE HIP 32" FOREST GREEN	PG. 19
700082	ALPHA SWAMPFOX DROP TOP REALTREE® MAX-5 600G	PG. 18
700120	ALPHA SWAMPFOX PANT REALTREE® MAX-5 600G	PG. 16
700124	SWAMP TUFF PRO MOSSY OAK® SHADOW GRASS® BLADES™ 1000G	PG. 16
700130	SWAMP TUFF PRO REALTREE® MAX-5 1000G	PG. 16
700150	SUPER BRUSH TUFF MOSSY OAK® SHADOW GRASS® SHADOW BLADES™ 1200G	PG. 17
700152	SUPER BRUSH TUFF REALTREE® MAX-5™ 1200G	PG. 17
700312	MALLARD II REALTREE® MAX-5 1000G	PG. 17
700316	MALLARD II EXPANDABLE REALTREE® MAX-5 1000G	PG. 18

RECREATION

200050	MEN'S HAMPTON 6" BLACK 3MM	PG. 25
200052	MEN'S HAMPTON 6" OD GREEN 3MM	PG. 25
201200	WOMEN'S HAMPTON II 6" BLACK 3MM	PG. 26
201206	WOMEN'S HAMPTON II 6" RED 3MM	PG. 26
273120	TREKKER II 7" BROWN	PG. 25
273122	UPLANDER II 10" BROWN	PG. 24
273124	MESQUITE II 10" BROWN 200G	PG. 24
600008	ICEMAN 10" BLACK	PG. 22
600014	ICE KING 10" BROWN 400G	PG. 22
600801	OUTPOST II 11" BROWN	PG. 23
600802	OUTPOST II 11" BLACK	PG. 23
600803	WOMEN'S OUTPOST II 10" BLACK	PG. 23

YOUTH

200140	WELLINGTON 8" BROWN	PG. 30
200141	WELLINGTON 8" NEXT G-1®	PG. 30
266002	LIL' BURLY 9" NEXT G-1® 1000G	PG. 29
266003	LIL' BURLY 9" OD GREEN	PG. 29
425600	VENOM 12" NEXT G-1® GREEN	PG. 30
541114	SILENCER 8" MOSSY OAK® BREAKUP-INFINITY® 800G	PG. 29
700320	MALLARD II REALTREE® MAX-5 1000G	PG. 31

RUBBER WORK

00101110	PREMIUM KNEE BOOT 16" BLACK SM/ST	PG. 42
00109050	INSULATED STORM HIP BOOT 31" BLACK ST	PG. 44
00152030	PREMIUM HIP BOOT 32" BLACK	PG. 43
00223050	16" PAC RUST ST	PG. 40
00223120	12" INSULATED PAC RED ST	PG. 40
00227050	16" PROTECTA RUST MET/SM/ST	PG. 39
00228040	12" META-PAC BLACK MET/SM/ST	PG. 38
00228050	16" META-PAC BLACK MET/ST	PG. 37
00228260	16" META BLACK MET/SM/ST	PG. 38
00228265	16" META-PAC AP BLACK MET/AT	PG. 37
00267090	ZXT BUCKLE DEEP HEEL OVERSHOE 5" BLACK	PG. 46
00267140	ZXT BUCKLE DEEP HEEL OVERSHOE 14" BLACK	PG. 46

00267220	PREMIUM KNEE BOOT 16" BLACK ST	PG. 42
00367215	NMT PAC 12" BLACK 400G	PG. 49
00426040	ALPHA AGGRESSIVE 16" BROWN 3.5MM ST	PG. 36
100030	UTAH BROGUE II OVERSHOE 13" BLACK	PG. 45
189010	ZXT KNEE BOOT 16" BLACK FOAM	PG. 41
191200	ZXT INSULATOR III BLACK	PG. 45
200062	ALPHA LITE PULL-ON 16" 5MM OD GREEN	PG. 34
200063	ALPHA LITE PULL-ON 16" 5MM BLACK	PG. 34
200240	ALPHA MUDLITE 16" BLACK ST	PG. 35
202100	4X ALPHA 16" 7MM BLACK	PG. 34
229107	5" ATS OVERSHOE BLACK	PG. 47
229108	12" ATS OVERSHOE BLACK	PG. 48
232050	ZXT GUARDSMAN 16" RUST	PG. 41
266100	Z SERIES OVERSHOE 5" BLACK	PG. 47
266160	Z SERIES OVERSHOE 11" BLACK	PG. 47
266200	Z SERIES OVERSHOE 14" BLACK	PG. 47
267110	ZXT BUCKLE WEDGE OVERSHOE 5" BLACK	PG. 46
267180	ZXT KNEE BOOT 16" BLACK	PG. 41
267190	ZXT BUCKLE WEDGE OVERSHOE 14" BLACK	PG. 46
267260	ZXT IRRIGATION HIP BOOT 26" OD GREEN	PG. 44
426045	SPOG 16" OLIVE GREEN	PG. 35
426047	SPOG 16" OLIVE GREEN NMT	PG. 35
426050	INSULATED ALPHA AGGRESSIVE 16" BLACK 800G NMT	PG. 36
426056	SPOG 16" OLIVE GREEN NMT	PG. 35
464550	PERMAFROST 10" BLACK 1000G NMT	PG. 48
24009033	ECONOMY KNEE BOOT 16" BLACK	PG. 42
24009043	ECONOMY KNEE BOOT 16" BLACK ST	PG. 42
24009091	ECONOMY HIP BOOT 32" BLACK ST	PG. 43
24509099	32" MET HIP BOOT BLACK MET/SM/ST	PG. 39

LEATHER WORK

00552085	HIGHWALL 8" BROWN MET/NMT	PG. 56
00552089	HIGHWALL 8" BROWN 1000G MET/NMT	PG. 56
00553054	LONGWALL II 10" BLACK 200G MET/NMT	PG. 56
155380	WOMEN'S LAURELWOOD 5" BROWN AT	PG. 55
155620	WOMEN'S LAURELWOOD 5" BROWN	PG. 55
367225	SAFETY PAC 10" BLACK 1000G NMT	PG. 57
402732	SURVEYOR 8" BROWN NMT	PG. 51
402736	SURVEYOR 8" BROWN 1000G NMT	PG. 51
455040	ALTERRA 5" BROWN	PG. 54
455042	ALTERRA 5" BROWN NMT	PG. 54
460001	QUAD COMFORT 4X6 6" BROWN	PG. 53
460002	QUAD COMFORT 4X6 6" BROWN ST	PG. 53
461025	WORK LITE 6" BROWN	PG. 55
461027	WORK LITE 6" BROWN ST	PG. 55
461029	WORK LITE 8" BROWN	PG. 55
461031	WORK LITE 8" BROWN ST	PG. 55
467211	TALLGRASS SQUARE TOE 11" TWO-TONE	PG. 52
467213	TALLGRASS SQUARE TOE 11" BROWN	PG. 52
467215	TALLGRASS SQUARE TOE 11" BROWN ST	PG. 52
467221	TALLGRASS WESTERN TOE 11" TWO-TONE	PG. 52
467223	TALLGRASS WESTERN TOE 11" BROWN	PG. 52
467225	TALLGRASS WESTERN TOE 11" BROWN ST	PG. 52
480001	QUAD COMFORT 4X8 8" BROWN	PG. 53
480002	QUAD COMFORT 4X8 8" BROWN ST	PG. 53
483001	QUAD COMFORT 4X6 6" DARK BROWN	PG. 53
483003	QUAD COMFORT 4X6 6" DARK BROWN ST	PG. 53
483005	QUAD COMFORT 4X8 8" DARK BROWN	PG. 53
483007	QUAD COMFORT 4X8 8" DARK BROWN ST	PG. 53
483009	QUAD COMFORT 4X8 8" DARK BROWN 400G	PG. 53
483011	QUAD COMFORT 4X8 8" DARK BROWN 400G ST	PG. 53
670020	QC WELLINGTON DC BROWN	PG. 54
670030	QC WELLINGTON DC BROWN ST	PG. 54



AEROFORM



LACROSSE FOOTWEAR INC. 17634 NE AIRPORT WAY • PORTLAND, OREGON 97230
CUSTOMER RESOURCE CENTER PH: 800.323.BOOT (2668) • FX: 800.658.9444
CORPORATE HEADQUARTERS PH: 503.262.0110 • FX: 503.262.0115

6,000 - 10/14 - MM - 88
PACESETTER
100LB COVER / 80LB TEXT

LACROSSEFOOTWEAR.COM



FSC® certification ensures that the paper used for this printed piece contains fiber from well managed forests that meet strict environmental and socioeconomic standards.

We are proud to make this significant move to FSC® paper to help our environment.