



**PRODUCT NUMBER: B174**

**Butyl - B174**

Protection against aggressive chemicals like ketones (MEK, MIBK, Acetone) and Esters (Tricresyl Phosphate, Amyl Acetate, Ethyl Acetate). Gaz tight.

**Honeywell**

**Overview**

**Reference Number**

B174

**Product Type**

Gloves

**Range**

Chemical Protection

**Line**

Heavy chemical

**Brand**

Honeywell

**Brand formerly known as**

NORTH

**Industry**

- Agriculture
- Army - Defence
- Chemical Industries
- Petro-chemical

**Product Use**

Protection against aggressive chemicals like ketones (MEK, MIBK, Acetone) and Esters (Tricresyl Phosphate, Amyl Acetate, Ethyl Acetate). Gaz tight.

**Features & Benefits**

**Feature**

Unsupported Butyl® glove Rolled edge Smooth finish

**Benefit**

**COMFORT** More flexible than natural latex, Butyl® gloves provide good dexterity. Remains supple from -30°C up to +50°C. Its smooth finish offers an excellent touch and increases dexterity. Curved finger and hand design provides a better fit for greater comfort **RESISTANCE** Buty offers resistance to many solvents, acids and medium concentrated bases. It resists to ozone and heat. Highest permeation resistance to gas or water vapours Good resistance to tear. **SAFETY** Rolled edge stops drops and reinforces the gauntlet resistance to tear. **HYGIENE** Sanitized interior

## Technical Description

### Description

Unsupported Butyl® glove Rolled edge Smooth finish

### Product Technology

Dipped

### Glove/liner color

Black

### Coating Type

Butyl

### Length

35 cm

### Thickness

0,43 mm

### Harmlessness

In conformity with the European standards.

### Dexterity

Class 5

### Sizes

8M, 9L, 10XL

## EN 388 - Mechanical Hazards Abrasion Resistance

Abrasion resistance	2
Cutting resistance (Coupe test)	0
Tear resistance	0
Puncture resistance	0

## EN 374-3 Resistance to

Resistance to permeation by chemicals	BCI
---------------------------------------	-----

## Packaging Label

### Tagging

CE0120 Honeywell B174 XX EN 420 EN 388 : 2000 EN 374-3 : BCI

## Certifications

### EC Category PPE

3

### EC Certificate Number

GB12/86305

### EC Attestation

EC Attestation

### EC Attestation Number

GB12/86305

### Certifications

- EN GB12/86305

## Additional Information

User Manual

## Maintenance

### **Storage Information**

Minimum packaging : 1 pairs in a polybag. Cartons of 24 pairs.

### **Care Instructions**

This article can be cleaned. For cleaning instructions, please contact Honeywell safety products.