



PRODUCT NUMBER: NFKL13
Nitri Task KL - NFKL13

Handlings of small and sharp parts in dry and oily environments.

Honeywell

Overview

Reference Number

NFKL13

Product Type

Gloves

Range

Cut and Puncture Protection

Line

Cut resistant

Brand

Honeywell

Brand formerly known as

NORTH

Industry

- Automotive and Part Manufacturer
- General Industry
- Iron and steel industry
- Metal steel
- Offshore
- Paper Industries
- Ship Building

Product Use

Handlings of small and sharp parts in dry and oily environments.

Features & Benefits

Feature

100% Kevlar® glove with Lycra® Black nitrile coating at the palm

Benefit

COMFORT The aramid fibre ensures excellent comfort and good hand contact. The knitting technique helps to obtain a glove that conforms snugly to the hand and good dexterity. The glove offers maximum comfort and added sturdiness. The glove's coating offers an improved grip of objects. The glove's ventilated back optimises its breathability. **RESISTANCE** Kevlar® offers good protection against cuts. The nitrile coating at the palm and fingertips provides outstanding abrasion resistance and impermeability to oils. **HYGIENE** Its black colour makes the glove more soilproof, thus ensuring a longer last.

Technical Description

Description

100% Kevlar® glove with Lycra® Black nitrile coating at the palm

Product Technology

Knitted dipped

Gauge

13

Glove/liner color

Yellow/ black

Coating Type

Nitrile

Length

25 cm

Harmlessness

In conformity with the European standards.

Dexterity

Class 5

Sizes

7S, 8M, 9L, 10XL

EN 407 - Heat and/or Fire

Behaviour and/or fire	X
Resistance to contact heat	1
Resistance to convective heat	X
Resistance to radiant heat	X
Resistance to small metal splashes	X
Resistance to molten metal splashes	X

EN 388 - Mechanical Hazards Abrasion Resistance

Abrasion resistance	3
Cutting resistance (Coupe test)	2
Tear resistance	2
Puncture resistance	1

Packaging Label

Tagging

CE Honeywell 62/6745 XX EN 420 EN 388 : 3221 EN 407 : X1XXXX

Certifications

E.C. Declaration of Conformity

EC Category PPE

2

EC Certificate Number

0075/797/162/06/13/0589

EC Attestation

EC Attestation

EC Attestation Number

0075/797/162/06/13/0589

Certifications

- EN 0075/797/162/06/13/0589

Additional Information

User Manual

UI 106

Maintenance

Storage Information

Minimum packaging : 12 pairs. Cartons of 144 pairs.

Care Instructions

This article can be cleaned. For cleaning instructions, please contact Honeywell safety products.