


2AB

Jobber Drill



General Purpose



d_1 R mm	d_1 decimal Inch	l_2 mm	l_1 mm	e-code	USD
1.00	0.0394	12.0	34	2AB1.0	3.06
1.10	0.0433	14.0	36	2AB1.1	3.40
1.15	0.0453	14.0	36	2AB1.15	3.42
1.20	0.0472	16.0	38	2AB1.2	3.48
1.25	0.0492	16.0	38	2AB1.25	3.50
1.30	0.0512	16.0	38	2AB1.3	3.61
1.35	0.0531	18.0	40	2AB1.35	3.65
1.40	0.0551	18.0	40	2AB1.4	3.61
1.45	0.0571	18.0	40	2AB1.45	3.65
1.50	0.0591	18.0	40	2AB1.5	3.10
1.55	0.0610	20.0	43	2AB1.55	3.65
1.60	0.0630	20.0	43	2AB1.6	3.44
1.70	0.0669	20.0	43	2AB1.7	3.69
1.75	0.0689	22.0	46	2AB1.75	3.65
1.80	0.0709	22.0	46	2AB1.8	3.44
1.90	0.0748	22.0	46	2AB1.9	3.44
1.95	0.0768	24.0	49	2AB1.95	3.65
2.00	0.0787	24.0	49	2AB2.0	2.99
2.10	0.0827	24.0	49	2AB2.1	3.44
2.20	0.0866	27.0	53	2AB2.2	3.44
2.30	0.0906	27.0	53	2AB2.3	3.44
2.35	0.0925	27.0	53	2AB2.35	3.65
2.40	0.0945	30.0	57	2AB2.4	3.52
2.50	0.0984	30.0	57	2AB2.5	3.11
2.60	0.1024	30.0	57	2AB2.6	3.65

d ₁ R mm	d ₁ decimal Inch	l ₂ mm	l ₁ mm	e-code	USD
2.70	0.1063	33.0	61	2AB2.7	3.65
2.90	0.1142	33.0	61	2AB2.9	3.69
3.00	0.1181	33.0	61	2AB3.0	3.15
3.10	0.1220	36.0	65	2AB3.1	3.56
3.20	0.1260	36.0	65	2AB3.2	3.47
3.25	0.1280	36.0	65	2AB3.25	3.79
3.30	0.1299	36.0	65	2AB3.3	3.45
3.40	0.1339	39.0	70	2AB3.4	3.86
3.50	0.1378	39.0	70	2AB3.5	3.47
3.60	0.1417	39.0	70	2AB3.6	4.11
3.70	0.1457	39.0	70	2AB3.7	4.06
4.00	0.1575	43.0	75	2AB4.0	3.78
4.10	0.1614	43.0	75	2AB4.1	4.42
4.20	0.1654	43.0	75	2AB4.2	3.92
4.30	0.1693	47.0	80	2AB4.3	4.61
4.40	0.1732	47.0	80	2AB4.4	5.06
4.50	0.1772	47.0	80	2AB4.5	4.27
4.60	0.1811	47.0	80	2AB4.6	5.15
4.80	0.1890	52.0	86	2AB4.8	5.60
5.00	0.1969	52.0	86	2AB5.0	4.62
5.10	0.2008	52.0	86	2AB5.1	5.73
5.20	0.2047	52.0	86	2AB5.2	6.02
5.30	0.2087	52.0	86	2AB5.3	6.38
5.40	0.2126	57.0	93	2AB5.4	6.33
5.50	0.2165	57.0	93	2AB5.5	5.40
5.60	0.2205	57.0	93	2AB5.6	6.91
5.70	0.2244	57.0	93	2AB5.7	6.52
5.75	0.2264	57.0	93	2AB5.75	6.86
5.80	0.2283	57.0	93	2AB5.8	6.85
6.00	0.2362	57.0	93	2AB6.0	6.37
6.10	0.2402	63.0	101	2AB6.1	7.32
6.20	0.2441	63.0	101	2AB6.2	6.72
6.30	0.2480	63.0	101	2AB6.3	6.43
6.40	0.2520	63.0	101	2AB6.4	7.63
6.50	0.2559	63.0	101	2AB6.5	7.14
6.60	0.2598	63.0	101	2AB6.6	8.77
6.70	0.2638	63.0	101	2AB6.7	7.63
6.75	0.2657	69.0	109	2AB6.75	8.98
6.80	0.2677	69.0	109	2AB6.8	7.91
7.00	0.2756	69.0	109	2AB7.0	7.80
7.20	0.2835	69.0	109	2AB7.2	9.57
7.25	0.2854	69.0	109	2AB7.25	10.40
7.30	0.2874	69.0	109	2AB7.3	10.70
7.40	0.2913	69.0	109	2AB7.4	10.45
7.50	0.2953	69.0	109	2AB7.5	9.12
7.60	0.2992	75.0	117	2AB7.6	11.70

d ₁ R mm	d ₁ decimal Inch	l ₂ mm	l ₁ mm	e-code	USD
7.80	0.3071	75.0	117	2AB7.8	11.95
7.85	0.3091	75.0	117	2AB7.85	11.10
7.90	0.3110	75.0	117	2AB7.9	11.95
8.00	0.3150	75.0	117	2AB8.0	10.85
8.10	0.3189	75.0	117	2AB8.1	13.30
8.20	0.3228	75.0	117	2AB8.2	13.60
8.25	0.3248	75.0	117	2AB8.25	12.80
8.40	0.3307	75.0	117	2AB8.4	14.35
8.50	0.3346	75.0	117	2AB8.5	12.20
8.60	0.3386	81.0	125	2AB8.6	15.05
8.70	0.3425	81.0	125	2AB8.7	14.80
8.75	0.3445	81.0	125	2AB8.75	15.95
8.80	0.3465	81.0	125	2AB8.8	15.85
8.90	0.3504	81.0	125	2AB8.9	15.85
9.00	0.3543	81.0	125	2AB9.0	13.95
9.30	0.3661	81.0	125	2AB9.3	17.20
9.40	0.3701	81.0	125	2AB9.4	17.60
9.50	0.3740	81.0	125	2AB9.5	14.55
9.60	0.3780	87.0	133	2AB9.6	18.45
9.70	0.3819	87.0	133	2AB9.7	18.80
9.80	0.3858	87.0	133	2AB9.8	19.50
9.90	0.3898	87.0	133	2AB9.9	19.20
10.00	0.3937	87.0	133	2AB10.0	16.50
10.20	0.4016	87.0	133	2AB10.2	18.65
10.30	0.4055	87.0	133	2AB10.3	22.55
10.50	0.4134	87.0	133	2AB10.5	18.40
10.80	0.4252	94.0	142	2AB10.8	23.35
10.90	0.4291	94.0	142	2AB10.9	23.35
11.00	0.4331	94.0	142	2AB11.0	19.05
11.20	0.4409	94.0	142	2AB11.2	25.00
11.30	0.4449	94.0	142	2AB11.3	26.10
11.40	0.4488	94.0	142	2AB11.4	26.10
11.50	0.4528	94.0	142	2AB11.5	21.30
11.70	0.4606	94.0	142	2AB11.7	27.90
11.80	0.4646	94.0	142	2AB11.8	27.90
12.00	0.4724	101.0	151	2AB12.0	23.80
12.10	0.4764	101.0	151	2AB12.1	29.10
12.20	0.4803	101.0	151	2AB12.2	29.10
12.50	0.4921	101.0	151	2AB12.5	24.25
12.70	0.5000	101.0	151	2AB12.7	50.00
12.80	0.5039	101.0	151	2AB12.8	49.75
12.90	0.5079	101.0	151	2AB12.9	51.80
13.00	0.5118	101.0	151	2AB13.0	40.30
13.50	0.5315	108.0	160	2AB13.5	53.80
14.00	0.5512	108.0	160	2AB14.0	50.30
14.50	0.5709	114.0	169	2AB14.5	55.50

d ₁ R mm	d ₁ decimal Inch	l ₂ mm	l ₁ mm	e-code	USD
15.00	0.5906	114.0	169	2AB15.0	55.50
15.50	0.6102	120.0	178	2AB15.5	59.20
16.00	0.6299	120.0	178	2AB16.0	63.60
16.50	0.6496	125.0	184	2AB16.5	66.70
17.00	0.6693	125.0	184	2AB17.0	73.90
17.50	0.6890	130.0	191	2AB17.5	73.90