


1290

Extra Length Drill



General Purpose



d1 R Inch	d1 decimal Inch	l2 Inch	l1 Inch	e-code	USD
1/8	0.1250	9"	12"	12901/8	37.10
9/64	0.1406	9"	12"	12909/64	40.25
5/32	0.1563	9"	12"	12905/32	40.25
11/64	0.1719	9"	12"	129011/64	41.85
3/16	0.1875	9"	12"	12903/16	41.85
13/64	0.2031	9"	12"	129013/64	45.05
7/32	0.2188	9"	12"	12907/32	45.05
15/64	0.2344	9"	12"	129015/64	46.00
1/4	0.2500	9"	12"	12901/4	46.75
17/64	0.2656	9"	12"	129017/64	49.45
9/32	0.2813	9"	12"	12909/32	48.50
19/64	0.2969	9"	12"	129019/64	51.10
5/16	0.3125	9"	12"	12905/16	50.30
21/64	0.3281	9"	12"	129021/64	53.60
11/32	0.3438	9"	12"	129011/32	52.50
23/64	0.3594	9"	12"	129023/64	55.00
3/8	0.3750	9"	12"	12903/8	54.00
25/64	0.3906	9"	12"	129025/64	61.80
13/32	0.4063	9"	12"	129013/32	60.80
27/64	0.4219	9"	12"	129027/64	65.30
7/16	0.4375	9"	12"	12907/16	64.30
29/64	0.4531	9"	12"	129029/64	71.80
15/32	0.4688	9"	12"	129015/32	70.60
31/64	0.4844	9"	12"	129031/64	74.70
1/2	0.5000	9"	12"	12901/2	72.10

d ₁ R Inch	d ₁ decimal Inch	l ₂ Inch	l ₁ Inch	e-code		USD
33/64	0.5156	9"	12"	129033/64	1)	93.10
17/32	0.5313	9"	12"	129017/32	1)	89.60
35/64	0.5469	9"	12"	129035/64	1)	93.10
9/16	0.5625	9"	12"	12909/16	1)	89.60
37/64	0.5781	9"	12"	129037/64	1)	99.90
19/32	0.5938	9"	12"	129019/32	1)	96.30
39/64	0.6094	9"	12"	129039/64	1)	105.00
5/8	0.6250	9"	12"	12905/8	1)	101.00
21/32	0.6563	9"	12"	129021/32	1)	113.00
11/16	0.6875	9"	12"	129011/16	1)	119.00
23/32	0.7188	9"	12"	129023/32	1)	128.00
3/4	0.7500	9"	12"	12903/4	1)	134.00

¹⁾Steam Tempered Finish