

## SPRAY-GLO FLUORESCENT SPRAY PAINT



An ultra high visibility spray paint for any project that requires a brilliant color. It has 400% greater visibility than regular paint. When topcoated with Seymour's UV resistant Clear coating, it provides exceptional outdoor durability. For best results use Seymour's Hi-Tech White Primer (#16-805) as a base coat. Two coats of Spray Glo are recommended followed by a UV resistant clear coating of Hi-Tech Gloss Clear Acrylic (#16-121).

### Suggested Uses:

- Hobby models
- Crafts
- House numbers
- Outdoor equipment
- Industrial Identification
- Safety Markings
- Warning Signs

### Packaging:

Cans per case	6
Shipping weight per case	7 lbs.
Container	16 fluid ounce can
Label weight	12 ounces (340 grams)
Shipping Classification	Consumer Commodity ORM-D, UN 1950
Hazard Class	2.1

### Properties:

Coverage	Up to 15 square feet
Cleanup	Paint or lacquer thinner
Flammability	Flammable
Flash point	-4F
Specific Gravity	0.80
Solids Content	26%
MIR value	1.02, cannot exceed 1.30
HAPs content	0
Storage Temperature	40-90F
Application Temperature	50-100F
Heat Resistance	250F
Resin System	V.T. Alkyd
Shelf life	Guaranteed for 2 years

### Dry Time\*:

To touch	15 minutes
----------	------------

\*At 72F, 50% humidity,  
1.5 mil thickness

\*\*Curing/Recoat time is extended with  
multiple coats and excessively thick coats\*\*

**Gloss\*:** Flat, <15

\*as measured on a 60 degree gloss meter

### Available Colors:

Part #	Description	UPC Code
16-1617	Fluorescent Orange	043281001144
16-1618	Fluorescent Red	043281001151
16-1619	Fluorescent Yellow	043281001168
16-1620	Fluorescent Green	043281001175
16-1621	Fluorescent Blue	043281001182