

FIRE MARKET



STREAMLIGHT®

PROFESSIONAL-GRADE
ILLUMINATION TOOLS



WHY HEROES TRUST STREAMLIGHT.

IT ALL COMES DOWN TO PERFORMANCE. PERIOD.

People who depend on their flashlights - often for their lives - count on them to perform every time. The conditions don't matter, whether in the freezing cold, scorching heat, desert dry conditions or rainforest humidity. Some flashlights may have even been abused, dropped in water, or left in icy snow - no matter what, Streamlight products stand up to the worst conditions.

Streamlight users know that our lighting tools deliver the best performance for any task at hand. Whether it's lighting up a whole room or long range lighting, scene lighting or task lighting or even specialized lighting such as Infra-Red or Ultraviolet illumination, Streamlight has the right tool for the job. And when size and run time are essential, we offer several products that shine brighter and last longer.

BEHIND THE PERFORMANCE

A lot goes into bringing you lights that deliver this kind of performance. It begins with YOU. We listen to our customers and learn what they need. Understanding how lights are used in different situations leads to innovative designs and game-changing technologies. After we've met the challenges involved with designing and engineering a light, we put it through the most demanding industry tests to ensure the highest levels of performance and dependability.

All types of people depend on our products to perform, to increase productivity and to save lives. Whether you're in combat, serving and protecting the community, fighting fires, involved in search and rescue, working on utilities, camping, plumbing, auto repair or just lighting your home in a power failure, you can trust Streamlight.



**CONTINUOUS INNOVATION &
NEW PRODUCTS**

IT'S WHAT WE DO.

Since 1973, Streamlight has delivered effective, efficient high-performance lighting solutions.

The latest technology delivers unmatched performance, unheard of durability and incredible value. We've earned our reputation one customer at a time. And we're not about to let up now.



VULCAN® 180
pg. 6



FIRE VULCAN® LED
pg. 11



SURVIVOR®
pg. 16



KNUCKLEHEAD®
SPOT pg. 17



POLYTAC® HELMET
LIGHTING KIT pg. 24



3AA PROPOLYMER® HAZ-LO®
HELMET LIGHTING KIT pg. 25



4AA PROPOLYMER®
LUX® pg. 25



STYLUS PRO®
pg. 27



MICROSTREAM®
pg. 27



DUALIE® 2AA
pg. 32



DUALIE® 3AA
pg. 32



SUPER SIEGE®
pg. 34



THE SIEGE®
pg. 35



SIEGE® AA
pg. 35



BANDIT®
pg. 36



PORTABLE
SCENE LIGHT pg. 8



E-FLOOD® LITEBOX® HL
pg. 9



HID LITEBOX®
pg. 9



E-FLOOD® LITEBOX®
pg. 10



E-SPOT® LITEBOX®
pg. 10



DUALIE
WAYPOINT® pg. 18



WAYPOINT®
pg. 19



WAYPOINT®
RECHARGEABLE pg. 15



VANTAGE® 180
pg. 21



POLYTAC 90®
pg. 22



VANTAGE®
pg. 23



STINGER LED HL®
pg. 28



STRION LED HL®
pg. 28



POLYTAC® X
pg. 30



PROTAC® HL-X
pg. 30



18650 USB BATTERY
pg. 30



EPU-5200™
pg. 30



ENDURO® PRO
pg. 36



VANTAGE® (NFFF)
pg. 37



NANO LIGHT® (NFFF)
pg. 37



SIEGE® AA (NFFF)
pg. 37

TO LEARN MORE TUNE INTO
[YOUTUBE.COM/STREAMLIGHTTV](https://www.youtube.com/streamlighttv)



RECHARGEABLE LANTERNS

VULCAN® 180

NEW 1,200 LUMENS

Designed to burn brighter and run longer. The multi-function Vulcan 180 features a 180° articulating head to aim the beam for scene lighting, high and low modes so you can select between extreme brightness or longer run time.

	HIGH	LOW
LUMENS:	1,200	350
CANDELA:	75,000	22,000
BEAM:	548m	296m
RUN TIME:	4h 45m	12h

BATTERY: Lithium ion
SIZE: 7.43" (18.8 cm)
WEIGHT: 2.47 lbs (1.12kg)
COLOR: Orange



Class I, Div. 2 Groups A, B, C, D;
 Class II Division 2 F, G; Class III;
 Temperature Class T4

NFPA

Rack meets requirements of NFPA 1901-14.1.10.2 (2016) mounted in any position



PART NBR	ITEM DESCRIPTION
44311	VULCAN 180 - STD SYSTEM - 120V AC/12V DC, QUICK RELEASE STRAP - ORANGE
44315	VULCAN 180 - VEHICLE MOUNT SYSTEM - 12V DC, HEAVY DUTY STRAP - ORANGE



PORTABLE SCENE LIGHT

5,300 LUMENS

The Portable Scene Light provides rapid deployment onsite, and it goes anywhere. It features a 90° swivel neck to shine light into the most out-of-the-way places. A telescoping pole extends to 72" within seconds. Three levels of lighting and substantial run time last through several shifts. Its unique diffuser lets you select a flood or spot beam in all three levels. Designed to adapt to tight spaces, it's also rugged enough to withstand rough terrain. Use it to light the way to your work site and set it up quickly to illuminate the entire area.

	HIGH	MEDIUM	LOW
LUMENS:	5,300	2,500	1,300
DISTANCE:	410m	292m	215m
RUN TIME:	4h	9h	18h

BATTERY: Zero-maintenance 12V, 14.4 Ah sealed lead acid

SIZE: 22" (55.88 cm)

WEIGHT: 25 lb (11.3 kg)

COLOR: Yellow

PART NBR	ITEM DESCRIPTION
45670	PORTABLE SCENE LIGHT -120V AC/12V DC - YELLOW

Special Features:

- Full deployment in 30 seconds
- Pole extends to 72"; designed to resist 40mph wind continuous in all directions with head fully extended
- Unlimited run time using AC/DC power source
- IP67 rated; dust-tight and waterproof to 1 meter for 30 minutes
- Stabilization legs provide balance on uneven surfaces



Full extension to 72" with the stabilization legs fully deployed and locked in less than 30 seconds

Cord is built into the pole to avoid snags during deployment

Balanced design; lead acid batteries provide ballast and stability

E-FLOOD® LITEBOX® HL

5,300 LUMENS



The E-Flood LiteBox HL produces 5,300 lumens to flood an entire area with light. An integrated diffuser lets you select from a flood and spot lens in three lighting intensities and a 90° swivel neck lets you aim light where it's needed. It's ideal for illuminating a rescue scene or any site that requires a large flood beam.

BATTERY: Zero-maintenance 12V, 7.2 Ah sealed lead acid
SIZE: 12.3" x 5.1" x 7.7" (31 x 13 x 19 cm)
WEIGHT: 10.4 lb (4.7 kg)
COLOR: Orange

	HIGH	MEDIUM	LOW
LUMENS:	5,300	2,500	1,300
CANDELA:	42,000	21,300	11,600
DISTANCE:	410m	292m	215m
RUN TIME:	1.75h	4.5h	10h



NFPA

Rack meets requirements of NFPA 1901-14.1.10.2 (2016) mounted in any position

Special Features:

- Six super-bright C4® LEDs
- Unlimited run time using DC power source
- Unbreakable, scratch-resistant, O-ring sealed lens.
- Provides regulated light output throughout battery life.

PART NBR	ITEM DESCRIPTION
45661	E-FLOOD LITEBOX HL - STD SYSTEM - 120V AC/12V DC, SHOULDER STRAP & MOUNTING RACK - ORANGE
45665	E-FLOOD LITEBOX HL - VEHICLE MOUNT SYSTEM - 12V DC DIRECT WIRE RACK, SHOULDER STRAP - ORANGE
45660	E-FLOOD LITEBOX HL - WITHOUT CHARGER - ORANGE

HID LITEBOX®

This portable, one million candela searchlight illuminates objects up to a mile away. It features a 35W, high intensity xenon lamp and a 90° swivel head. Intense brightness and amazing 1-mile reach make this the ideal hand-held lantern when you need to inspect an entire area quickly and efficiently.

BATTERY: Zero-maintenance 12V, 7.2 Ah sealed lead acid
SIZE: 14.9" (38 cm)
WEIGHT: 10 lbs 1.6 oz (4.6 kg)
COLOR: Orange or Black

LUMENS:	3,350
CANDELA:	1,000,000
RUN TIME:	1h 45m



NFPA Rack meets requirements of NFPA 1901-14.1.10.2 (2016) mounted in any position

ORANGE	BLACK	ITEM DESCRIPTION
45601	45621	HID LITEBOX - STD SYSTEM - 120V AC/12V DC, 10FT (3M) 12V DC CORD, SHOULDER STRAP, FLOOD LENS
45605	45625	HID LITEBOX - VEHICLE MOUNT SYSTEM - 12V DC DIRECT WIRE RACK, 10FT (3M) 12V DC CORD, SHOULDER STRAP, FLOOD LENS
45600	45620	HID LITEBOX -WITHOUT CHARGER - INCLUDES 10FT (3M) 12V DC CORD, SHOULDER STRAP, FLOOD LENS



10 ft (3 meters) 12V DC power cord plugs into port at rear of light to provide duration lighting

HID LiteBox battery will continue to charge while operating directly from an external 12V DC power source when using the power cord

RECHARGEABLE LANTERNS

THE E-FLOOD & E-SPOT SERIES ARE ABOUT

DELIVERING THE RIGHT LIGHT EXACTLY WHERE YOU NEED IT.

E-FLOOD® LITEBOX® E-FLOOD® FIREBOX®

	HIGH	LOW
LUMENS:	615	330
CANDELA:	4,000	2,150
DISTANCE:	126m	93m
RUN TIME:	8h	18h



E-Flood FireBox features dual rear LEDs.

NFPA

Rack meets requirements of NFPA 1901-14.1.11.2 (2003) mounted in any position

Six LEDs spread light over an entire area. An extended run time - 18 hrs. on low - allows you to keep large areas illuminated no matter how long your shift lasts. Swivel the head to point light where you need it.

The E-Flood FireBox has two rear blue LEDs so you can be seen from behind.

E-FLOOD LITEBOX / E-FLOOD FIREBOX

BATTERY: Zero-maintenance 6V, 12 Ah sealed lead acid
SIZE: 11.5 (29.2 cm)
WEIGHT: 7 lbs 14.4 oz (3.58 kg)
COLOR: Orange, Yellow or Beige

E-SPOT® LITEBOX® E-SPOT® FIREBOX®

	HIGH	LOW
LUMENS:	540	330
CANDELA:	55,000	32,000
DISTANCE:	469m	358m
RUN TIME:	7h	15h



E-Flood FireBox features dual rear LEDs.

NFPA

Rack meets requirements of NFPA 1901-14.1.11.2 (2003) mounted in any position

Three LEDs spotlight an area with focused bright light so you can search or inspect from a distance. It features a swivel head that makes it easy to inspect ceilings and out-of-the-way places. IPX4 water-resistant.

The E-Spot FireBox has two rear blue LEDs so you can be seen from behind.

E-SPOT LITEBOX / E-SPOT FIREBOX

BATTERY: Zero-maintenance 6V, 12 Ah sealed lead acid
SIZE: 11.5 (29.2 cm)
WEIGHT: 7 lbs 14.4 oz (3.58 kg)
COLOR: Orange, Yellow or Beige

ORANGE	YELLOW	BEIGE	ITEM DESCRIPTION
E-FLOOD LITEBOX			
45801	45821	--	E-FLOOD LITEBOX - 120V AC/12V DC, SHOULDER STRAP & MOUNTING RACK
45805	45825	--	E-FLOOD LITEBOX VEHICLE MOUNT SYSTEM - 12V DC, SHOULDER STRAP
45807	--	45817	E-FLOOD LITEBOX POWER FAILURE SYSTEM - 120V AC/12V DC, MOUNTING RACK
45806	45826	45816	E-FLOOD LITEBOX- WITHOUT CHARGER
E-FLOOD FIREBOX (DUAL REAR LEDs)			
45811	--	--	E-FLOOD FIREBOX - 120V AC/12V DC, SHOULDER STRAP & MOUNTING RACK
45815	--	--	E-FLOOD FIREBOX - VEHICLE MOUNT SYSTEM - 12V DC, SHOULDER STRAP
45832	--	--	E-FLOOD FIREBOX - WITHOUT CHARGER

ORANGE	YELLOW	BEIGE	ITEM DESCRIPTION
E-SPOT LITEBOX			
45851	45871	--	E-SPOT LITEBOX - 120V AC/12V DC, SHOULDER STRAP & MOUNTING RACK
45855	45875	--	E-SPOT LITEBOX VEHICLE MOUNT SYSTEM - 12V DC, SHOULDER STRAP
45857	--	45867	E-SPOT LITEBOX POWER FAILURE SYSTEM - 120V AC/12V DC, MOUNTING RACK
45856	45866	45876	E-SPOT LITEBOX- WITHOUT CHARGER
E-SPOT FIREBOX (DUAL REAR LEDs)			
45861	--	--	E-FLOOD FIREBOX - 120V AC/12V DC, SHOULDER STRAP & MOUNTING RACK
45865	--	--	E-FLOOD FIREBOX - VEHICLE MOUNT SYSTEM - 12V DC, SHOULDER STRAP
45882	--	--	E-FLOOD FIREBOX - WITHOUT CHARGER

Power Failure System features "Smart" power failure circuitry which automatically illuminates the light when the power is lost.



FIRE VULCAN® LED

This lightweight lantern features two ultra-bright blue taillight LEDs that help you be seen even in thick smoke. It is IPX7 rated - waterproof to 1m for 30 minutes, and it floats! Programmable light functions let you control the order in which the modes come on. Other features include an unbreakable, scratch-resistant, O-ring sealed lens and a quick-release shoulder strap.

BATTERY: Lithium ion
SIZE: 7.5" (19.05 cm)
WEIGHT: 1 lb 13.6 oz (839 g)
COLOR: Orange

	HIGH	LOW
LUMENS:	180	80
CANDELA:	100,000	45,000
RUN TIME:	5h	10h



Ultra-bright blue tail light LEDs make certain you can be seen, even in thick smoke.



TWO FIRE VULCAN LED MODELS:

Standard System: Includes charging rack, AC/DC charge cords and quick release shoulder strap

Vehicle Mount System: Includes 12V DC vehicle-mountable, direct-wire charging rack and quick release shoulder strap

PART NBR	ITEM DESCRIPTION
44450	FIRE VULCAN LED - STD SYSTEM - 120V AC/12V DC, SHOULDER STRAP & RACK - ORANGE
44451	FIRE VULCAN LED - VEHICLE MOUNT SYSTEM - 12V DC DIRECT WIRE RACK, SHOULDER STRAP - ORANGE
44454	FIRE VULCAN LED - WITHOUT CHARGER - ORANGE



Class I, Div. 2, Groups A, B, C, D;
 Class II, Div. 2, Groups F, G;
 Class III T-Code: T4



Rack meets requirements
 of NFPA 1901-14.1.10.2
 (2016) mounted in
 any position

RECHARGEABLE LANTERNS

RECHARGEABLE LANTERNS ACCESSORIES

ACCESSORY		PART #	GOES WITH
Standard Mounting Rack – Orange Vehicle Mounting Rack – Orange		45070 45071	E-Flood LiteBox HL, E-Flood LiteBox/FireBox, E-Spot LiteBox/FireBox, HID LiteBox
Standard Mounting Rack – Yellow Vehicle Mounting Rack – Yellow		45072 45074	E-Flood LiteBox/FireBox, E-Spot LiteBox/FireBox
Standard Mounting Rack – Beige		45073	E-Flood LiteBox, E-Spot LiteBox Power Failure Systems
Standard Mounting Rack – Black Vehicle Mounting Rack – Black		45075 45076	HID LiteBox
Standard Charge Rack - Black Direct Wire 12V DC Charge Rack - Black		44103 44132	Fire Vulcan LED
Standard Charge Rack - Black Direct Wire 12V DC Charge Rack Kit - Black		44350 44306	Vulcan 180
12V DC (Car Socket) Charge Cord		22051	E-Flood LiteBox HL, E-Flood LiteBox/FireBox, E-Spot LiteBox/FireBox, HID LiteBox, Fire Vulcan LED, Vulcan 180
12V DC Charge Cord		22050	E-Flood LiteBox HL, E-Flood LiteBox/FireBox, E-Spot LiteBox/FireBox, HID LiteBox, Fire Vulcan LED, Vulcan 180
12V DC Charge Cord (10 ft/3m)		22056	Portable Scene Light, E-Flood LiteBox HL, HID LiteBox
IEC Type A (120V) Charge Cord		22060	E-Flood LiteBox HL, E-Flood LiteBox/FireBox, E-Spot LiteBox/FireBox, HID LiteBox, Fire Vulcan LED, Vulcan 180
Power Supply 120V AC Charge Cord		22073 22074	Portable Scene light
Battery (Sealed Lead Acid)		45630	Portable Scene light, E-Flood LiteBox HL, HID LiteBox
Battery (Sealed Lead Acid)		45937	E-Flood LiteBox, E-Spot LiteBox
Battery (Lithium Ion)		44610	Fire Vulcan LED
Battery (Lithium Ion)		44351	Vulcan 180

©2017 STREAMLIGHT, INC.



BURNS BRIGHTER. LASTS LONGER. KICKS ASH.

VULCAN® 180 | 1200 LUMENS

**INTRODUCING THE VULCAN® 180
MULTIPURPOSE, RECHARGEABLE LANTERN.**



- 180° articulating head
- Made to use with gloved hands
 - Large handle for easy hand-offs
 - Big push-button switch for easy operation
- Designed by firefighters for firefighters
- Backed by over 40 years of Streamlight commitment



RECHARGEABLE LANTERNS ACCESSORIES

ACCESSORY	PART #	GOES WITH
HID Bulb Kit	45637	HID LiteBox
Flood Lens	45657	HID LiteBox
IR Filter	45654	HID LiteBox
E-Spot Upgrade Kit	45845	E-Spot LiteBox/FireBox
E-Flood Upgrade Kit	45842	E-Flood LiteBox/FireBox
Quick Release Strap	44050	E-Flood LiteBox HL, E-Flood LiteBox/FireBox, E-Spot LiteBox/FireBox, HID LiteBox, Fire Vulcan LED, Vulcan 180
Heavy Duty Strap	45232	E-Flood LiteBox HL, E-Flood LiteBox/FireBox, E-Spot LiteBox/FireBox, HID LiteBox, Fire Vulcan LED, Vulcan 180



THE MOST TRUSTED RIGHT ANGLE LIGHT
THIN, BRIGHT & EXTREMELY VERSATILE.
THE SURVIVOR.

SURVIVOR®

This leading Class I, Div. 1 right angle flashlight features a slim profile, a D-ring for accurate light orientation and a spring-loaded clip that grabs onto your gear. Four lighting modes include high, low, flash, and moonlight (for low-level lighting to preserve batteries).

IPX4 water-resistant; 2m impact resistance tested. Unbreakable, scratch-resistant polycarbonate lens. Push-button switch is designed for easy operation even with heavy gloves.

- BATTERY:** Rechargeable NiCd or 4 "AA" alkaline
- SIZE:** 7.6" (17.92 cm)
- NiCd WEIGHT:** 18 oz (510 g)
- ALKALINE WEIGHT:** 13.7 oz (388 g)
- COLOR:** Orange, Yellow, or Black

ORANGE	YELLOW	BLACK	ITEM DESCRIPTION
90503	90513	90523	SURVIVOR - 120V AC/12V DC, 2 HOLDERS
90502	90512	90522	SURVIVOR - 120V AC FAST CHARGER
90509	90519	90528	SURVIVOR - 12V DC FAST CHARGER
90500	90510	90520	SURVIVOR - WITHOUT CHARGER
90540	90541	90545	SURVIVOR - ALKALINE



Class I & II, Division 1, Groups C,D,E,F,G;
 Class III, T4
 Class I, Division 2, Groups A,B,C,D; T4



Rack meets requirements of
 1901-14.1.11.2 (2003)
 mounted in any position



Permissible Flashlight,
 Approval No. 20-A150001-0
 (Alkaline model)



Interchangeable Smoke Cutter® plugs:



Black reduces peripheral light for a tighter beam



Amber reduces peripheral light and eye fatigue caused by glare



NiCd MODEL	HIGH	LOW
LUMENS:	175	60
CANDELA:	41,000	14,000
DISTANCE:	405m	237m
RUN TIME:	3h 30m	13h

Moonlight mode: 20 days of continuous run time
 Flash runs 8 hours

ALKALINE MODEL	HIGH	LOW
LUMENS:	175	60
CANDELA:	41,000	14,000
DISTANCE:	405m	237m
RUN TIME:	4h	15h

Moonlight mode: 20 days of continuous run time
 Flash runs 8 hours

WHETHER YOU'RE WORKING ON THE FLOOR
OR OVERHEAD, THE
KNUCKLEHEAD
IS YOUR PARTNER.

KNUCKLEHEAD® SPOT

	HIGH	LOW
LUMENS:	180	55
CANDELA:	11,000	3,300
DISTANCE:	210m	115m
RUN TIME:	3h 30m	16h

Moonlight mode: 20 days of continuous run time
Flash: 8 hours continuous time

Spring-loaded clip attaches to
turn-out gear for convenient
hands-free lighting.



Powerful magnet
adheres to steel
surfaces.



Class I, Div. 2, Grps A, B, C, D,
Class II, Div. 2, Grps F, G
Class III T3C

NFPA

Rack meets requirements
of 1901-14.1.11.2 (2009)
mounted in any position



Its far-reaching beam helps locate hazards or victims from a distance. The following features are designed to give firefighters added flexibility: Articulating, rotating head makes it easy to aim light where it's needed. Powerful, removable magnet adheres to steel surfaces. Spring-loaded clip grabs onto turnout gear. Four modes include high, low, flash and moonlight (for low-level lighting and a 20-day run time). Unbreakable, anti-scratch, O-ring sealed lens. IPX4-rated for water-resistance. 2m impact-resistance tested. All openings are O-ring sealed.

BATTERY: Rechargeable NiCd; also accepts 4 "AA" alkaline batteries

SIZE: 9.2" (23.4 cm)

NiCd WEIGHT: 1 lb 7.1 oz (655 g)

ALKALINE WEIGHT: 1 lb 2.3 oz (519 g)

COLOR: Orange

PART NBR	ITEM DESCRIPTION
90757	120V AC/12V DC - ORANGE
90761	120V AC FAST CHARGE - ORANGE
90770	12V DC FAST CHARGE - ORANGE
90751	WITHOUT CHARGER - ORANGE
90744	ALKALINE MODEL - ORANGE

SURVIVOR/KNUCKLEHEAD ACCESSORIES

KNUCKLEHEAD/SURVIVOR ACCESSORIES	KNUCKLEHEAD FLOOD	KNUCKLEHEAD SPOT	KNUCKLEHEAD HAZ-LO FLOOD	KNUCKLEHEAD HAZ-LO SPOT	SURVIVOR
5 Unit 120V AC Bank Charger 	90400	90400	90400	90400	90400
5 Unit 12V DC Bank Charger 	90401	90401	90401	90401	90401
Smart Charger 	90116	90116	90116	90116	90116
DC Fast Smart Charger 	90011	90011	90011	90011	90011
NiCd Battery 	90130	90130	90130	90130	90130
NiMH Battery 	90336	90336	---	---	---
Alkaline Battery Cartridge 	90542	90542	90542	90542	90542
12V DC1 Charge Cord 	22051	22051	22051	22051	22051
12V DC2 Charge Cord 	22050	22050	22050	22050	22050
120V AC Charge Cord 	22060	22060	22060	22060	22060




WAYPOINT SERIES

DUALIE WAYPOINT®

NEW SPOT/FLOOD COMBO 1,000 LUMENS

See what's ahead of you and right in front of your feet with the Dualie Waypoint. Its bright light, which shines both ahead of you and downward, helps you avoid slips, trips and falls. Multiple hands-free uses - hang it over a door, stand it on its kickstand or hang it with integrated D-ring.

DUAL BEAM DESIGN:



The Dualie design allows you to see what's ahead of you and right in front of your feet. Its bright light, which shines both ahead of you and downward, helps you avoid slips, trips and falls.

SPOT	HIGH	MEDIUM	LOW
LUMENS:	750	500	35
CANDELA:	72,000	45,000	3,200
DISTANCE:	535m	423m	113m
RUN TIME:	3.5h	6h	125h

FLOOD	HIGH	MEDIUM	LOW
LUMENS:	450	230	25
CANDELA:	240	120	10
DISTANCE:	31m	22m	6m
RUN TIME:	5.75h	15h	170h

COMBO	HIGH	MEDIUM	LOW
LUMENS:	1,000	600	75
RUN TIME:	3h	6h	55h



BATTERY: 4 "C" batteries (not included)
SIZE: 6.75" (17.14 cm)
WEIGHT: 2.6 lb (816 g)
COLOR: Yellow

Special Features:

- Unbreakable, O-ring sealed polycarbonate lens
- IPX7; waterproof to 1m; 2m impact-resistance tested
- Multiple hands-free uses:
 - Integrated stand
 - D-ring for hanging
 - U-shaped design fits over doors, etc.

PART NBR	ITEM DESCRIPTION
44940	DUALIE WAYPOINT - WRAP - YELLOW
44955	DUALIE WAYPOINT - BOX - YELLOW

WAYPOINT®

550 LUMENS

	HIGH	LOW
LUMENS:	550	40
CANDELA:	100,000	7,900
DISTANCE:	625m	178m
RUN TIME:	10h	82h

12V DC power cord provides unlimited run time
Emergency signal: runs 82 hours

Integrated stand for hands-free lighting



Trigger style switch with momentary operation



Use the ultra-bright, long-distance beam of the Waypoint as a spotlight to illuminate far-off objects. This pistol grip light has a trigger-style switch, as well as an integrated stand so that you can set it down for hands-free lighting. It's the perfect tool for inspections or looking for addresses or any other objects you can't get close to easily.

BATTERY: 4 "C" batteries (not included)
SIZE: 6.75" (17.15 cm)
WEIGHT: 1 lb 12.8 oz (816 g)
COLOR: Yellow or Black



12V DC power cord for unlimited run time (does not charge batteries)



Polymer storage mount (included)

Special Features:

- Unbreakable, O-ring sealed polycarbonate lens
- IPX4-water-resistant; 1m impact-resistance tested
- Integrated stand for hands-free lighting

WAYPOINT® RECHARGEABLE

1,000 LUMENS

	HIGH	MEDIUM	LOW
LUMENS:	1,000	550	35
CANDELA:	115,000	60,000	10,000
DISTANCE:	678m	490m	200m
RUN TIME:	3h	6h	80H

The rechargeable Waypoint produces a far-reaching beam that reaches into corners and illuminates high ceilings and other out-of-reach places. IPX8 - waterproof to 2m and it floats. High, medium and low modes provide the right amount of light and run time needed to complete your task. An integrated stand is easy to set up for hands-free area lighting. Fully recharges in 4 hours.

BATTERY: Lithium Ion
SIZE: 6.75" (17.15 cm)
WEIGHT: 1 lb 8.32 oz (691 g)
COLOR: Yellow or Black



Includes 120V AC Charge Cord



Optional 12V DC Charge Cord



Polymer storage mount (included)

Special Features:

- Unbreakable, O-ring sealed polycarbonate lens
- IPX8/waterproof to 2 meters
- Integrated stand for hands-free lighting

PART NBR	ITEM DESCRIPTION
44900	WAYPOINT - INCLUDES 12V DC POWER CORD - BOX - YELLOW
44902	WAYPOINT - INCLUDES 12V DC POWER CORD - BOX - BLACK
44904	WAYPOINT - INCLUDES 12V DC POWER CORD - CLAM - YELLOW
44905	WAYPOINT - INCLUDES 12V DC POWER CORD - CLAM - BLACK
44908	POLYMER STORAGE MOUNT
44903	12V DC POWER CORD*

*12V DC power cord does not charge batteries

PART NBR	ITEM DESCRIPTION
44910	WAYPOINT RECHARGEABLE - 120V AC - BOX - YELLOW
44911	WAYPOINT RECHARGEABLE - 120V AC - BOX - BLACK
44901	POLYMER STORAGE MOUNT
44909	120V AC CHARGE CORD
44923	12V DC CORD



HELMET/RIGHT-ANGLE
MULTI-FUNCTION FLASHLIGHT
EXTREMELY VERSATILE
VANTAGE 180





VANTAGE® 180

Giving you the ultimate versatility in a firefighter's light, the Vantage 180 goes instantly from a helmet light to a handheld light to a right-angle light. So wear it, hold it, clip it, or even hang it!

Rear LED Taillight changes from blue to white: Blue LED for helmet mount use and visibility in heavy smoke; White LED for a downcast flood light to see what's at your feet; switches from blue to white when head is at a 90° angle.

Integrated stainless steel multi-function clip for a variety of attachment methods and mounting positions. Turnout gear attachment hook. IPX7 waterproof to 1m for 30 minutes; 1m impact resistance tested.

BATTERY: 2 CR123A Lithium batteries

SIZE: 5.2" (13.2 cm)

WEIGHT: 5.5 oz (156g)

COLOR: Orange, Black

	HIGH	LOW
LUMENS:	250	100
CANDELA:	7,200	2,650
DISTANCE:	170m	103m
RUN TIME:	4h	12h



Includes helmet mount and hex key

ORANGE	BLACK	ITEM DESCRIPTION
88900	88902	VANTAGE 180 WITH LITHIUM BATTERIES - CLAM
88901	88903	VANTAGE 180 WITH LITHIUM BATTERIES - BOX
88906	-	VANTAGE 180 HELMET MOUNT



Ultra-bright blue taillight LED ensures you can be seen from behind.

Easily attaches above or below helmet brim; no tools necessary to quickly remove for use as a handheld flashlight

NFPA Meets requirements of NFPA 1971-8.6 (2013)

RIGHT ANGLE & HELMET LIGHTING

POLYTAC 90®

Use this versatile, compact, right-angle flashlight as a headlamp or clip on to turn-out gear. It's super bright and extremely durable with a nylon polymer housing. Three modes include high, low and strobe. 1m impact resistance tested. IPX7 rated design; waterproof to 1m for 30 minutes. Integrated carabiner style D-ring for a variety of attachment methods. Versatile clip allows a variety of mounting positions. Maximum light output throughout battery life.

BATTERY: 2 CR123A Lithium batteries

SIZE: 5.22" (13.3 cm)

WEIGHT: 4.1 oz (116 g)

COLOR: Orange, Yellow or Black

NFPA
Meets requirements of
NFPA 1971-8.6 (2007)

	HIGH	LOW
LUMENS:	170	17
CANDELA:	7,000	700
DISTANCE:	167m	53m
RUN TIME:	3h 45m	30h

Strobe runs 6 hours



ORANGE	YELLOW	BLACK	ITEM DESCRIPTION
88834	88831	88830	POLYTAC 90 WITH LITHIUM BATTERIES
88832	--	--	POLYTAC 90 WITH LITHIUM BATTERIES AND GEAR KEEPER



Gear Keeper® makes your job easier while preventing loss of light.

Gear Keeper® Tether features spectra nylon line with 36" extension and 6 oz. retraction force.

RIGHT ANGLE SERIES ACCESSORIES

Accessory	Part #	Goes With
 Gear Keeper	88833	PolyTac 90
 Elastic Headstrap - Coyote	14059	PolyTac 90
CR123A Lithium Batteries - 2pk CR123A Lithium Batteries - 6pk CR123A Lithium Batteries - 12pk CR123A Lithium Batteries - 400pk	85175 85180 85177 85179	PolyTac 90, Vantage, Vantage 180



VANTAGE®

The solution to firefighters' hands-free lighting needs. Attaches easily to helmets and hard hats, and rotates 360°. Fits snugly against helmet to prevent snags. Features a bright taillight LED so you can be seen from behind even in heavy smoke. Easy to operate with gloves. Fits both traditional and modern helmets.

BATTERY: 2 CR123A lithium
SIZE: 3.26" (8.28 cm)
WEIGHT: 5.14 oz (145.7 g)
COLOR: Black, Red or Green

NFPA
 Meets requirements of
 NFPA 1971-8.6 (2013);
 500° heat resistance test

LUMENS:	115
CANDELA:	7,000
DISTANCE:	167m
RUN TIME:	6h



Dual direction,
 easy access
 on/off switch.

Ultra-bright
 taillight LED.

ITEM NBR	ITEM DESCRIPTION
69140	VANTAGE HELMET LIGHT - BLACK WITH BLUE TAILLIGHT LED
69157	VANTAGE HELMET LIGHT - RED WITH BLUE TAILLIGHT LED
69189	VANTAGE HELMET LIGHT - GREEN WITH GREEN TAILLIGHT LED

STREAMLIGHT TECHNOLOGY: PRODUCT-SPECIFIC DESIGN ALLOWS YOU TO TARGET THE BEAM.

MOUNTING VERSATILITY:

Clamp the Vantage onto any traditional or modern firefighter's helmet or hard hat. It rotates and can be clamped above or below the brim.



HELMET LIGHTING KITS

STREAMLIGHT HELMET LIGHTING KITS

Universal lighting kits fit both traditional and modern style firefighting helmets. They provide a low-profile, lightweight and economical alternative for securely mounting a flashlight to almost any style fire helmet.

Streamlight Helmet Mount can be used in conjunction with the PolyTac or 3AA ProPolymer HAZ-LO. Durable, lightweight, aluminum mount easily attaches to the brim of firefighters' helmets with no tools required.

Rubber Helmet Strap can be used in conjunction with the PolyTac or 3AA ProPolymer HAZ-LO. It is an easy, "no tools required" method to attach your flashlight to almost any helmet. Made of engineered high-strength rubber. Also fits hard hats.

POLYTAC® HELMET LIGHTING KIT

Kit includes PolyTac with lithium batteries, helmet mount and rubber helmet strap.

PolyTac features a rugged housing, extreme brightness and extended run times. TEN-TAP® Programming lets you choose the order of operating modes: 1.) high/strobe/low; 2.) high only; 3.) low/high. IPX7-waterproof to 1m for 30 minutes.

BATTERY: 2 CR123A lithium

SIZE: 5.34" (13.56 cm)

WEIGHT: 4.1 oz (116 g)

COLOR: Yellow

NFPA

Meets requirements of NFPA 1971-8.6 (2007)

	HIGH	LOW
LUMENS:	275	14
CANDELA:	9,500	500
DISTANCE:	195m	45m
RUN TIME:	3h	65h

Strobe runs 5.5 hours



Durable, aluminum helmet mount makes it easy to transition the PolyTac from a helmet mounted light to a handheld lighting tool in seconds.



Kit includes PolyTac, CR123A lithium batteries, helmet mount and rubber helmet strap



Rubber helmet strap is an easy "no tools required" method to attach your flashlight to your helmet.

PART NBR	ITEM DESCRIPTION
88854	HELMET LIGHTING KIT—INCLUDES YELLOW POLYTAC, RUBBER HELMET STRAP, HELMET MOUNT AND LITHIUM BATTERIES

HELMET LIGHTING KIT ACCESSORIES

ACCESSORY

Helmet Mount



PART #

68085

GOES WITH

PolyTac, 3AA ProPolymer HAZ-LO, 4AA ProPolymer Lux

Rubber Helmet Band



99075

PolyTac, 3AA ProPolymer HAZ-LO, 4AA ProPolymer Lux

CR123A Lithium Batteries - 2pk
CR123A Lithium Batteries - 6pk
CR123A Lithium Batteries - 12pk
CR123A Lithium Batteries - 400pk



85175
85180
85177
85179

PolyTac

3AA PROPOLYMER® HAZ-LO® HELMET LIGHTING KIT

Kit includes 3AA ProPolymer HAZ-LO with alkaline batteries, helmet mount and rubber helmet strap.

3AA ProPolymer HAZ-LO is an intrinsically safe flashlight for use in hazardous locations. It produces a tight beam with optimum peripheral illumination. Resistant to chemicals and solvents. IP67 rated for dust-tight and waterproof to 1m for 30 minutes; IPX4 for water spray.

BATTERY: 3 "AA" alkaline
SIZE: 7.0" (17.78 cm)
WEIGHT: 7.5 oz (213 g)
COLOR: Yellow



Permissible Flashlight. Approval No. 20-A140003-0 - Tested for Intrinsic Safety in Methane-Air mixtures only.



Class I, Div 1, Groups A, B, C, D;
 Class II, Div. 1, Groups E, F, G;
 Class III, T4 Exia

LUMENS:	120
CANDELA:	14,000
DISTANCE:	237m
RUN TIME:	6h 30m



Kit includes 3AA ProPolymer HAZ-LO, alkaline batteries, helmet mount and rubber helmet strap

PART NBR	ITEM DESCRIPTION
68270	HELMET LIGHTING KIT-INCLUDES 3AA PROPOLYMER HAZ-LO, RUBBER HELMET STRAP, HELMET MOUNT AND LITHIUM BATTERES

4AA PROPOLYMER® LUX®

This safety-rated light has a long-reaching, bright beam and an ergonomic design for comfortable handling. Unbreakable, scratch-resistant lens. IP67-rated; waterproof to 1m for 30 minutes. 1m impact-resistance tested. Corrosion-proof.

BATTERY: 4 "AA" alkaline
SIZE: 7" (17.78 cm)
WEIGHT: 7.6 oz (216 g)
COLOR: Yellow or Black

LUMENS:	100
CANDELA:	4,200
DISTANCE:	130m
RUN TIME:	6h



4AA Lux Div. 1



Class I & II, Div. 1,
 Groups C, D, F & G;
 Class I, Div. 2,
 Groups A, B, C, D;
 Class III, T4



Class I & II, Div. 1,
 Groups C, D, F & G;
 Class III, T4 Exia
 Non-incendive:
 Class I, Div. 2,
 Groups A, B, C, D



Permissible Flashlight
 App. No. 20-A060002-0
 Tested for use in methane-air
 mixtures only

4AA Lux Div. 2



Class I, Div. 2,
 Groups A, B, C, D;
 Class II, Div. 2,
 Groups F&G;
 Class III, T3C (142 C)




Class I, Div. 2,
 Groups A, B, C, D;
 Class II, Div. 2,
 Groups F&G;
 Class III, T3C (142 C)

NFPA

Meets requirements of
 NFPA 1971-8.6 (2007);
 500° heat resistance test

YELLOW	BLACK	ITEM DESCRIPTION
68244	68344	4AA PROPOLYMER LUX DIV. 2 WITH ALKALINE BATTERIES
68602	68702	4AA PROPOLYMER LUX DIV. 1 WITH ALKALINE BATTERIES





**ALL-PURPOSE
LIGHTING TOOLS**
FOR NON-STRUCTURAL FIREFIGHTING

ULTRA-COMPACT PERSONAL LIGHTS

CONVENIENTLY FIT IN YOUR POCKET.

STYLUS PRO®

LUMENS:	90
CANDELA:	860
DISTANCE:	58m
RUN TIME:	6h 30m



The Stylus Pro is the ultimate high-performance pen light. So sleek and compact, it's unbelievable that it provides such incredible output! Use it for close inspections, or shine the light across a room - it provides a beam distance of 58 meters.

BATTERY: 2 "AAA" alkaline
SIZE: 5.3" (13.4 cm)
WEIGHT: 1.64 oz (46.9g)
COLOR: Black or Red

MICROSTREAM®

LUMENS:	45
CANDELA:	420
DISTANCE:	41m
RUN TIME:	2h 15m



The MicroStream is small enough for you to discreetly keep it in your pocket, or clip it to a ball cap for hands-free use. This versatile tool is perfect for supervisors who don't need a flashlight on a daily basis, or for those who don't want to be weighed down by larger lighting tools.

BATTERY: 1 "AAA" alkaline
SIZE: 3.6" (91.5 mm)
WEIGHT: 1.1 oz (31.2g)
COLOR: Black or Red

ITEM NBR	ITEM DESCRIPTION
66118	STYLUS PRO WITH ALKALINE BATTERIES - MATTE BLACK
66120	STYLUS PRO WITH ALKALINE BATTERIES - RED
66028	NYLON HOLSTER

ITEM NBR	ITEM DESCRIPTION
66318	MICROSTREAM WITH ALKALINE BATTERIES - CLAM - BLACK
66323	MICROSTREAM WITH ALKALINE BATTERIES - CLAM - RED

STYLUS PRO® USB

LUMENS:	90
CANDELA:	840
DISTANCE:	58m
RUN TIME:	3h 30m



You won't want to be without this sleek, compact penlight that recharges at any USB port. Consistent light output throughout battery life. IPX4 water-resistant; 1m impact-resistance tested.

BATTERY: Lithium ion
SIZE: 6.15" (15.6 cm)
WEIGHT: 1.9 oz (53.8 g)
COLOR: Black

ITEM NBR	ITEM DESCRIPTION
66133	STYLUS PRO 120V AC - INCLUDES HOLSTER - BLACK
22070	22' USB CORD
66029	NYLON HOLSTER

MICROSTREAM® USB

	HIGH	LOW
LUMENS:	250	50
CANDELA:	1,150	250
DISTANCE:	68m	31m
RUN TIME:	1h 30m	3h 30m



This compact lithium ion battery powered flashlight designed for use in all markets. It features a tail cap switch, momentary or constant on operation, high and low beams, a combination pocket/hat clip for convenience. Durable aluminum construction; IPX4 water-resistant.

BATTERY: Lithium ion
SIZE: 3.87" (98.2 cm)
WEIGHT: 1.2 oz (34.1 g)
COLOR: Black

ITEM NBR	ITEM DESCRIPTION
66604	MICROSTREAM USB - 5" USB CORD & LANYARD - BOX - BLACK

STINGER & STRION

STINGER LED HL®

800 LUMENS



When you need maximum illumination with a wide beam to search a large area, this rechargeable, high lumen flashlight provides a blast of 800 lumens with 310 meters of beam distance. Three modes allow you to select the right amount of light for your job, extend the run time or use strobe to signal your location.

	HIGH	MEDIUM	LOW
LUMENS:	800	400	200
CANDELA:	24,000	12,000	6,000
DISTANCE:	310m	219m	155m
RUN TIME:	1h 30m	2.5h	5h

Strobe: runs 3 hours

BATTERY: NiMH
SIZE: 8.41" (21.36 cm)
WEIGHT: 12.4 oz (352 g)
COLOR: Black

ITEM NBR	ITEM DESCRIPTION
75430	STINGER LED HL - 120V AC/12V DC - 2 HOLDERS



Special Features:

- Unbreakable, scratch-resistant lens
- IPX4 water-resistant
- 1m impact-resistance tested

STRION LED HL®

500 LUMENS



When you need maximum illumination with a wide beam to search a large area, this rechargeable, high lumen flashlight provides a blast of 500 lumens with 200 meters of beam distance. Three modes allow you to select the right amount of light for your job, extend the run time or use strobe to signal your location.

	HIGH	MEDIUM	LOW
LUMENS:	500	250	125
CANDELA:	10,000	5,000	2,500
DISTANCE:	200m	141m	100m
RUN TIME:	1h	2h	3h 30m

Strobe mode: 2h 30m of continuous run time

BATTERY: Lithium-ion
SIZE: 5.90" (14.99 cm)
WEIGHT: 5.2 oz (148 g)
COLOR: Black

ITEM NBR	ITEM DESCRIPTION
74752	STRION LED HL - 120V AC/12V DC - 2 HOLDERS



Special Features:

- IPX4 water-resistant
- 2m impact-resistance tested
- Anti-roll head

STINGER/STRION ACCESSORIES

ACCESSORIES	STINGER LED HL	STRION LED HL
5-Unit Bank Charger	75400	-
6 Unit Bank Charger 120V	-	74400
Smart Charger	75105	74102
PiggyBack® Charger (includes NiMH battery) Stinger Series	75277	--
PiggyBack® Charger (battery not included) Strion Series	--	74115
Li-Ion Battery Stick	75176	74175
NiMH Battery Stick	75375	-
12V DC1 Charge Cord	22051	22051
12V DC2 Charge Cord	22050	22050
120V AC Charge Cord	22071	22071
Leather Plain Holster	75133	74059
Leather Weave Holster	75134	74060
Nylon Holster	75927	-
Loop Nylon Holster	75928	-
Duty Holster	88053	88051
Ring Holder	75906	-

POLYTAC & PROTAC

POLYTAC® X USB POLYTAC® X

NEW

	HIGH	MEDIUM	LOW
LUMENS:	600	260	35
CANDELA:	11,485	4,930	675
DISTANCE:	205m	135m	50m
RUN TIME (CR123):	2h 45m	5h 30m	34h
RUN TIME (18650):	3h 30m	5h 45m	36h

Strobe runs 5.5 hours (CR123)
runs 8 hours (18650)

TEN-TAP® Programmable -
choose from three programs:

- high/strobe/low
- high only
- low/medium/high

NFPA Meets requirements of NFPA 1971-8.6 (2007)

This 600 lumen tactical light incorporates Multi-Fuel Design that provides you the versatility to use two CR123 batteries or one 18650 USB rechargeable battery. Superior grip texture provides a comfortable/slip-resistant feel. IPX7 - waterproof to 1 m for 30 minutes.

BATTERY: (2) CR123A lithium or (1) 18650 USB rechargeable

SIZE: 5.46" (13.87 cm)

WEIGHT: 4.4 oz (125 g) CR123; 4.9 oz (139 g) 18650

COLOR: Black, Yellow



MULTI-FUEL DESIGN:
Runs on 18650 USB
or CR123A batteries

PROTAC® HL-X USB PROTAC® HL-X

NEW

	HIGH	MEDIUM	LOW
LUMENS:	1,000	400	65
CANDELA:	27,100	10,000	1,600
DISTANCE:	330m	200m	80m
RUN TIME (CR123):	1h 15m	3h	20h
RUN TIME (18650):	1h 30m	3h 30m	23h

Strobe runs 2.5 hours (CR123)
runs 3.25 hours (18650)

TEN-TAP® Programmable -
choose from three programs:

- high/strobe/low
- high only
- low/medium/high

The ProTac® HL-X features multi-battery versatility - uses two CR123A batteries or one Streamlight rechargeable 18650 USB battery. It features a push-button tail switch for momentary or constant on operation, three different user selectable programs and a pocket clip for convenience.

BATTERY: 2 CR123A lithium or 1 rechargeable 18650

SIZE: 5.43" (13.8 cm)

WEIGHT: 5.7 OZ (162 g) CR123; 6.2 OZ (176 g) 18650

COLOR: Black




MULTI-FUEL DESIGN:
Runs on 18650 USB
or CR123A batteries

YELLOW	BLACK	ITEM DESCRIPTION
88604	88603	POLYTAC X - TWO CR123A LITHIUM BATTERIES - BOX
68614	68613	POLYTAC X USB - 18650 BATTERY - BOX

ITEM NBR	ITEM DESCRIPTION
88065	PROTAC HL-X - 2 CR123A LITHIUM BATTERIES AND HOLSTER - BOX
88085	PROTAC HL-X USB - 18650 USB BATTERY, USB CORD & HOLSTER - BOX

POLYTAC/PROTAC ACCESSORIES

ACCESSORY	PART #	GOES WITH
CR123A Lithium Batteries 2pk 6pk 12pk 400pk	85175 85180 85177 85179	PolyTac X, ProTac HL-X
18650 Charge Cradle (batteries sold separately)	22100	Streamlight 18650 USB Batteries
18650 USB Battery Kit (includes two batteries) 18650 USB Battery Kit 120V AC	22010 22011	PolyTac X USB, ProTac HL-X USB
18650 USB Battery 2pk	22102	PolyTac X USB, ProTac HL-X USB
120V AC USB Charge Cord	22071	18650 Charge Cradle, ProTac HL USB, ProTac HPL USB
40" (101.6 cm) USB Cord 22" (55.88CM) USB Cord	22070 22081	PolyTac X USB, ProTac HL-X USB
EPU-5200 PORTABLE CHARGER	22600	PolyTac X USB, ProTac HL-X USB



X USB MULTI-FUEL FLEXIBILITY

A NEW WAY TO LOOK
AT BATTERIES AND
RECHARGEABILITY

THE FLEXIBILITY TO POWER YOUR LIGHT WITH...



OR



DUALIE SERIES

DUALIE® 2AA

SPOT/FLOOD COMBO 175 LUMENS

See what's ahead of you and right at your feet with the intrinsically safe Dualie® 2AA. This compact flashlight features two beams that can be used simultaneously or individually as needed: a front-facing spot beam and a downward cast flood light. The two beams provide multi-directional lighting to help prevent slips, trips and falls. This flashlight is safety-rated for Class 1, Div. 1 environments and even includes a magnet on the tail end for hands-free use.

Work in confined spaces? Mount to your hardhat for hands-free use.

BATTERY: 2 "AA" alkaline

SIZE: 6.1" (15.5 cm)

WEIGHT: 3.9 oz (111 g)

COLOR: Yellow or Black



Class I, II, Division 1,
Groups A, B, C, D, E, F, G;
Class III; CL I, ZN O, IIC;
Exia; T-Code: T4

	SPOT	FLOOD	SPOT/FLOOD COMBO
LUMENS:	115	115	175
CANDELA:	3,100	75	-
DISTANCE:	111m	17m	-
RUN TIME:	24h	24h	15h



Features a forward facing spot beam and a downward flood light - use individually or at the same time.



Integrated magnet on tail end for hands-free use.

ITEM NBR	ITEM DESCRIPTION
67751	DUALIE 2AA - WITHOUT BATTERIES - BOX - YELLOW
67753	DUALIE 2AA - WITHOUT BATTERIES - BOX - BLACK

DUALIE® 3AA

SPOT/FLOOD COMBO 245 LUMENS

See what's ahead of you and right in front of your feet with the Dualie 3AA. Its bright light, which shines both ahead of you and downward, helps you avoid slips, trips and falls. Intrinsically Safe - Class I & II, Div. 1.

BATTERY: 3 "AA" alkaline or lithium

SIZE: 7" (17.78 cm); 7.5" (19.05 cm) - Magnetic Clip option

WEIGHT: 6.8 oz (193 g); 7.1 oz (201 g) - Magnetic Clip option

COLOR: Yellow or Black



Class I & II, Div. I,
Groups A, B, C, D, E, F, G
Class III, CL I, ZN O, IIC
T-Code: T4; Exia

	SPOT	FLOOD	SPOT/FLOOD COMBO
LUMENS:	140	140	245
CANDELA:	7,300	80	-
DISTANCE:	171m	18m	-
RUN TIME:	18h	18h	9h



Features a forward facing spot beam and a downward flood light - use individually or at the same time.

Rugged, integrated, snag-free clip conforms to body of light; grabs onto shirts, pockets and gear for hands-free use.



Magnetic clip with integrated hang hook for hands-free use.

ITEM NBR	ITEM DESCRIPTION
68751	DUALIE 3AA - WITHOUT BATTERIES - BOX - YELLOW
68753	DUALIE 3AA - WITHOUT BATTERIES - BOX - BLACK
68782	DUALIE 3AA MAGNET - WITH ALK BATTERIES - BOX - YELLOW
68783	DUALIE 3AA MAGNET - WITH ALK BATTERIES - BOX - BLACK
68780	DUALIE 3AA MAGNET - WITHOUT BATTERIES - BOX - YELLOW
68781	DUALIE 3AA MAGNET - WITHOUT BATTERIES - BOX - BLACK

WATCH



YOUR STEP.



DUALIE® 2AA

FLOOD+SPOT BEAMS=175 TOTAL LUMENS



DUALIE® 3AA

FLOOD+SPOT BEAMS=245 TOTAL LUMENS



TWO DUAL BEAMED LIGHTS FOR SAFER SITES.

Prevent slips, trips and falls with the Dualie® 2AA and Dualie® 3AA. Dual beams illuminate what's in front of you and right at your feet. Intuitive activation allows you to use beams independently or together. Intrinsically safe and virtually indestructible, both lights are safety rated for the harshest Class 1, Div. 1 environments. STREAMLIGHT.COM

DUALIE ACCESSORIES

Accessory	Part #	Goes With
 Helmet Mount	68085	Dualie 2AA
 Rubber Helmet Band	99075	Dualie 2AA



THE MOST VERSATILE LANTERN FAMILY
FEATURES THE HARDEST
WORKING
SIEGE LANTERN.

SUPER SIEGE®

1,000 LUMENS

The Super Siege rechargeable scene light/work lantern provides 360° of bright light that illuminates an entire scene. An 8800 mAh rechargeable lithium ion battery supplies the power to charge your Streamlight flashlights, smartphones and tablets. Remove the globe cover and hang the Super Siege upside down by its D-ring for large area lighting needs. Use the Glare Guard™ to shield light from 1/2 the globe for up-close task lighting. Set it to SOS mode for emergency situations. Working in a grueling environment? No problem! A rubber base keeps it stable on slippery or uneven surfaces, and a watertight storage compartment keeps small items dry.

BATTERY: Rechargeable 8800 mAh Lithium Ion battery
SIZE: 7.5" (19.05 cm)
WEIGHT: 1 lb 14 oz (867 g)
COLOR: Coyote or Yellow

PART NBR	ITEM DESCRIPTION
44947	120V AC -COYOTE
44945	120V AC -YELLOW
44909	120V AC CHARGE CORD
44950	GLARE GUARD™
44951	MAGENTIC BASE - BLACK

(1) WHITE C4 LED	HIGH	MEDIUM	LOW
LUMENS:	1,100	550	125
RUN TIME:	5h	10.5h	35h

(4) RED LEDs	HIGH	FLASH/SOS MODE	LOW
LUMENS:	2.7	2.7	1
RUN TIME:	110h	230h	288h



8800 mAh rechargeable lithium ion battery supplies the power for the lantern as well as enabling you to recharge all your electronic devices from the handy USB port



A small dry storage area is provided in the lights base for all your "keep dry" needs

Special Features:

- IPX7 waterproof to 1 meter
- It floats

THE SIEGE®

540 LUMENS

The Siege is brighter, more durable, and much more versatile than other emergency/camping lanterns. It's bright enough to light up a whole campsite. It runs for over 30 hours on high and over 12 days on low! Its handle and D-rings allow you to hang it or clip it almost anywhere, upright or inverted. It has 3 white light settings, a red light for softer, less intense light, and an SOS mode. Remove the top for brighter light. Battery indicator flashes to alert you to low battery.

BATTERY: 3 "D" alkaline
SIZE: 3.8" x 7.25" (9.65 x 18.41 cm)
WEIGHT: 1 lb 15 oz (878 g)
COLOR: Coyote

PART NBR	ITEM DESCRIPTION
44931	THE SIEGE – COYOTE
44950	GLARE GUARD™
44952	MAGENTIC BASE - BLACK

(4) WHITE C4 LEDs	HIGH	MEDIUM	LOW
LUMENS:	540	275	55
RUN TIME:	30h	70h	295h

Light output with outer globe removed.

(1) RED LED	HIGH	FLASH/SOS MODE
LUMENS:	10	10
RUN TIME:	235h	430h

Special Features:

- Waterproof to 1m ; it floats
- 2m impact-resistance tested
- Unbreakable polycarbonate lens
- Rugged, non-slip base

Versatile design features rugged carry handle and D-rings to clip to hang virtually anywhere.



SIEGE® AA

200 LUMENS

The Siege AA lantern features one C4® power LED and two red LEDs. There are five output modes and a battery level indicator built into the on/off button. With the outer lantern globe in place, the light will float. Use the lantern with or without the outer globe cover. Battery indicator flashes to alert you to low battery.

BATTERY: 3 "AA" alkaline
SIZE: 5.44" (13.82 cm)
WEIGHT: 8.8 oz (249.47 g)
COLOR: Coyote, Yellow

PART NBR	ITEM DESCRIPTION
44941	SIEGE AA – COYOTE
44943	SIEGE AA - YELLOW W/MAGENTIC BASE
44942	MAGENTIC BASE - COYOTE

WHITE C4 LED	HIGH	MEDIUM	LOW
LUMENS:	200	100	50
RUN TIME:	7h	15h 30m	37h

Light output with outer globe removed.

(2) RED LEDs	HIGH	FLASH/SOS MODE
LUMENS:	.7	.7
RUN TIME:	192h	288h

Special Features:

- Waterproof to 1 meter; it floats
- 2 meter impact-resistance tested
- Unbreakable polycarbonate lens
- Rugged, non-slip base



The yellow Seige AA has three strong magnets in the base. It's a versatile, hands-free work light that can be attached to steel surfaces like engines, machines, or other equipment.





BANDIT®

	HIGH	LOW
LUMENS:	180	35
RUN TIME:	2h	9.5h

Emergency flash - 180 lumens

The Bandit is an ultra-lightweight, weather-resistant, personal area/work light featuring a large, easy-to-use push button and a lithium polymer rechargeable battery. It includes a handy snap-in clip adaptor to attach the light to a pocket or lapel or clip it to the visor on a ball cap; it also adds additional downward adjustability. High, low and emergency flash modes.

Two hardhat mounting options:

Rubber strap

3M™ Dual Lock™
reclosable fasteners



BATTERY: Rechargeable lithium polymer

WEIGHT: 1.3 oz (36.8g)

COLOR: Yellow

ITEM NBR	ITEM DESCRIPTION
61703	BANDIT - INCLUDES USB CORD, RUBBER HARD HAT STRAP AND 3M DUAL™ LOCK™ FASTENERS - YELLOW

ENDURO® PRO

SPOT	HIGH	MEDIUM	LOW
LUMENS:	200	75	25
CANDELA:	2,2500	825	300
DISTANCE:	95m	57m	35m
RUN TIME:	6h	14h	38h

FLOOD	HIGH	MEDIUM	LOW
LUMENS:	135	45	15
CANDELA:	210	80	20
DISTANCE:	29m	18m	9m
RUN TIME:	6h	14h	38h

This low-profile headlamp features multiple modes to cover a variety of tasks: spot for a focused beam, flood for soft area illumination that won't tire your eyes and red light to preserve night vision. Multi-function switch remembers the last mode used. IPX4 water-resistant; 2m impact resistance tested.

Two hardhat mounting options:

Rubber strap

3M™ Dual Lock™
reclosable fasteners



BATTERY: 3 "AAA" alkaline (included) or lithium

WEIGHT: 3.4 oz (96.35g)

COLOR: Yellow

ITEM NBR	ITEM DESCRIPTION
61422	ENDURO PRO - INCLUDES ALKALKINE BATTERIES, RUBBER HARD HAT STRAP AND 3M DUAL™ LOCK™ FASTENERS - YELLOW

STREAMLIGHT CARES:
PRODUCTS THAT SUPPORT

NATIONAL FALLEN FIRE FIREFIGHTERS FOUNDATION



Congress created the National Fallen Firefighters Foundation to lead a nationwide effort to honor America's fallen firefighters. Since 1992, the non-profit foundation has developed and expanded programs that fulfill that mandate. Their mission is to honor and remember America's fallen fire heroes and to provide resources to assist their survivors in rebuilding their lives. For more information, visit www.firehero.org.

VANTAGE®

The solution to firefighters' hands-free lighting needs. Attaches easily to helmets and rotates 360°. Fits snugly against helmet to prevent snags. Features a bright blue taillight so you can be seen from behind even in heavy smoke. Easy to operate with gloves. Fits both traditional and modern helmets.

BATTERY: 2 CR123A lithium
SIZE: 3.26" (8.28 cm)
WEIGHT: 5.14 oz (145.7 g)
COLOR: Red

LUMENS:	115
CANDELA:	7,000
DISTANCE:	167m
RUN TIME:	6h

NFPA Meets requirements of NFPA 1971-8.6 (2013); 500° heat resistance test



For every red Vantage sold, we donate \$3 to the National Fallen Firefighters Foundation

ITEM NBR	ITEM DESCRIPTION
69157	Vantage Helmet Light - Red

SIEGE® AA

The Siege AA lantern features one C4 LED, and two red LEDs. There are five output modes and a battery level indicator within the on/off button. It floats. Hang the body upside down by its D-ring for hands-free area lighting.

BATTERY: 3 "AA" alkaline
SIZE: 5.44" (13.82 cm)
WEIGHT: 8.8 oz (249.47g)
COLOR: Red

WHITE C4 LED	HIGH	MEDIUM	LOW
LUMENS:	200	100	50
RUN TIME:	7h	15h 30m	37h

(2) RED LEDs	HIGH	FLASH/SOS MODE
LUMENS:	.7	.7
RUN TIME:	192h	288h

For every red Siege AA sold, we donate \$2 to the National Fallen Firefighters Foundation



ITEM NBR	ITEM DESCRIPTION
44953	SIEGE AA - RED

NANO LIGHT®

This tiny, weatherproof light has a non-rotating snap hook for easy one-handed operation when attached to a keychain.

BATTERY: 4 alkaline button cell
SIZE: 1.47" (3.73 cm)
WEIGHT: .36 oz (10 g)
COLOR: Red

LUMENS:	10
RUN TIME:	8h



For every red Nano Light sold, we donate \$1 to the National Fallen Firefighters Foundation

ITEM NBR	ITEM DESCRIPTION
73005	NFFF/RED WITH WHITE LED
61205	4 PACK COIN CELL NANO LIGHT BATTERIES

NOTES



